

4

3

2

1


THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	LOC	DIST	REVISIONS			
(C) COPYRIGHT	ALL RIGHTS RESERVED.						
				P LTR DESCRIPTION DATE DWN APVD			
				B1	ECR-13-017201	6NOV13	RS LZ

REPLACED BY OCEAN STYLE APPLICATOR PART

NUMBER 2150076-2

FOR REPLACEMENT PARTS FOR APPLICATOR 567415-2
 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
 WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
 SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
 567415-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		TE Connectivity	
DIMENSIONS:		CHK L.ZHANG			
		APVD U.GUO		NAME	
0 PLC ±		PRODUCT SPEC		MINI QUICK CHANGE APPLICATOR	
1 PLC ±		APPLICATION SPEC		END FEED	
2 PLC ±					
3 PLC ±					
4 PLC ±					
ANGLES ±		WEIGHT		SIZE A3	
MATERIAL		CAGE CODE C- 567415-2		DRAWING NO	
FINISH		CUSTOMER ACCESSIBLE PRODUCTION DRAWING		SCALE	
				SHEET 1 OF 2	
				REV B1	

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED.
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING
ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

NOTES


1 RECOMMENDED SPARE PARTS.

 GUARD MUST BE IN PLACE
WHEN OPERATING APPLICATOR
IN AMP-O-ELECTRIC MACHINE.

3 LUBRICATE DAILY USING NO. 20
MACHINE OIL.

4 GREASE LIGHTLY

5. ITEMS WITH QTY OF REF SPECIFIED
(EXCEPT ITEM 79) ARE USED ON
ITEM 32.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[567415-2](#)