

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-.-

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

ES

00

P

LTR

DESCRIPTION

DATE

DWN

APVD


A2

ECR-14-005789



19MAR14

T.Q


W.H




2 POSITION




SECT A-A




TRADE MARK





VIEW B




GATING RECESS



MATING SECTION

KINKING FORMING
BOTH SIDE EACH 2 PLACES
TOTAL: 4 PLACES

VIEW B



NOTES:


1.MATERIAL:

HOUSING:NYLON(G.F.) UL94V-0,COLOR:GRAY,BLUE
POST:PRE-TIN 0.5mm SQ. BRASS WIRETOLERANCES UNLESS
OTHERWISE SPECIFIED:10 > * : ±0.2
30 > * >10 : ±0.25
100 > * >30 : ±0.3
ANGLE : ±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM



MATERIAL

SEE NOTE 1

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -

FINISH

SEE NOTE 1

DWN 06DEC02

S.YAO

CHK 31JAN03

T.SASAKI

APVD 31JAN03

T. SASAKI

PRODUCT SPEC

108-60018

APPLICATION SPEC

114-5223

WEIGHT SEE TABLE

CUSTOMER DRAWING



TE Connectivity

AMP Mini CT Connector 1.5mm Pitch
Single Row HDR Ass'y (H) DIP Staggered Type with Kink

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3 00779


C=292206

SCALE NON

SHEET

1 of 2

REV A2

DIMENSIONS:		DWN	MATERIAL		FINISH		
mm		CHK	TE Connectivity				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD					
0 PLC ± -		PRODUCT SPEC	NAME AMP Mini CT Connector 1.5mm Pitch Single Row Post HDR Ass'y (H) DIP Staggered Type with Kink				
1 PLC ± SEE SHEET		APPLICATION SPEC					
2 PLC ± 1 OF 2			SIZE	CAGE CODE	DRAWING NO		RESTRICTED TO
3 PLC ± -		WEIGHT	A4		00779 C-292206		-
4 PLC ± -							
ANGLES ± -		CUSTOMER DRAWING		SCALE	SHEET	REV	
				-	2 OF 2	A2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-292206-1](#)