

B

A

- B

A

4





3

2

1

This drawing involves proprietary design rights of Tyco Electronics Corporation, and all design, manufacture, reproduction, use and sale rights regarding the same are expressly reserved. It is submitted for a specific purpose and the recipient by accepting this drawing, assumes custody and control and agrees to take reasonable precautions; (a) that this drawing will not be copied and reproduced, in whole or in part, or its contents revealed in any manner, or to any person except to meet the purpose for which it was delivered and (b) that any special features peculiar to this design will not be incorporated in other projects without the expressed written permission of Tyco Electronics Corporation.


REVISIONS			
EC	REV	DESCRIPTION	DATE
		SEE SHEET 1	




PRINTED CIRCUIT LAYOUT

← MM INCH → OR MM [INCH] THIRD ANGLE PROJECTION UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN METRIC [INCHES] TOLERANCES ANGLES ± .5° DECIMALS .XX ± .25 [0.010] .X ± .5 [0.020]	DRAWN R. F. A.	DATE 1/30/06	tyco Tyco Electronics Corporation Electronics Menlo Park, Ca 94025 ELCON TITLE PIN CONNECTOR, FLATPAQ RIGHT ANGLE, SOLDER TAILS		
	CHECKED				
	APPROVED				
	APPROVED D. CHAU	1/30/06	SIZE B	DWG NUMBER C = 6646809	REV. A
	DCA APPROVED				
ACAD FILE NUMBER		C6646809A.DWG		DWG SCALE	1=1
				SH 2 OF 3	

This drawing involves proprietary design rights of Tyco Electronics Corporation, and all design, manufacture, reproduction, use and sale rights regarding the same are expressly reserved. It is submitted for a specific purpose and the recipient by accepting this drawing, assumes custody and control and agrees to take reasonable precautions; (a) that this drawing will not be copied and reproduced, in whole or in part, or its contents revealed in any manner, or to any person except to meet the purpose for which it was delivered and (b) that any special features peculiar to this design will not be incorporated in other projects without the expressed written permission of Tyco Electronics Corporation.



7. SOLDER PIN DETAIL




8. SOLDER TERMINATION AREA

RECOMMENDED PRINTED CIRCUIT HOLE


DRILLED HOLE: Ø1.15 [0.0453] ±.013 [0.005]

COPPER PLATE: .025-.050 [0.001-.002] MINIMUM (PER SURFACE)

TIN PLATE: .0005 [0.00002] MINIMUM (PER SURFACE)



MATED CONDITION



← MM INCH OR MM [INCH] THIRD ANGLE PROJECTION UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN METRIC [INCHES] TOLERANCES ANGLES ± .5° DECIMALS .XX ± .25 [0.010] .X ± .5 [0.020]	DRAWN R. F. A.	DATE 1/30/06	Tyco Electronics Corporation Menlo Park, Ca 94025		
	CHECKED		TITLE		
	APPROVED		USER INFORMATION SOLDER TAIL TERMINATION AND MATED CONDITION		
	APPROVED D. CHAU	1/30/06	SIZE B	DWG NUMBER C = 6646809	REV. A
	DCA APPROVED				
ACAD FILE NUMBER		C6646809A.DWG		DWG SCALE 1=1	SH 3 OF 3

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6646809-1](#)