

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0190270100

Status:

Active

Overview:

Application Tooling

Description:

Insulation Anvil (Lower) for ATP press that process tape product



Series image - Reference only

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207126
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	ETC
Tool Type	Applicator
UPC	800755052473
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Engineering Number

ATP-C-430-I1

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
ECHA_01_2020 (16
January 2020

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series

207126 Series

Use With

Perishable Tool Kit

Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2061101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103
1.57mm Diameter, Standard .062" Pin and Socket Crimp	2061104

	Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2061118</u> Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged 1.57mm Diameter, <u>2061131</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2061132</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2061141</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged 1.57mm Diameter, <u>2061143</u> Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper 1.57mm Diameter, <u>2062101</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2062103</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass
--	---

	Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2062131</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel 1.57mm Diameter, <u>2062132</u> Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2065100</u> Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2065101</u> Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2065102</u> Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2065103</u> Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2065104</u> Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged 1.57mm Diameter, <u>2065105</u> Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max.	
--	---	--

	Insulation Diameter, Reel	
	1.57mm Diameter, 2065108 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	
	1.57mm Diameter, 2065109 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	
	1.57mm Diameter, 2065130 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	
	1.57mm Diameter, 2065135 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	
	1.57mm Diameter, 2065138 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	
	1.57mm Diameter, 2065139 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	
	1.57mm Diameter, 2065147 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	
	1.57mm Diameter, 2065148 Standard .062" Pin	

	and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, <u>2066100</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel 1.57mm Diameter, <u>2066101</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged 1.57mm Diameter, <u>2066102</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 1.57mm Diameter, <u>2066103</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, <u>2066104</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged 062 Male Term <u>2066105</u> Chain Brs 50Au 18-24 1.57mm Diameter, <u>2066118</u> Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel
--	---

	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	2066119
	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag	2066122
	.062 Male Term PC Tail 30 au	2066125
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066130
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066135
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066138
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066139
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	2066143

	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	2066144
	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged	2067103
	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged	2067104
	1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	2068103
	062 Male Term Tin PCTail Chn	2068104
	Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin Terminal Progression	2072101
	MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	2081001
	MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081002
	MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	2081003
	MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)	2081004
	Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	2081101

Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag	<u>2081102</u>
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	<u>2081103</u>
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	<u>2081104</u>
Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20	<u>2081201</u>
.084" UNPLATED TERMINAL 8980V01	<u>2081211</u>
.084" PC TAIL TERM - 999 8980R11	<u>2081212</u>
.084" PC TAIL TERM - 999 8980R13	<u>2081214</u>
2.096MM DIA TERMINAL	<u>2081266</u>
2.096MM DIA TERMINAL	<u>2081268</u>
2.13mm DIA PC TAIL TERM PhBr	<u>2081309</u>
2.54SnLF 2.096MM DIA TERMINAL PhBr	<u>2081363</u>
2.54SnLF 2.096MM DIA TERMINAL PhBr	<u>2081365</u>
2.54SnLF MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating	<u>2082003</u>
MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	<u>2082004</u>
MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating	<u>2082005</u>
MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)	<u>2082006</u>
MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)	<u>2082008</u>
42023-2A0, Ter Male 2.13 Chn Unplate	<u>2082011</u>
Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass	<u>2085101</u>

	Contact, 16-24 AWG, Reel 2.36mm Diameter, 2091102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2091104 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag 093FemaleTerm 2091115 Chain/IntLeaf Brs Tin18-22 2.36mm Diameter, 2091117 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter 2091118 Standard .093" Crimp Terminal, Dimpled Female, 18-22 AWG, Bag 2.36mm Diameter, 2091119 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2091122 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel 2.36mm Diameter, 2091123 Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, 2091134 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with	
--	---	--

	Tin (Sn) Plated Contact, Bag Crimp Terminal <u>2091153</u> 41483, 14-18 AWG, Reel 2.36mm Diameter, <u>2091155</u> Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain 2.36mm Diameter, <u>2091205</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, <u>2091206</u> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, <u>2091615</u> Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel 2.36mm Diameter <u>2091651</u> Socket, Without Insulation Crimp for 16-20 AWG Wire 2.36mm Diameter, <u>2092101</u> Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, <u>2092103</u> Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag Vertical Solder Relief <u>2092105</u> (VSR) Direct-Solder Crimp Terminal,
--	---

Series 4706, Male,
Tin (Sn) Plated Brass
Contact, 16-18 AWG,
11.20mm Terminal
Progression
2.36mm Diameter, [2092116](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter, [2092117](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, without
Dents, 18-22 AWG,
Reel
2.36mm Diameter, [2092118](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Bag
093 MaleTermChain/ [2092127](#)
IntLeaf Brs Tin18-22
2.36mm Diameter, [2092133](#)
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin/
Lead (Sn/Pb) Plated
Contact, With Detent,
Bag Packaged
2.36mm Diameter, [2092134](#)
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin
(Sn) Plated Contact,
Without Detent, Bag
Packaged
2.36mm Diameter, [2092166](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
4549, Male, with
Tin (Sn) Plated
Phosphor Bronze
Contact, 14-20 AWG,
Reel Packaged
2.36mm Diameter, [2092167](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
4549, Male, with
Tin (Sn) Plated
Phosphor Bronze

Contact, 14-20 AWG,
Bag Packaged
2.36mm Diameter, [2092170](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-18 AWG,
Large Insulation
Crimp, Reel
2.36mm Diameter, [2092171](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-18 AWG,
Large Insulation
Crimp, Bag
2.36mm Diameter, [2092611](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
42478, Male, with Tin
(Sn) Plated Contact,
High Current/Low
Engagement Force,
14-18 AWG, Reel
2.36mm Diameter, [2095100](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, [2095101](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Chain
2.36mm Diameter, [2095102](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, [2095106](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm Diameter, [2095111](#)
Standard .093" Pin
and Socket Crimp

	Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2095130 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095132 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag 2.36mm Diameter, 2095133 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095142 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095143 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2095169 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel 2.36mm Diameter, 2095170 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Bag
--	--

	2.36mm Diameter, 2096100 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2096101 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2096102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel
	2.36mm Diameter, 2096106 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag
	2.36mm Diameter, 2096110 Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag
	2.36mm Diameter, 2096122 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel
	2.36mm Diameter, 2096123 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag
	2.36mm Diameter, 2096125 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass

	Contact, 18-22 AWG, Reel 2.36mm Diameter, 2096126 Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2096132 Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, 2098103 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel 2.36mm Diameter, 2098104 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2098108 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel 2.36mm Diameter, 2098109 Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag Mini-Fit Jr. 3044052 Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural 1.57mm Diameter 3061011 Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural 1.57mm Diameter 3061022 Standard .062" Pin and Socket
--	---

	Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3061023</u> Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061031</u> Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears 1.57mm Diameter <u>3061032</u> Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061038</u> Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3061041</u> Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears 1.57mm Diameter <u>3061042</u> Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061044</u> Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural 1.57mm Diameter <u>3061062</u> Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061092</u> Standard .062" Pin and Socket
--	---

	Receptacle Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061121</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3061122</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062011</u> Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural 1.57mm Diameter <u>3062023</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062024</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062031</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3062032</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062033</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062041</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears 1.57mm Diameter <u>3062042</u> Standard .062" Pin and Socket Plug	
--	--	--

	Housing, 4 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062044</u> Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural 1.57mm Diameter <u>3062061</u> Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062092</u> Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062121</u> Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062122</u> Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3066023</u> Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3066062</u> Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3067023</u> Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black 1.57mm Diameter <u>3067044</u> Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black 1.57mm Diameter <u>3067061</u> Standard .062" Pin and Socket Plug
--	---

	Housing, 6 Circuits, without Mounting Ears, Black 2.36mm Diameter <u>3091011</u> Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter <u>3091022</u> Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural 2.36mm Diameter <u>3091027</u> Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural 2.36mm Diameter <u>3091030</u> Standard Receptacle Housing, 3 Circuit, Natural 2.36mm Diameter <u>3091031</u> Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter <u>3091032</u> Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter <u>3091033</u> Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural 2.36mm Diameter <u>3091041</u> Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter <u>3091042</u> Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter <u>3091049</u> Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Dual Row,	
--	---	--

without Mounting Ears, Natural	
2.36mm Diameter	<u>3091061</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
6 Circuits, Dual Row,	
Natural	
2.36mm Diameter	<u>3091062</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
6 Circuits, Dual Row,	
Natural	
2.36mm Diameter	<u>3091063</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
6 Circuits, Dual Row,	
without Panel Mount	
Ears, without Friction	
Lock Ramp	
2.36mm Diameter	<u>3091064</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
6 Circuits, Dual Row,	
Natural	
2.36mm Diameter	<u>3091081</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
3 Circuits, Single	
Row, Natural	
2.36mm Diameter	<u>3091091</u>
Standard .093"	
Pin and Socket	
Receptacle	
Housings, 9 Circuits,	
3 Rows, Natural	
2.36mm Diameter	<u>3091092</u>
Standard .093"	
Pin and Socket	
Receptacle	
Housings, 9 Circuits,	
3 Rows, with Panel	
Mount Ears, without	
Passive Lock Ramp	
2.36mm Diameter	<u>3091093</u>
Standard .093"	
Pin and Socket	
Receptacle	
Housings, 9 Circuits,	
3 Rows, without	
Panel Mount Ears,	
without Passive Lock	
Ramp	
2.36mm Diameter	<u>3091094</u>
Standard .093"	
Pin and Socket	
Receptacle	
Housings, 9 Circuits,	
3 Rows, Natural	
2.36mm Diameter	<u>3091121</u>
Standard .093"	

Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps 2.36mm Diameter Standard .093"	<u>3091125</u>
Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural 2.36mm Diameter Standard .093"	<u>3091126</u>
Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural 2.36mm Diameter Standard .093"	<u>3091151</u>
Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps 2.36mm Diameter Standard .093"	<u>3091152</u>
Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps 2.36mm Diameter Standard .093"	<u>3091153</u>
Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps 2.36mm Diameter Standard .093"	<u>3091157</u>
Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps 2.36mm Diameter Standard .093"	<u>3091161</u>
Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter Standard .093"	<u>3092011</u>
Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural 2.36mm Diameter Standard .093"	<u>3092021</u>
Pin and Socket Plug	

	Housing, 2 Circuits, with Standard Mounting Ears, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092022</u>
	Housing, 2 Circuits, without Mounting Ears, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092031</u>
	Housing, 3 Circuits, Single Row, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092032</u>
	Housing, 3 Circuits, Single Row, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092041</u>
	Housing, 4 Circuits, Single Row	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092042</u>
	Housing, 4 Circuits, Single Row	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092049</u>
	Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092061</u>
	Housing, 6 Circuits, Dual Row	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092062</u>
	Housing, 6 Circuits, Dual Row	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092092</u>
	Housings, 9 Circuits, 3 Rows	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092121</u>
	Housing, 12 Circuits, 3 Rows	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092122</u>
	Housing, 12 Circuits, 3 Rows	
	2.36mm Diameter Standard .093" Pin and Socket Plug	<u>3092151</u>

	Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows 2.36mm Diameter <u>3092159</u> Standard .093" Pin and Socket Plug
	Housing, 15 Circuits, 3 Rows, with Pre- Bent Mounting Ears, without Pull Tabs, with Lock Windows 2.36mm Diameter <u>3092161</u> Standard .093" Pin and Socket Plug
	Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter <u>3096021</u> Standard .093" Pin and Socket
	Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Black 2.36mm Diameter <u>3097022</u> Standard .093" Pin and Socket Plug
	Housing, 2 Circuits, without Mounting Ears, Black 2.36mm Diameter <u>3097024</u> Standard .093" Pin and Socket Plug
	Housing, 2 Circuits, without Mounting Ears, Red 2.36mm Diameter <u>3097032</u> Standard .093" Pin and Socket Plug
	Housing, 3 Circuits, Single Row, Black 3.18mm Diameter, <u>3121022</u> HCS125, Pin and Socket Receptacle
	Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, <u>3121026</u> HCS125, Pin and Socket Receptacle
	Housing, Single Row, 2 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3121036</u> HCS125, Pin and Socket Receptacle
	Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2

	3.18mm Diameter, <u>3121046</u> HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)
	3.18mm Diameter, <u>3122022</u> HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears
	3.18mm Diameter, <u>3122025</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)
	3.18mm Diameter, <u>3122026</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)
	3.18mm Diameter, <u>3122035</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2
	3.18mm Diameter, <u>3122036</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2
	3.18mm Diameter, <u>3122045</u> HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent)
	3.18mm Diameter, <u>3122046</u> HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent)
	Flat Blade Crimp <u>5060117</u> Terminal, Series 1508, Female, With Tin (Sn) Plated

Brass Contact, 14-18
AWG (or 18 AWG
Double Crimp), Reel
Packaged
Flat Blade Crimp 5060301
Terminal, Series
2176, Female, With
Tin (Sn) Plated Brass
Contact, With Detent,
14-22 AWG (or 18
AWG Double Crimp),
Reel Packaged
Crimp Terminal 5121004
2482, 10-16 AWG,
Reel
Crimp Terminal 5121005
2482, 10-16 AWG,
Bag
Crimp Terminal 5121006
2482, 10-16 AWG,
Reel
Crimp Terminal 5121008
2482, 10-16 AWG,
Reel
Crimp Terminal 5121104
6482, 14-18 AWG,
Reel
Flat Blade Appliance 6021103
Motor Switch Crimp
Housing, 10 Circuits
Flat Blade Appliance 6022030
Water Valve Crimp
Housing, 3 Circuit,
Natural
Flat Blade Appliance 6023042
Defrost Timer Crimp
Housing, 4 Circuit, 4
Circuits
Flat Blade Appliance 6023103
Motor Switch Crimp
Housing, 10 Circuit,
10 Circuits
Flat Blade Appliance 6023104
Dryer Motor Crimp
Housing, 10 Circuit
KK Crimp Terminal, 8300109
Series 1799, Female,
with Tin (Sn) Plated
Brass Contact, 18-24
AWG, Chain on Reel
KK 396 Crimp 8500008
Terminal 8818, 18-22
AWG, Reel, Brass
Tin (Sn)
KK 156 TERMINAL 8500015
CRIMP 18-24 AWG
TIN
KK 396 Crimp 8500023
Terminal 8818, 18-22
AWG, Bag, Brass Tin
(Sn)
KK 156 TERM 8500024
CRP 18-20 AWG
TRIFURCON TIN

KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel	<u>8500030</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	<u>8500031</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	<u>8500032</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn)	<u>8500105</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	<u>8500106</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn)	<u>8500107</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)	<u>8500108</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	<u>8500109</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	<u>8500110</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)	<u>8500111</u>
KK 156 TERMINAL CRIMP 22-26 AWG TIN	<u>8500112</u>
KK 254 Crimp Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	<u>8500113</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	<u>8500114</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Brass, Tin (Sn), Bifurcated	<u>8500115</u>
3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG,	<u>8500116</u>

Bag, Brass, Tin (Sn), Bifurcated	
KK 396 Crimp	<u>8500119</u>
Terminal 2478, 18-24 AWG, Reel, Brass, 3.8µm Tin (Sn)	
KK 396 Crimp	<u>8500120</u>
Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn)	
KK 396 Crimp	<u>8500133</u>
Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 2.540µm Tin (Sn)	
KK 396 Crimp	<u>8500134</u>
Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn)	
KK 254 Crimp	<u>8500135</u>
Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	
KK 254 Crimp	<u>8500136</u>
Terminal 4809, 22-30 AWG, Tin, Bag	
KK 254 Crimp	<u>8500159</u>
Terminal, 22-30 AWG, Reel, Tin (Sn) Plating, Nickel (Ni) Under Plating	
KK 254 Crimp	<u>8500160</u>
Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating	
KK Trifurcon Crimp	<u>8500183</u>
Terminal 7258, 22-26 AWG, Reel, Brass Tin (Sn)	
KK Trifurcon Crimp	<u>8500185</u>
Terminal 7258, 22-26 AWG, Bag, Brass Tin (Sn)	
KK Trifurcon Crimp	<u>8500187</u>
Terminal 6838, 18-20 AWG, Reel, Brass Tin (Sn)	
KK Trifurcon Crimp	<u>8500189</u>
Terminal 6838, 18-20 AWG, Bag, Brass Tin (Sn)	
KK 156 TERM	<u>8500251</u>
CRP 18-20 AWG TRIFURCON TIN	
KK 396 Crimp	<u>8500281</u>
Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 3.87µm Tin (Sn)	
KK 156 TERM	<u>8500283</u>
CRP 22-26 AWG TRIFURCON TIN	

KK 100 Crp Term	<u>8510101</u>
Std 22-30 Awg Unplt	
KK 254 Crimp	<u>8510108</u>
Terminal, 22-30	
AWG, Reel, Tin (Sn),	
Nickel (Ni) Under	
Plating	
KK 156 TERMINAL	<u>8510109</u>
CRIMP 1820 AWG	
KK 396 Crimp	<u>8520071</u>
Terminal 2478,	
18-24 AWG, Reel,	
Phosphor Bronze,	
Tin (Sn)	
KK 396 Crimp	<u>8520072</u>
Terminal 2478,	
18-24 AWG, Bag,	
Phosphor Bronze,	
Tin (Sn)	
KK 254 Crimp	<u>8520101</u>
Terminal 6459,	
22-30 AWG, Reel,	
Phosphor Bronze Tin	
(Sn)	
KK Trifurcon Crimp	<u>8520112</u>
Terminal 6838,	
18-20 AWG, Reel,	
Phosphor Bronze	
Tin(Sn)	
KK Trifurcon Crimp	<u>8520113</u>
Terminal 6838,	
18-20 AWG, Bag,	
Phosphor Bronze Tin	
(Sn)	
KK .100 CRIMP	<u>8520118</u>
TERMINAL 100MI	
MATTE TIN	
KK 254 Crimp	<u>8520123</u>
Terminal 6459,	
22-30 AWG, Bag,	
Phosphor Bronze Tin	
(Sn)	
KK Trifurcon Crimp	<u>8520124</u>
Terminal 7258,	
22-26 AWG, Reel,	
Phosphor Bronze	
Tin(Sn)	
KK Trifurcon Crimp	<u>8520125</u>
Terminal 7258,	
22-26 AWG, Bag,	
Phosphor Bronze Tin	
(Sn)	
3.96mm Pitch KK	<u>8520126</u>
Crimp Terminal	
2878, 18-20 AWG,	
Reel, Phosphor	
Bronze, Tin (Sn),	
Bifurcated	
3.96mm Pitch KK	<u>8520127</u>
Crimp Terminal	
2878, 18-20 AWG,	
Bag, Phosphor	
Bronze, Tin (Sn),	
Bifurcated	

KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Tin (Sn)	<u>8520131</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520132</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520811</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520812</u>
KK 156 TERMINAL CRIMP 18-24 AWG	<u>8530811</u>
KK CRIMP TERM UNPLT LSE PB2478999L	<u>8530812</u>
KK 156 TERMINAL CRIMP 1820 AWG	<u>8530814</u>
KK 156 TERM CRP 18-20 AWG TRIFURCON	<u>8531101</u>
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550101</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550102</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550103</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	<u>8550104</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.38µm Selective Gold (Au)	<u>8550105</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	<u>8550106</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	<u>8550110</u>

KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	<u>8550111</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel	<u>8550112</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550123</u>
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Reel Selective Gold (Au)	<u>8550124</u>
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)	<u>8550129</u>
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550130</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550131</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.76µm Gold (Au)	<u>8550133</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.76µm Gold (Au)	<u>8550134</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550137</u>
KK 156 TERMINAL CRIMP 1820 AWG GOLD	<u>8550138</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Brass, 0.51µm Selective Gold (Au)	<u>8560105</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au)	<u>8560106</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Brass,	<u>8560107</u>

0.51µm Select Gold (Au) over Gold Flash KK 396 Crimp	<u>8560108</u>
Terminal 2578, 22-26 AWG, Bag, Brass,	
0.51µm Select Gold (Au) over Gold Flash KK 254 Crimp	<u>8560109</u>
Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating	
KK 254 Crimp	<u>8560110</u>
Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating	
KK Crimp Terminal, Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	<u>8560113</u>
KK Crimp Terminal, Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Loose	<u>8560114</u>
KK 254 Crimp	<u>8560115</u>
Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	
KK 254 Crimp	<u>8560120</u>
Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	
KK Trifurcon Crimp	<u>8560123</u>
Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Gold (Au)	
KK Trifurcon Crimp	<u>8560124</u>
Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Gold(Au)	
KK 156 TERMINAL CRIMP 18-24 AWG GOLD	<u>8580103</u>
KK 156 TERMINAL CRIMP 18-24 AWG GOLD	<u>8580104</u>
KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	<u>8580105</u>
KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD	<u>8580106</u>
KK Trifurcon Crimp	<u>8580110</u>
Terminal 6438, 18-20 AWG, Reel,	

	Phosphor Bronze	
	Selective Gold (Au)	
	KK Trifurcon Crimp	<u>8580111</u>
	Terminal 6438,	
	18-20 AWG, Bag,	
	Phosphor Bronze	
	Selective Gold (Au)	
	KK 396 Crimp	<u>8580114</u>
	Terminal 2478,	
	18-24 AWG, Reel,	
	Phosphor Bronze,	
	0.76µm Gold (Au)	
	KK 396 Crimp	<u>8580115</u>
	Terminal 2478,	
	18-24 AWG, Bag,	
	Phosphor Bronze,	
	0.76µm Gold (Au)	
	KK 156 TERM	<u>8580118</u>
	CRP 18-20 AWG	
	TRIFURCON GOLD	
	KK 396 Crimp	<u>8580121</u>
	Terminal 2478,	
	18-24 AWG, Reel,	
	Phosphor Bronze,	
	0.51µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8580122</u>
	Terminal 2478,	
	18-24 AWG, Bag,	
	Phosphor Bronze,	
	0.51µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8580125</u>
	Terminal 2578,	
	22-26 AWG, Reel,	
	Phosphor Bronze,	
	0.51µm Selective	
	Gold (Au)	
	KK 396 Crimp	<u>8580126</u>
	Terminal 2578,	
	22-26 AWG, Bag,	
	Phosphor Bronze,	
	0.51µm Selective	
	Gold (Au)	
	3.96mm Pitch KK	<u>8580127</u>
	Crimp Terminal	
	2878, 18-20 AWG,	
	Reel, Phosphor	
	Bronze, 0.51µm	
	Selective Gold (Au),	
	Bifurcated	
	3.96mm Pitch KK	<u>8580128</u>
	Crimp Terminal	
	2878, 18-20 AWG,	
	Bag, Phosphor	
	Bronze, 0.51µm	
	Selective Gold (Au),	
	Bifurcated	
	KK 396 Crimp	<u>8580135</u>
	Terminal 8818,	
	18-22 AWG, Reel,	
	Phosphor Bronze	
	Selective Gold (Au)	
	KK 396 Crimp	<u>8580136</u>
	Terminal 8818,	

18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au) KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Gold (Au) KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Gold(Au) KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 3.810µm Tin (Sn) KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn) KK 254 Crimp Terminal 8088, 22-30 AWG, Gold/Nickel, Reel KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au) KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au) 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	 8580187 8580189 8600003 8600004 8650105 8650110 8650114 8650115 8650116 8650117 8650118
--	---

3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	<u>8650119</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650121</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650122</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650128</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650129</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650801</u>
KK 254 Cat Ear Crimp Terminal 41572, Reel Tin (Sn)	<u>8650804</u>
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650811</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)	<u>8650813</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	<u>8650814</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650815</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650817</u>

4.80mm Pitch Crimp	<u>8700001</u>
Terminal, Female,	
Reel	
4.80mm Pitch Crimp	<u>8700002</u>
Terminal, Male, Reel	
3.96 and 5.08mm	<u>8700012</u>
Pitch KK Cat Ear	
Crimp Terminal,	
Female, 18-24 AWG,	
Reel	
KK Cat Ear Crimp	<u>8700048</u>
Terminal 5159,	
22-28 AWG, Reel,	
Phosphor Bronze,	
Tin (Sn) Plating	
KK Cat Ear Crimp	<u>8700049</u>
Terminal 5159,	
22-28 AWG, Bag,	
Phosphor Bronze,	
Tin (Sn) Plating	
SPOX Crimp	<u>8700056</u>
Terminal 5103, 22-28	
AWG, Reel, Brass	
(CuZn), Chain Type	
SPOX Crimp	<u>8700058</u>
Terminal 5103,	
22-28 AWG, Reel,	
Phosphor Bronze	
(CuSn), Chain Type	
KK Cat Ear Crimp	<u>8700064</u>
Terminal 5159, 22-28	
AWG, Reel, Brass,	
Tin (Sn) over Copper	
Plating	
KK Cat Ear Crimp	<u>8700069</u>
Terminal 5159, 22-28	
AWG, Bag, Brass,	
Tin (Sn) over Copper	
Plating	
2.50mm Pitch	<u>8700102</u>
Mini-Latch Crimp	
Terminal, Male,	
Brass, Reel	
2.50mm Pitch	<u>8700103</u>
Mini-Latch Crimp	
Terminal, Male,	
Brass, Bag	
Board-in Crimp	<u>8700106</u>
Terminal , Series	
5298, Male, with Tin	
Insulation Diameter,	
Reel Packaged	
.062DIA CRIMP	<u>8701011</u>
REC.	
.062DIA CRIMP PIN	<u>8701013</u>
SPOX Crimp	<u>8701030</u>
Terminal, 18-24	
AWG, Brass, Bag	
SPOX Crimp	<u>8701031</u>
Terminal, 18-24	
AWG, Brass, Reel	
2.50mm Pitch, Mini-	<u>8701039</u>
SPOX Female Crimp	
Terminal, 22-28	
AWG, Reel	

2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	<u>8701040</u>
2.5 Low Profile Crimp Rec Chain W/ Plt	<u>8701047</u>
3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	<u>9011036</u>
.156 IDT ASSEMBLY 724103L	<u>9072031</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	<u>9481024</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	<u>9481034</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9481044</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	<u>9481054</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	<u>9481064</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9481074</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	<u>9481084</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	<u>9481094</u>
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	<u>9481104</u>
KK 396 PC Board Connector, Top Entry, Polyester	<u>9481105</u>

Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9481114
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9481124
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9481134
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9481144
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9481154
Connector, Right
Angle, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9483024
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483025
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483026
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 2 Circuits
KK 396 PC Board 9483034
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483035
Connector, Right
Angle, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483036
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 3 Circuits
KK 396 PC Board 9483044
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483045
Connector, Right-
Angle, Polyester

Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483046
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 4 Circuits
KK 396 PC Board 9483054
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483055
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483056
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 5 Circuits
KK 396 PC Board 9483064
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483065
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483066
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 6 Circuits
KK 396 PC Board 9483074
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483075
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483076
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 7 Circuits
KK 396 PC Board 9483084
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483085
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483086
Connector, Top
Entry, Polyester

Connector, Gold (Au)
Selective, 8 Circuits
KK 396 PC Board 9483094
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483095
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483096
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 9 Circuits
KK 396 PC Board 9483104
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483105
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483106
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 10 Circuits
KK 396 PC Board 9483114
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483115
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483116
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 11 Circuits
KK 396 PC Board 9483124
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483125
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483126
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 12 Circuits
KK 396 PC Board 9483134
Connector, Bottom
Entry, Polyester

Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483135
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483136
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 13 Circuits
KK 396 PC Board 9483144
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483145
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483146
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 14 Circuits
KK 396 PC Board 9483154
Connector, Bottom
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483155
Connector, Right-
Angle, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9483156
Connector, Top
Entry, Polyester
Connector, Gold (Au)
Selective, 15 Circuits
KK 396 PC Board 9484028
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484029
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 2 Circuits
KK 396 PC Board 9484038
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484039
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 3 Circuits
KK 396 PC Board 9484048
Connector, Top
Entry, Polyester

	Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9484049</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9484058</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484059</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9484068</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484069</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9484078</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484079</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9484088</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484089</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9484098</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484099</u>
	Connector, Bottom Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9484108</u>
	Connector, Top Entry, Polyester	
	Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9484109</u>
	Connector, Bottom Entry, Polyester	

Connector, 5.00µm
Tin (Sn), 10 Circuits
KK 396 PC Board 9484118
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9484119
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 11 Circuits
KK 396 PC Board 9484128
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9484129
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 12 Circuits
KK 396 PC Board 9484138
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9484139
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 13 Circuits
KK 396 PC Board 9484148
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9484149
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 14 Circuits
KK 396 PC Board 9484158
Connector, Top
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 396 PC Board 9484159
Connector, Bottom
Entry, Polyester
Connector, 5.00µm
Tin (Sn), 15 Circuits
KK 156 PC Board 9485088
Connector, Top
Entry, Polyester
Connector, Tin (Sn),
8 Circuits
3.96mm Pitch SPOX 9501021
Crimp Housing,
Female, with Friction
Ramp, 2 Circuits,
Natural
3.96mm Pitch SPOX 9501023
Crimp Housing,
Female, with Friction

Ramp and Void, 2
Circuits, Natural
3.96mm Pitch SPOX [9501031](#)
Crimp Housing,
Female, with Friction
Ramp, 3 Circuits,
Natural
3.96mm Pitch SPOX [9501033](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural
3.96mm Pitch SPOX [9501041](#)
Crimp Housing,
Female, with Friction
Ramp, 4 Circuits,
Natural
3.96mm Pitch SPOX [9501043](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural
3.96mm Pitch SPOX [9501051](#)
Crimp Housing,
Female, with Friction
Ramp, 5 Circuits,
Natural
3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural
3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural
3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural
3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural
3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural
3.96mm Pitch SPOX [9501081](#)
Crimp Housing,
Female, with Friction
Ramp, 8 Circuits,
Natural
3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural
3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction

Ramp, 9 Circuits, Natural 3.96mm Pitch SPOX	<u>9501101</u>
Crimp Housing, Female, with Friction Ramp, 10 Circuits, Natural 3.96mm Pitch SPOX	<u>9501103</u>
Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural 3.96mm Pitch SPOX	<u>9501111</u>
Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural 3.96mm Pitch SPOX	<u>9501113</u>
Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural 3.96mm Pitch SPOX	<u>9501121</u>
Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	<u>9503021</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	<u>9503031</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	<u>9503041</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9503051</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9503061</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	<u>9503071</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9503081</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9503091</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9503101</u>
KK 3.96mm Crimp Terminal Housing,	<u>9503111</u>

Friction Ramp, 11 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503121</u>
Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503131</u>
Friction Ramp, 13 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503141</u>
Friction Ramp, 14 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503151</u>
Friction Ramp, 15 Circuits, Natural KK 3.96mm Crimp Terminal Housing,	<u>9503161</u>
Friction Ramp, 16 Circuits, Natural	

This document was generated on 03/09/2020
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION