molex
one company › a world of innovation

This document was generated on 09/18/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0190070075

Status: Active

Overview: Standard Quick-Disconnect Terminals

Description: InsulKrimp Female Fully Insulated Quick Disconnect Flag for 14-16 AWG Wire, Tab 6.35 x 0.81mm, 94 V-0 Material, Metal Strip



Series image - Reference only

Documents:

- 3D Model
- Drawing (PDF)
- Product Specification PS-19902-008-001 (PDF)
- Product Specification PS-19902-011-001 (PDF)
- Packaging Specification PK-19007-001 (PDF)
- RoHS Certificate of Compliance (PDF)

Agency Certification

UL	E79133

General

Product Family	Quick Disconnects
Series	19007
Crimp Quality Equipment	Yes
Insulated	Fully
Overview	Standard Quick-Disconnect Terminals
Product Name	InsulKrimp
Type	Quick Disconnect
UPC	800756387031

Physical

Barrel Type	Closed
Color - Resin	Blue
Flammability	94V-0
Gender	Female
Glow-Wire Capable	Yes
Insulation	Nylon (PA)
Lock to Mating Part	None
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	Nylon
Net Weight	1.506/g
Orientation	Flag
Packaging Type	Reel
Polarized to Mating Part	No
Tab Thickness	0.81mm
Tab Width	6.35mm
Temperature Range - Operating	-65° to +105°C
Wire Insulation Diameter	5.08mm
Wire Size AWG	14, 16

Electrical

Voltage - Maximum	600V

Material Info

Engineering Number	BB-2221VZ

Reference - Drawing Numbers

Packaging Specification	PK-19007-001
Product Specification	PS-19902-008-001, PS-19902-011-001
Sales Drawing	SD-19007-002

EU ELV
Not Relevant

EU RoHS
Compliant

China RoHS

REACH SVHC
Not Contained Per - ED/71/2019 (16 July 2019)

Halogen-Free Status
Not Low-Halogen

For more information, please visit Contact US

China ROHS	Green Image
ELV	Not Relevant
RoHS Phthalates	Not Contained

Search Parts in this Series
19007 Series

This document was generated on 09/18/2019
PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:
19007-0075