

4

3

2


1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC	DIST	REVISIONS							
C COPYRIGHT		ALL RIGHTS RESERVED.				P	LTR	DESCRIPTION			DATE		
						B1		ECR-14-001880			11FEB2014		
											GK HMR		

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151156-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426445
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426445

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		APVD RAGHAVENDRA			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APPLICATION SPEC		NAME SIDE FEED HD-I APPLICATOR	
MATERIAL		WEIGHT		SIZE A3	
FINISH		CUSTOMER DRAWING		CAGE CODE C- 1426445	
		SCALE		SHEET 1 OF 2	
		REV B1			

DRAWING MADE IN THIRD ANGLE PROJECTION					
PART NUMBER	REV	FIRST USED	TERMINATOR	FEED TYPE	DESCRIPTION
1426445-1	B		-	LEADMAKER	MECH POST FEED
1426445-2	B		-	BENCH	MECH PRE FEED
1426445-6	B		-	LEADMAKER	MECH POST FEED
7-1426445-1	B		-	LEADMAKER	MECH POST FEED
7-1426445-2	B		-	BENCH	MECH PRE FEED
7-1426445-6	B		-	LEADMAKER	MECH POST FEED
7-1426445-7	A		-	-	SPARE PARTS KIT

1 RECOMMENDED SPARE PARTS.

2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY.
3. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1426445-2](#)