




REVISIONS					
P	LTR	DESCRIPTION	DATE	DN	APV
	A	REVISED PER ECO-14-005178	11APR2014	AP	MH



ISOMETRIC VIEWS
SCALE 3:1



⚠ MATERIAL:
HOUSING: THERMOPLASTIC, FLAMMABILITY RATING
UL94 V-0
CONTACT: COPPER ALLOY

2. CONFORMS TO THE REQUIREMENTS OF TE PRODUCT
SPECIFICATION, 108-2375; BASED ON TELCORDIA
GR-1217-CORE FOR SYSTEM QUALITY LEVEL III,
APPLICATIONS IN CONTROLLED ENVIRONMENTS
(CENTRAL OFFICE).
SEE TE PRODUCT SPECIFICATION 108-2375 FOR
TEST SEQUENCES.

⚠ 3 ROWS GA THRU GE (SHOWN DARKENED) ARE TYPICALLY
USED AS GROUNDS.

⚠ 4 SPECIFIED POSITIONAL TOLERANCE DEFINES HOLE TO
HOLE LOCATION WITHIN HOLE PATTERN. POSITIONAL
TOLERANCE OF HOLE PATTERN TO FIDUCIAL MARKS
OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER.

⚠ 5 AREA RESERVED FOR TE CONNECTIVITY LOGO.

⚠ 6 AREA RESERVED FOR PART NUMBER (X-XXXXXXX-X) AND
DATE CODE (YYWW).

⚠ 7 USE CENTER LINES INDICATED ON PCB HOLE PATTERN
TO ESTABLISH ALIGNMENT BETWEEN HEADER AND
RECEPTACLE BOARDS.

⚠ 8 PLATED THROUGH HOLE REQUIREMENTS - SIGNAL:
HOLE SIZE PRIOR TO PLATING = $\phi 0.420 \pm 0.013$
COPPER PLATING THICKNESS = 0.038 ± 0.013
CALCULATED FINISHED HOLE SIZE = $\phi 0.344 \pm 0.039$
THESE DIMENSIONS APPLY TO THE TOP 1.25mm OF
THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
SIDE.

⚠ 9 PLATED THROUGH HOLE REQUIREMENTS - POWER:
HOLE SIZE PRIOR TO PLATING = $\phi 0.700 \pm 0.025$
COPPER PLATING THICKNESS = 0.038 ± 0.013
CALCULATED FINISHED HOLE SIZE = $\phi 0.624 \pm 0.051$
THESE DIMENSIONS APPLY TO THE TOP 1.50mm OF
THE PCB THICKNESS FROM THE CONNECTOR MOUNTING
SIDE.

SIZE 2 HALF WIDE W/GUIDE POSTS *
24 DIFFERENTIAL PAIRS + GROUNDS
83 TOTAL SIGNAL CONTACTS
6 POWER CONTACTS

* SIZE 1 AND SIZE 3 ARE ALSO AVAILABLE


THIS PRODUCT HAS NOT
COMPLETED VALIDATION AND
QUALIFICATION TESTING

YES	MATTE Sn	5-2180761-1
	Sn/Pb	2180761-1
TOOLED	CONTACT TAIL PLATING	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.	03JUN2011 C. HAMNER 07JUN2011 D. TROUT	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.13 1 PLC ± 0.13 2 PLC ± 0.13 3 PLC ± 0.013 4 PLC ± 0.013	NAME: RECEPTACLE ASSEMBLY, HALF-WIDE, 24/83/6P, STRADA MEZZANINE CONNECTOR
PRODUCT SPEC 108-2375	APPLICATION SPEC 114-13249	SIZE: CAGE CODE / DRAWING NO: A100779C=2180761
MATERIAL: 1	FINISH: -	RESTRICTED TO: -
		Customer Drawing
		SCALE: 6:1 SHEET 1 OF 3 REV A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATI
© COPYRIGHT 20 BY - ALL RIGHTS RESERVE

LEASER FOR PUBLICATI
ALL RIGHTS RESERV

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER CHK D. TROUT	03JUN2011 07JUN2011	 TE Connectivity					
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. FEDDER	07JUN2011						
		PRODUCT SPEC	NAME						
		108-2375	RECEPTACLE ASSEMBLY, HALF-WIDE, 24/83/6P, STRADA MESA MEZZANINE CONNECTOR						
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO A1 00779 C-2180761						
		114-13249		RESTRICTED TO					
MATERIAL	FINISH	WEIGHT	-						
-	-	Customer Drawing							
-	-	SCALE	6:1	SHEET	2	OF	3	REV	A

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATI
© COPYRIGHT 20 BY - ALL RIGHTS RESERVE

LEASER FOR PUBLICATI
ALL RIGHTS RESERV

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



PCB HOLE PATTERN

SHOWN FROM CONNECTOR SIDE

SCALE 7:1

DETAIL A
6X
SCALE 20 : 1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN HAMNER 03JUN2011	 TE Connectivity RECEPTACLE ASSEMBLY, HALF-WIDE, 24/83/6P, STRADA MESA MEZZANINE CONNECTOR
DIMENSIONS:		CHK D. TROUT 07JUN2011	
mm		APVD J. FEDDER 07JUN2011	
		PRODUCT SPEC 108-2375	
0 PLC \pm -		APPLICATION SPEC	
1 PLC \pm -		114-13249	
2 PLC \pm 0.13			
3 PLC \pm 0.013			
4 PLC \pm -			
ANGLES \pm 1			
MATERIAL		FINISH	SIZE CAGE CODE DRAWING NO
-		WEIGHT	A1 00779 C-2180761
-		-	RESTRICTED TO
		Customer Drawing	-
		SCALE	6:1
		SHEET	3 OF 3
		REV	A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-2180761-1](#)