




2		1					
LOC	DIST	REVISIONS					
J	—	変更					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			G	REVISED PER ECR-11-002357	05MAY11	TT	TM
			H	ECR-13-012512	09AUG2013	IT	WKH



- 1 MATING COUNTER PART NUMBER: 5353158
- 2 MATERIAL
HOUSING: HIGH HEAT-RESISTED
CONTACT: COPPER ALLOY (t=0.15), Au-PLT
SOLDER PEG: COPPER ALLOY (t=0.15), TIN-PLT
- 3 CONTACT: CONTACT POINT Au-PLT. 0.00076 MIN.
- 4 HSG: LCP VERSION
- 5 SUPERSEDED LIST

FROM	TO
7-5353164-0	7-5353164-7
7-5353164-5	7-5353164-6
8-5353164-0	8-5353164-6

TOP OF REEL →



4	48.7	45.5	3.86	0.4	24.9	44	40.4	20.2	1500	80	8-5353164-7
	48.7	45.5	3.86	0.4	24.9	44	40.4	20.2	1500	80	8-5353164-6
(H) OBSOLETE	48.7	45.5	3.86	0.4	24.9	44	40.4	20.2	1500	80	8-5353164-5
5	48.7	45.5	3.86	0.4	24.9	44	40.4	20.2	1500	80	8-5353164-0
4	48.7	45.5	3.86	0.4	22.4	44	40.4	20.2	1500	70	7-5353164-7
4	48.7	45.5	3.86	0.4	22.4	44	40.4	20.2	1500	70	7-5353164-6
5	48.7	45.5	3.86	0.4	22.4	44	40.4	20.2	1500	70	7-5353164-5
5	48.7	45.5	3.86	0.4	22.4	44	40.4	20.2	1500	70	7-5353164-0
4	37.5	33.5	3.8	0.4	19.85	32	28.4	14.2	1500	60	6-5353164-6
	37.5	33.5	3.8	0.4	19.85	32	28.4	14.2	1500	60	6-5353164-5
(H) OBSOLETE	37.5	33.5	3.8	0.4	19.85	32	28.4	14.2	1500	60	6-5353164-0
(G) OBSOLETE	29.5	25.5	3.8	0.4	17.35	24	---	11.5	1500	50	5-5353164-5
W2		W1	F	E	D	C	B	A	QTY/REEL	POS	TAPING P/N

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
一般公差

0 PLC ± 0.2
1 PLC ± 0.2
2 PLC ± 0.2
3 PLC ± 0.2
4 PLC ± 0.2
ANGLES ± 3°
FINISH 仕上

DWN J.ZHU 04NOV2004
CHK S.YAO 04NOV2004
APVD I.ENOMOTO 04NOV2004
PRODUCT SPEC 製品規格
108-60048
APPLICATION SPEC 取付適用規格
WEIGHT

ON TAPING EMBOSS
0.5mm PITCH FS CONN.
TAB ASSEMBLY WITH FILM

SIZE A3
CAGE CODE 00779
DRAWING NO C-5353164
RESTRICTED TO

CUSTOMER DRAWING

SCALE 尺度 4:1
SHEET 1 OF 2
REV H

1470-19 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV , 2004.

© COPYRIGHT 2004 By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

变更

P

LTR






DESCRIPTION

DATE _____

DWN

APVD


SEE SHEET 1



(T=0.6 MIN.)
P.C. BOARD LAYOUT (REF.)

			0.25	24.6	21.9	19.5	80	8-5353164-7
			0.25	24.6	21.9	19.5	80	8-5353164-6
(H)	OBSOLETE		0.25	24.6	21.9	19.5	80	8-5353164-5
			0.25	24.6	21.9	19.5	80	8-5353164-0
			---	22.1	19.4	17	70	7-5353164-7
			---	22.1	19.4	17	70	7-5353164-6
			---	22.1	19.4	17	70	7-5353164-5
			---	22.1	19.4	17	70	7-5353164-0
			0.25	19.6	16.9	14.5	60	6-5353164-6
			0.25	19.6	16.9	14.5	60	6-5353164-5
(H)	OBSOLETE		0.25	19.6	16.9	14.5	60	6-5353164-0
(G)	OBSOLETE		---	17.1	14.4	12.0	50	5-5353164-5

INSTRUCTION SHEET 411-5781		K	J	H	G	POS.	PART NO.
		DIMENSION					
DWN	 TE Connectivity						
CHK							
APVD	NAME 名称 ON TAPING EMBOSS 0.5mm PITCH FS CONN. TAB ASSEMBLY WITH FILM						
PRODUCT SPEC 製品規格							
APPLICATION SPEC 取付適用規格	SIZE	CAGE CODE	DRAWING NO 番号 C-5353164			RESTRICTED TO —	
WEIGHT	A3	00779					
CUSTOMER DRAWING					SCALE 尺度 10:1	SHEET 2 OF 2	REV H

THIS DRAWING IS A CONTROLLED DOCUMENT	
DIMENSIONS: 単位： 耗 mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差
	0 PLC ± 0.2 1 PLC ± 0.2 2 PLC ± 0.2 3 PLC ± 0.2 4 PLC ± 0.2 ANGLES ± 3°
MATERIAL 材料	FINISH 仕上
	

1470-19 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-5353164-0](#)