


I/O extension module - NLC-IOX-04I-02QRD-05A - 2702032

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



I/O extension module for use with NLC-035... and NLC-040 base units. Equipped with 4 digital input and 2 relay output channels. A maximum of one I/O extension modules can be attached to the base unit.

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 949514
GTIN	4046356949514

Technical data

Dimensions

Width	40 mm
Height	103.5 mm
Depth	43 mm

Ambient conditions

Degree of protection	IP20
Ambient temperature (operation)	-25 °C ... 70 °C
Ambient temperature (storage/transport)	-25 °C ... 85 °C

Supply

Supply voltage	24 V DC
Supply voltage range	18 V DC ... 24 V DC

Digital inputs

Input name	Digital inputs
Description of the input	PNP
Connection method	Screw connection
Number of inputs	4
Typical response time	100 µs (on)

I/O extension module - NLC-IOX-04I-02QRD-05A - 2702032

Technical data

Digital inputs

	200 µs (OFF)
Input voltage range "0" signal	0 V DC ... 5 V DC
Input voltage range "1" signal	11 V DC ... 30 V DC
Nominal input current at U _{IN}	1.2 mA

Digital outputs

Output name	Relay output
Output description	Relay output
Connection method	Screw connection
Number of outputs	2
Maximum output current per channel	5 A
Maximum output current per module / terminal block	10 A
Maximum output current per module	10 A

General


Mounting type	DIN rail mounting
---------------	-------------------

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Approvals

Approvals

Approvals


UL Listed / cUL Listed / cULus Listed


Ex Approvals


I/O extension module - NLC-IOX-04I-02QRD-05A - 2702032

Approvals

Approval details

UL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 238705
-----------	---	---	---------------

cUL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 238705
------------	---	---	---------------

cULus Listed			
--------------	---	--	--

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2702032](#)