

Printed-circuit board connector - MC 1,5/12-STFZ13-5,08 NZ:487 - 1769113

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

> PCB connector, number of positions: 12, pitch: 5.08 mm, connection method: Screw connection with tension sleeve, color: green, contact surface: Tin









Key Commercial Data

Packing unit	50 pc	
GTIN	4 0 4 6 3 5 6 4 4 7 1 9 5	
GTIN	4046356447195	

Technical data

Dimensions

Length [1]	15.5 mm
Width [w]	70.12 mm
Height [h]	11.1 mm
Pitch	5.08 mm
Dimension a	55.88 mm

General

Range of articles	MC 1,5/STZF		
Number of positions	12		
Connection method	Screw connection with tension sleeve		
Nominal cross section	1.5 mm²		

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1			
China RoHS	Environmentally Friendly Use Period = 50			
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"			

Approvals

Approvals



Printed-circuit board connector - MC 1,5/12-STFZ13-5,08 NZ:487 - 1769113

Approvals			
Approvals			
EAC			
Ex Approvals			
Approval details			
EAC	ERC		B.01742

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1769113