

LOC	DIST	REVISIONS					
		P	LYR	DESCRIPTION	DATE	DWN	APVD
GP	00		A1	REVISED PER ECO-09-021480	08OCT2009	CR	DG











FIGURE M

FIGURE N

- 1 MATERIAL: NICKEL-SILVER PER ASTM B 122.
2. SHELL TO BE USED WITH THE SURFACE MOUNT RECEPTACLE CONNECTOR PART NUMBER REFERENCED IN TABLE
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER

M	1761987-2	3.5	36	17.8	16	18.05	36	1-1888021-6
M	1761987-2	2.8	36	17.8	16	18.05	36	1-1888021-2
N	1761987-2	-	36	17.8	16	18.05	36	1888021-8
M	1761987-2	2	36	17.8	16	18.05	36	1888021-4
FIGURE	CONNECTOR PART NUMBER	G	F	E	D	A	POSN	PART NUMBER

NOTES: DIMENSIONS ARE UNLESS OTHERWISE SPECIFIED. DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.				DWN J. REAM 14MAY2008		 Tyco Electronics Harrisburg, PA 17105-3608	
				CHK J. LORENC 14MAY2008			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. H. WERTZ 14MAY2008		NAME	
		0 PLC ±		PRODUCT SPEC		EVERCLEAR Mini-SAS DUAL KEYED INTERNAL SHELL, RIGHT ANGLE, RECEPTACLE	
		1 PLC ±		APD - 108-2234			
		2 PLC ±0.1		APPLICATION SPEC			
		3 PLC ±					
		4 PLC ±					
ANGLES		±				SIZE	
MATERIAL		FINISH		WEIGHT		CAGE CODE	
		-		-		DRAWING NO	
						RESTRICTED TO	
				CUSTOMER DRAWING		A100779C=1888021	
				SCALE		8:1	
				SHEET		1 OF 2	
				REV		A	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1888021-4](#)