

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

FT

DIST

0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
E3		REVISED PER ECO-11-005027	16MAR2011	RK	HMR
E4		TOLERANCES UPDATED	16JAN2018	FP	PS

5

5.00±0.05
TYP

15.5

2.50 REF
2 PLC

WIRE ENTRY

18.4

MATING FACE

RETENTION LATCH

CLAMPING SCREW

POLARIZATION KEY SLOT

1

MATERIALS AND FINISH:
HOUSING: PA 6-6, UL 94-V0, COLOR: BLACK.
CLAMP: BRASS, NICKEL PLATED.
DOUBLE SIDE CONTACT SPRING: PHOSPHOR BRONZE, FINISH: SEE TABLE.
CLAMPING SCREW: M3, BRASS, NICKEL PLATED.

2.

END-TO-END STACKABLE WITHOUT LOSS OF CENTERLINE SPACING.

3.

WIRE SIZE RANGE: 12-30 AWG.

4.

RECOGNIZED UNDER THE COMPONENT PROGRAM OF
UNDERWRITERS LABORATORIES INC.FILE N° E60677.

5

NOT CUMULATIVE TOLERANCE

6.

BUCHANAN LOGO TO APPEAR ON HOUSING, LOCATION
OPTIONAL WHERE SPACE PERMITS.

7

INK MARKING: WHITE COLOR
NUMERICAL SEQUENCE: FROM LEFT TO RIGHT.

796641-3 AS SHOWN

PRELIMINARY	.762µm GOLD		40.0	8	4-796641-4
	TIN	SEE DETAIL T	25.0	5	4-796641-2
PRELIMINARY	TIN	SEE DETAIL S	60.0	12	4-796641-1
PRELIMINARY	TIN	SEE DETAIL R	50.0	10	4-796641-0
PRELIMINARY	TIN	SEE DETAIL P	20.0	4	3-796641-9
	TIN	SEE DETAIL N	40.0	8	3-796641-8
	TIN	SEE DETAIL M	30.0	6	3-796641-6
	TIN	SEE DETAIL L	10.0	2	3-796641-2
	TIN		125.0	25	2-796641-5
	TIN		120.0	24	2-796641-4
	TIN		115.0	23	2-796641-3
	TIN		110.0	22	2-796641-2
	TIN		105.0	21	2-796641-1
	TIN		100.0	20	2-796641-0
	TIN		95.0	19	1-796641-9
	TIN		90.0	18	1-796641-8
	TIN		85.0	17	1-796641-7
	TIN		80.0	16	1-796641-6
	TIN		75.0	15	1-796641-5
	TIN		70.0	14	1-796641-4
	TIN		65.0	13	1-796641-3
	TIN		60.0	12	1-796641-2
	TIN		55.0	11	1-796641-1
	TIN		50.0	10	1-796641-0
	TIN		45.0	9	796641-9
	TIN		40.0	8	796641-8
	TIN		35.0	7	796641-7
	TIN		30.0	6	796641-6
	TIN		25.0	5	796641-5
	TIN		20.0	4	796641-4
	TIN		15.0	3	796641-3
	TIN		10.0	2	796641-2
CONTACT FINISH		MARKING	DIM L	NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

DIMENSIONS:

mm

0 PLC

±-

1 PLC

±0.3

2 PLC

±-

3 PLC

±-

4 PLC

±-

ANGLES

±-

FINISH

1

TOLERANCES UNLESS OTHERWISE SPECIFIED:

1

MATERIAL

1

DWN

S. WELDON

18OCT2000

CHK

D. BIEVENOUR

18OCT2000

APVD

D. BIEVENOUR

18OCT2000

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

SCALE

4:1

SHEET

1

OF

2

REV

E4

TE Connectivity

NAME

TERMI-BLOK PLUG, STACKING,
5.00mm PITCH

SIZE

A2

CAGE CODE

00779

DRAWING NO

C-796641

RESTRICTED TO

-

1471-9 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC
FT

DIST
0

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		- SEE SHEET 1	-	-	-

1

2

DETAIL L

SCALE 4:1

1

2

3

4

5

6

DETAIL M

SCALE 4:1

1

2

3

4

DETAIL P

SCALE 4:1

1

2

3

4

5

DETAIL T

SCALE 4:1

1

2

3

4

5

6

7

8

DETAIL N

SCALE 4:1

1

2

3

4

5

6

7

8

9

10

DETAIL R

SCALE 4:1

1

2

3

4

5

6

7

8

9

10

11

12

DETAIL S

SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

DWN
S. WELDON 18OCT2000

CHK
D. BIEVENOUR 18OCT2000

APVD
D. BIEVENOUR 18OCT2000

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING

TE

TE Connectivity

NAME

TERMI-BLOK PLUG, STACKING,
5.00mm PITCH

SIZE

A2

CAGE CODE

00779

DRAWING NO

C-796641

RESTRICTED TO

-

SCALE

4:1

SHEET

2

OF

2

REV

E4

1471-9 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-796641-0](#)