

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Profile, self-adhesive, for accommodating SS-ZB labels, UC-EMP, US-EMP, length: 1 m

Product Features

- Self-adhesive marker carriers, sold by the meter for cutting to custom length
- The P-SS-ZB 100 is particularly suitable for accommodating UC-EMP ..., US-EMP ...
- Powerful adhesion and optimum grip on standard device surfaces



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 013929
Weight per Piece (excluding packing)	42.0 g
Custom tariff number	39269097
Country of origin	Italy

Technical data

Dimensions

Length (b)	1000 mm
Width (a)	10.9 mm

Ambient conditions

Ambient temperature (operation)	-15 °C ... 80 °C
---------------------------------	------------------

General

Color	gray
Flammability rating according to UL 94	V0

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Technical data

General

Material	PVC
Adhesive	Acrylic
Adhesive strength	210 µm
Marking mounting type	Adhesive

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Classifications

eCl@ss

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27141143
eCl@ss 7.0	27141143
eCl@ss 8.0	27149129

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001288

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

Accessories

Accessories

Device marking

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Accessories

Contact marker – zack marker strip - SS-ZB WH - 5031171



Contact marker – zack marker strip, Strip, white, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

Contact marker – zack marker strip - SS-ZB YE - 5031650



Contact marker – zack marker strip, Strip, yellow, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

Snap-in markers - UC-EM (20X9) - 0825503



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Snap-in markers - UCT-EM (20X9) - 0801471



Snap-in markers, Sheet, white, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Labeled device marker

Snap-in markers - UC-EM (20X9) CUS - 0827629



Snap-in markers, can be ordered: by sheet, white, labeled according to customer specifications, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

Zack marker strip carrier - P-SS-ZB 100 - 1013737

Accessories

Equipment marking - UCT-EM (20X9) CUS - 0801556



UniCard sheet, for labeling devices from other manufacturers, for overview table see download area, labeled according to customer specifications

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

1013737