

D



C

B

A


4805 (3/11)

LOC	DIST	REVISIONS				
ES	00	REV	LTR	DESCRIPTION	DATE	APPRO
		-		SEE SHEET 1	-	-



RETENTION BARB	NATURAL	BLUE<2935U>	0.00038 MIN <15u''>	2.67	6-1932031-2
	BLACK	BLACK	0.00051 MIN <20u''>	2.67	6-1932031-1
	NATURAL	BLACK	0.00051 MIN <20u''>	2.67	6-1932031-0
	NATURAL	NATURAL	0.00076 MIN <30u''>	3.18	5-1932031-9
		BLUE<2935U>	0.00038 MIN <15u''>	3.18	5-1932031-8
	BLACK	BLACK	0.00076 MIN <30u''>	4.00	5-1932031-2
				3.18	5-1932031-1
				3.18	4-1932031-9
	NATURAL	BLUE<284C>	0.00038 MIN <15u''>	3.18	4-1932031-7
		BLACK			
	NATURAL	GREEN<368C>	0.00038 MIN <15u''>	3.18	3-1932031-4
	NATURAL	BLUE <284C>	0.00038 MIN <15u''>	3.18	2-1932031-6
				2.67	2-1932031-5
	BLACK	BLACK	0.00008 MIN <3u''>	2.67	1-1932031-6
				4.00	1-1932031-5
	NATURAL	BLACK	0.00038 MIN <15u''>	4.00	1-1932031-2
				3.18	1-1932031-1
				2.67	1-1932031-0
	NATURAL	NATURAL	0.00008 MIN <3u''>	2.67	1932031-7
				3.18	1932031-5
				2.67	1932031-4

HOUSING STYLE	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	TAIL LENGTH	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN SANDERS YAN 21AUG2007	 TE Connectivity	
			CHK LEO ZHOU 21AUG2007		
			APVD STEVEN YAO 21AUG2007	NAME	
DIMENSIONS: mm			PRODUCT SPEC	SOCKET ASSEMBLY, VERTICAL DDR3 DIMM, SOLDER TAIL, 240 POSITION, LOWER RESISTANCE TYPE	
			108-60071		
			APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
			114-13154	A1 00779 C=1932031	
MATERIAL			WEIGHT	RESTRICTED TO	
-			-	-	
			CUSTOMER DRAWING	SCALE 4:1	SHEET 2 OF 4
				REV C8	




BOTTOM TRAY

TRAY

CARTON

NOTES:

- 1. MATERIAL:
 - 1.1 TRAY: PVC
 - 1.2 SHIPPING CARTON : CORRUGATED FIBERBOARD
- 2. DIMENSION :
 - 2.1 TRAY : L=363, W=255, H=33
 - 2.2 SHIPPING CARTON : L=375, W=265, H=280
- 3. QUANTITY :
 - 3.1 PRIMARY PACKING : 50 PCS/TRAY
 - 3.2 SECONDARY PACKING : 8 TRAY/CARTON(400PCS)
- 4. WEIGHT :
 - 4.1 NET WEIGHT : 3.76 KG
 - 4.2 GROSS WEIGHT: 6.00 KG

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SANDERS, YAN	21AUG2007	 TE Connectivity	
		CHK LEO ZHOU	21AUG2007		
DIMENSIONS: mm		APVD STEVEN YAO	21AUG2007	NAME	
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SOCKET ASSEMBLY, VERTICAL DDR3 DIMM,SOLDER TAIL, 240 POSITION,LOWER RESISTANCE TYPE	
		0 PLC ± 0.50			
		2 PLC ± 0.13			
		2 PLC ± 0.013			
		4 PLC ± 0.0001			
ANGLES FINISH ± =		PRODUCT SPEC			
		108-60071			
		APPLICATION SPEC			
		114-13154			
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
-		-		A1 00779 C=1932031 -	
		CUSTOMER DRAWING		SCALE -- SHEET 4 OF 4 REV C8	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1932031-2](#)