







REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	A	ECO-15-000626	13JAN2015	TD	TD



1. IDENTIFICATION MARKING ON THIS SURFACE CONTAINS ASSEMBLY P/N AND DATE CODE (YYDDD). TEXT ORIENTATION, SIZE, AND LOCATION CAN VARY AS LONG AS TEXT IS ON SURFACE SHOWN AND READABLE.
2. SHIELD SEAM CAN BE POSITIONED AS SHOWN OR ROTATED 180° FROM POSITION SHOWN.
3. NOTE DELETED
4. THESE DIMENSIONS DEFINE FASTENER SIZE LIMITS FOR PROPER COMPONENT FUNCTIONALITY. END USER MUST ENSURE FASTENER AND/OR WASHER DIAMETER IS 8.6 MM MIN FOR PROPER RETENTION. THESE ARE NOT PRODUCT FEATURES - NO INSPECTION REQUIRED FOR THESE ITEMS.
5. SURFACE FINISH APPLIES IN THIS AREA
6. USE WITH INNER HOUSING 2103245-X (2P) OR 2103321-X (3P)




MOUNTING INTERFACE SPECIFICATION
(2103346-1 MOUNTING INTERFACE SHOWN)

D, F	2103346-2
A, E	2103346-1
INDEX (BAY 1, 2)	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. DEWILTE	24APR2013	 TE Connectivity					
DIMENSIONS:		CHK T. DEWILTE	24APR2013						
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. DEWILTE	24APR2013	NAME	HEADER ASSY, HVA280 2 BAY				
	0 PLC ±0.50	PRODUCT SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
	1 PLC ±0.50	APPLICATION SPEC							
MATERIAL	2 PLC ±0.15	WEIGHT	-	A100779	C=2103346		-		
-	3 PLC ±0.05	Customer Drawing	-						
-	4 PLC ±			SCALE	2:1	SHEET	1 OF 2	REV	A
	ANGLES ±#3								
	FINISH								

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2103346-2](#)