

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-13-019892	09JAN2014	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151352-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1426172
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1426172

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME SIDE FEED HD-I APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1426172	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV C1

[illegible]


CUTS CARRIER
CUTS CARRIER
CONTINUOUS CARRIER
-1 AND SPARE PARTS
-2 AND SPARE PARTS
-6 AND SPARE PARTS
SPARE PARTS KIT

Exploded view diagram of a mechanical assembly. The diagram shows a central vertical assembly with various components labeled with numbers in circles. The components are arranged in a hierarchical manner, showing the assembly sequence. Key components include a central vertical shaft or rod, a carrier assembly (44), and various structural plates and rollers. Callouts A, B, and C point to specific sub-assemblies or features. The diagram is a technical drawing showing the exploded view of the assembly.

VIEW B ROTATED 180°

POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE

GUIDE OFF
INSULATION BARREL

				DIMENSIONS: mm [INCHES]		MATL		HT TR		FIN	
				DO NOT SCALE PRINT.							
				TOLERANCES UNLESS OTHERWISE SPECIFIED.		DR		13MAR01		APP	
				1 PLC DEC \pm 0.5 [0.2 IN]		M. CLIFFORD		F. BACKHURST			
				2 PLC DEC \pm		CHK		REL		23APR01	
				3 PLC DEC \pm				L. LOFTHOUSE		 AMP Incorporated Northburg, VA 17105-3608	
				ANGLES		NAME		SIDE FEED HD-I APPLICATOR		MACHINE REF	
				SURF TEXTURE:		SCALE		D		DWG NO	
				REMOVE BURRS, BREAK SHARP EDGES RO.38 MAX				1426172		SHEET	
										1 of 1	
										REV C	
C		ECR-06-000649		RK		JAN06					
B		0150-0777-03		RK		JUL03					
A		SEE ECN 015A-0351-01		LJL		APR01					
P	F	L	T	R	REVISION	RECORD	APP	DATE			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1426172-6](#)