





LOC		DIST		REVISIONS					
FX		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
		S10				REVISED PER ECO-09-009758	23APR2009	DLD	DCM
		S11				REVISED PER ECO-09-028550	29DEC2009	DLD	DCM



SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD




KEYING OPTION "B"
1438082-2




- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.



SCALE 1:1



SECTION B-B

SEE PINOUT CHARTS		PART NUMBER	
R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
D. STRAUSSER 01AUG2003		SIZE 00779	
PRODUCT SPEC		DRAWING NO C=1438082	
APPLICATION SPEC		RESTRICTED TO	
WEIGHT		SHEET 1 OF 5	
CUSTOMER DRAWING		SCALE 4:1	

LOC	DIST	REVISIONS			
FX	00	P	LYR	DESCRIPTION	DATE
		-	-	SEE SHEET 1	-

	45	43			39	37	36	35			31					24					18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051					
			42																	20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050					
			42																	20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049					
			42																	20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048				
								35						27																										9-1438082-3	2LIT-14A464-SD-047				
	45	43					36	35			32	31				24		21		19	18	17	16		14	12							7	6				1	9-1438082-1	2LIT-14A464-SD-046					
46											31																														9-1438082-0	2LIT-14A464-SD-045			
											31					24							16										8					3	2	8-1438082-9	2LIT-14A464-SD-044				
														27																											8-1438082-8	2LIT-14A464-SD-043			
	45	44	43	42		40	38	37	36		33	31		29		24	22	20		18	17	16	15							9	8					3				8-1438082-7	2LIT-14A464-SD-042				
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20	19	18	17	16	15							9	8		6			2				8-1438082-6	2LIT-14A464-SD-041			
46											31																					9			6			3				8-1438082-5	2LIT-14A464-SD-040		
			43	42		39	37												20	19	18							11	10	9							2	1			8-1438082-4	2LIT-14A464-SD-039			
			43								31		29								18																				8-1438082-3	2LIT-14A464-SD-038			
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8					2				8-1438082-0	2LIT-14A464-SD-037			
	45		43						36	35			31			24						16		14	12								7	6			2	1			7-1438082-9	2LIT-14A464-SD-036			
	45		43						36	35			31			24		21		19		16		14	12								7	6			2	1			7-1438082-8	2LIT-14A464-SD-035			
			43	42		39	38	37				32			28						19	18	17	16					10	9											7-1438082-5	2LIT-14A464-SD-034			
	45	44	43	42		40	38	37	36		33	31		29		24	22	21	20		18	17	16	15							9	8		6			2				7-1438082-4	2LIT-14A464-SD-033			
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15								9	8		6			2				7-1438082-3	2LIT-14A464-SD-032		
					40									29																			9									6-1438082-6	2LIT-14A464-SD-031		
																																										6-1438082-3	2LIT-14A464-SD-030		
																																										6-1438082-2	2LIT-14A464-SD-029		
																																										6-1438082-1	2LIT-14A464-SD-028		
														29	28		25			21		18	16											6	5						5-1438082-6	2LIT-14A464-SD-027			
														29	28		25			21			16											6	5						5-1438082-5	2LIT-14A464-SD-026			
													30	29					21		18	16																				5-1438082-2	2LIT-14A464-SD-025		
			43	42		39	37													20	19	18	17		15	14			11	10	9	8	7			4	3	2	1			5-1438082-0	2LIT-14A464-SD-024		
			42																					15	14				11	10	9	8	7			4	3				4-1438082-9	2LIT-14A464-SD-023			
			43	42		39	37													20	19	18	17						11	10	9								2	1		4-1438082-8	2LIT-14A464-SD-022		
			42																											11	10	9										4-1438082-7	2LIT-14A464-SD-021		
			43	42		39	37																							11	10	9										4-1438082-2	2LIT-14A464-SD-020		
	45	43					36	35			31					24						18	17	16		14	12							7	6			2	1			4-1438082-0	2LIT-14A464-SD-019		
		43	42		39	37											23			20	19	18	17		15	14			11	10	9	8	7			4	3	2				3-1438082-8	2LIT-14A464-SD-018		
			42														23							15	14				11	10	9	8	7			4	3					3-1438082-7	2LIT-14A464-SD-017		
		43	42		39	37											23			20	19	18	17	16					11	10	9										3-1438082-6	2LIT-14A464-SD-016			
			42														23													11	10	9											3-1438082-5	2LIT-14A464-SD-015	
	45	43			39	37	36	35			31					24		21		19	18	17	16		14	13	12					9		7	6			2	1			3-1438082-4	2LIT-14A464-SD-014		
	45	43			39	37	36	35		33	31					25	24		21		19	18	17	16		14	13	12					9		7	6			2	1			3-1438082-3	2LIT-14A464-SD-013	
	45	43					36	35			31					24		21		19	18	17	16		14	12								7	6					2	1			3-1438082-2	2LIT-14A464-SD-012
			42																					15	14	13			10	9	8	7			4	3						3-1438082-1	2LIT-14A464-SD-011		
		43	42		39	37														20	19	18	17			13			10	9											3-1438082-0	2LIT-14A464-SD-010			
			42																																										

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
44									35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
									35																											6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39		37				29					20	18		15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																	
45	43						38		36		31				25	24				18	17	16		14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082																
45	43						38		36		31				25	24						16		14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081																
45	43						38		36		32	31			25	24		21	19	18	17	16		14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																	
45	43					39	38	37	36		31				25	24				18	17	16		14	13	12		9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079																
			42															20	18				13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078																
			42															20	18				13	11	10									1	3-1438735-7	2LIT-14A464-SD-077																
45	43					39	38	37	36		31				25	24		21	20	19	18	17		14	13	12		9					2	1	3-1438735-6	2LIT-14A464-SD-076																
45	43						38		36		31				25	24		21	20	19	18	17		14	12								2	1	3-1438735-5	2LIT-14A464-SD-075																
		43	42		40	39		37				29						20	18		15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074																
45	43					39	38	37	36		31				25	24			20	19	18	17		14	13	12		9					2	1	3-1438735-2	2LIT-14A464-SD-073																
45	43						38		36		31				25	24		21	20	19	18	17	16		14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072																
45	43					39	38	37	36		31				25	24		21	20	19	18	17	16		14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071																
45	43						38		36		31				25	24		21	20	19			16		14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070																
45	43					39	38	37	36		31				25	24		21	20	19			16		14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069																
45	43						38		36		31				25	24			20	19	18	17		14	12								2	1	2-1438735-6	2LIT-14A464-SD-068																
										33															13							6	5			2-1438735-5	2LIT-14A464-SD-067															
45	44	43	42		40		38	37	36		33	31				24	22	21	20		18	17	16	15				9	8					2		2-1438735-4	2LIT-14A464-SD-066															
		43									31		29							18								8						2		2-1438735-1	2LIT-14A464-SD-065															
45	43						38		36	35		31			25	24		21				16		14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064																
45	43					39	38	37	36	35		31			25	24				18	17	16		14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063																
45	43						38		36	35		32	31		25	24		21	19	18	17	16		14	12				7	6				1	1-1438735-8	2LIT-14A464-SD-062																
45	43						38		36	35		31			25	24						16		14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061																
45	43						38		36	35		31			25	24		21	19			16		14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060																
45	43						38		36	35		31			25	24				18	17	16		14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059																
45	43					39	38	37	36	35		31			25	24		21	19	18	17	16		14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058																
45	43						38		36	35		31			25	24		21	19	18	17	16		14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057																
			42				37											20	18		15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056																
45	43								36	35		31				24		21	19			16		14	12				7	6			1	1-1438735-1	2LIT-14A464-SD-055																	
									35					27																			3		1-1438735-0	2LIT-14A464-SD-054																
		43									31		29							18								9	8					2		1438735-9	2LIT-14A464-SD-053															
									35					27															7							1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20 COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.		DWN R. VESTAL 01AUG2003 CHK D. STRAUSSER 01AUG2003 APVD D. STRAUSSER 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.3 1 PLC ±0.10 5 PLC ±. 4 PLC ±. ANGLES ±° FINISH -		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL -		WEIGHT -		RESTRICTED TO -	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1438082-1](#)