

- 1

MATERIAL:
RECEPTACLE HOUSING, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
CONTACT, PHOSPHOR BRONZE
FRONT NUT, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
HEX NUT, BRASS
- 2

FINISH:
CONTACT, 0.75µm MIN. GOLD OVER NICKEL
HEX NUT,NICKEL
- 3






SOLDER TERMINATION CONTACT, 28 AWG WIRE MAX.
- 4

10.0 MAXIMUM PANEL THICKNESS
- 5

INSTALLS FROM FRONT OR REAR OF PANEL
- 6

INGRESS PROTECTION: IP50 (MATED)
- 7

PRELIMINARY PART NUMBER.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.L.KOLLER 22JUN2005	TE Connectivity			
		CHK L.BREKOSKY 28JUN2005				
DIMENSIONS:		APVD -	NAME			
mm		PRODUCT SPEC	RECEPTACLE ASSEMBLY PANEL MOUNT 10 POSITION			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
0 PLC ±		114-13184	A2	00779	1877069	-
1 PLC ±0.2		WEIGHT	SCALE 5:1			
2 PLC ±0.08		CUSTOMER DRAWING	SHEET 1 OF 2			
3 PLC ±			REV B3			
4 PLC ±						
ANGLES ±1°						
FINISH						

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

AD

00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

40°

BLUE

BLACK

4-1877069-2

BLUE

GRAY

4-1877069-1

40°

GREEN

BLACK

4-1877069-0

GREEN

GRAY

3-1877069-9

40°

YELLOW

BLACK

3-1877069-8

YELLOW

GRAY

3-1877069-7

40°

WHITE

BLACK

3-1877069-6

WHITE

GRAY

3-1877069-5

40°

RED

BLACK

3-1877069-4

RED

GRAY

3-1877069-3

40°

BLACK

BLACK

3-1877069-2

BLACK

GRAY

3-1877069-1

40°

GRAY

BLACK

3-1877069-0

GRAY

GRAY

2-1877069-9

80°

BLACK

GRAY

2-1877069-8

GRAY

BLACK

2-1877069-7

0°

BLACK

GRAY

2-1877069-6

GRAY

BLACK

2-1877069-5

80°

BLUE

BLACK

2-1877069-4

BLUE

GRAY

2-1877069-3

0°

BLUE

BLACK

2-1877069-2

BLUE

GRAY

2-1877069-1

80°

GREEN

BLACK

2-1877069-0

GREEN

GRAY

1-1877069-9

0°

GREEN

BLACK

1-1877069-8

GREEN

GRAY

1-1877069-7

80°

YELLOW

BLACK

1-1877069-6

YELLOW

GRAY

1-1877069-5

0°

YELLOW

BLACK

1-1877069-4

YELLOW

GRAY

1-1877069-3

80°

WHITE

BLACK

1-1877069-2

WHITE

GRAY

1-1877069-1

0°

WHITE

BLACK

1-1877069-0

WHITE

GRAY

1877069-9

80°

RED

BLACK

1877069-8

RED

GRAY

1877069-7

0°

RED

BLACK

1877069-6

RED

GRAY

1877069-5

80°

BLACK

BLACK

1877069-4

GRAY

GRAY

1877069-3

0°

BLACK

BLACK

1877069-2

GRAY

GRAY

1877069-1

KEYING

FRONT NUT COLOR

HOUSING COLOR

PART NUMBER

60°

BLUE

BLACK

5-1877069-6

BLUE

GRAY

5-1877069-5

60°

GREEN

BLACK

5-1877069-4

GREEN

GRAY

5-1877069-3

60°

YELLOW

BLACK

5-1877069-2

YELLOW

GRAY

5-1877069-1

60°

WHITE

BLACK

5-1877069-0

WHITE

GRAY

4-1877069-9

60°

RED

BLACK

4-1877069-8

RED

GRAY

4-1877069-7

60°

BLACK

BLACK

4-1877069-6

BLACK

GRAY

4-1877069-5

60°

GRAY

BLACK

4-1877069-4

GRAY

GRAY

4-1877069-3

80° KEYING

RECEPTACLE FRONT VIEW

SCALE 4:1

0° KEYING

RECEPTACLE FRONT VIEW

SCALE 4:1

40° KEYING

RECEPTACLE FRONT VIEW

SCALE 4:1

60° KEYING

RECEPTACLE FRONT VIEW

SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R.L.KOLLER
22JUN2005

CHK
L.BREKOSKY
28JUN2005

APVD
-

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.2

2 PLC ±0.08

3 PLC ±

4 PLC ±

ANGLES ±1°

FINISH

MATERIAL

-

PRODUCT SPEC

108-2249

APPLICATION SPEC

114-13184

WEIGHT

-

CUSTOMER DRAWING

NAME

RECEPTACLE ASSEMBLY
PANEL MOUNT
10 POSITION

SIZE

A2

CAGE CODE

00779

DRAWING NO

1877069

RESTRICTED TO

-

SCALE

5:1

SHEET

2

OF

2

REV

B3

1471-9 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1877069-4](#)