









LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		TYPICAL DIMENSIONS:		MATERIAL:		FINISH:		WEIGHT:		CUSTOMER DRAWING:	
0 PLC ±.3		mm		SEE CHART ON SHEET 2		-		SEE NOTE 5		-	
1 PLC ±.3											
2 PLC ±.3											
3 PLC ±.3											
4 PLC ±.3											
ANGLES ±.3°											
SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO		SCALE		SHEET	
14NOV2006		14NOV2006		14NOV2006		14NOV2006		3:1		1 OF 5	
A. HOLT		W. WELLINSKY		W. WELLINSKY		W. WELLINSKY		00779		REV F	
Tyco Electronics		Tyco Electronics		Tyco Electronics		Tyco Electronics		Harrisburg, PA 17105-3608			
NAME		40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED									

[illegible][illegible][illegible]

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30				35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36					0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30				35	36					0-1924170-7	G	
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30				35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30				35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	1-1924170-5	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30				35	36	37	38	39	40	1-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18										27	28	29	30				35	36	37	38	39	40	1-1924170-8	G	
							7	8	9	10	11	12																													1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30							39	40	2-1924170-1	G		
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					39	40	2-1924170-3	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26							35	36	37	38	39	40	2-1924170-4	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24									35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18								26								35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G			
			3	4			7	8	9	10	11	12	13	14	15	16																				37	38	39	40	2-1924170-9	G		
											11	12																							37	38	39	40	3-1924170-0	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30				35	36	37	38	39	40	3-1924170-1	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30				35	36	37	38	39	40	3-1924170-2	G	
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12									21	22						27	28	29	30				35	36	37	38	39	40	3-1924170-4	G	
1	2						7	8	9	10	11	12	13	14	15	16					21	22												35	36	37	38	39	40	3-1924170-5	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30				35	36	37	38	39	40	3-1924170-6	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24						29	30			35	36	37	38	39	40	3-1924170-7	G		
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
											11	12									19	20													37	38	39	40	4-1924170-0	G			
					5	6	7	8	9	10	11	12	13	14	15	16				19	20						27	28	29	30						37	38	39	40	4-1924170-1	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30				35	36	37	38	39	40	4-1924170-2	G	
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24			27	28	29	30	31	32		35	36	37	38	39	40	4-1924170-3	G	
1	2	3	4	5	6						11	12	13	14	15	16					21	22	23	24																			

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24				27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24													35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16						21	22		24				27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16								24													35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12												24																		7-1924170-4	G	
1	2										11	12	13	14	15	16							24																			7-1924170-5	G	
											11	12																					32					37	38	39	40	7-1924170-6	G	
											11	12											24																			7-1924170-7	G	
											11	12										19	20																			7-1924170-8	G	
											11	12										19	20																			7-1924170-9	G	
							7	8	9	10	11	12										19	20																			8-1924170-0	G	
							7	8	9	10	11	12																														8-1924170-1	G	
								9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																								37	38			8-1924170-3	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20																	37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16				19	20																			37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12			14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G	
1	2					7	8	9	10				13	14	15	16						21	22		24											35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10				13	14	15	16						21	22		24											35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12			14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12			14	15		17	18				21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24				27	28	29	30					35	36	37	38			9-1924170-1	G	
		3	4	5	6						11	12													24											35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12														24												35	36	37	38			9-1924170-3	G
											11	12													24												35	36	37	38	39	40	9-1924170-4	G
		3	4	5	6						11	12									19	20																		39	40	9-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24			26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16					19	20				24													37	38	39	40	9-1924170-7	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20				24												37	38	39	40	9-1924170-8	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20				24													37	38	39	40	9-1924170-9	G	
						7	8	9	10	11	12	13	14	15	16					19	20				24													37	38	39	40	0-1924171-1	G	
											11	12									19	20																				0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12									19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																															0-1924171-4	G	
											11	12																														0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12													24													35	36					0-1924171-7	G
											11	12	13	14	15	16								24																			0-1924171-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30						35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21			24		26	27	28	29	30						35	36	37	38	39	40	1-1924171-0	G		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924172-4](#)