

# Replacement electronics module - IB STME 24 DO32/2 - 2754370

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Replacement module electronics for IB ST (ZF) 24 DO 32/2

#### **Product Features**

- 32 digital outputs
- Connection of actuators in 2-wire technology
- Nominal current per output: 500 mA
- Total current of the terminal: 8 A
- Diagnostic and status indicators



#### **Key Commercial Data**

Packing unit	1 pc
GTIN	4 017918 063139
Weight per Piece (excluding packing)	180.8 g
Custom tariff number	85389091
Country of origin	Germany

#### Technical data

#### Note

Note	
Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
Ambient conditions	
Degree of protection	IP20
General	
Mounting type	DIN rail



# Replacement electronics module - IB STME 24 DO32/2 - 2754370

## Technical data

#### General

Net weight	188 g
Connection data	

Connection method	Spring-cage connection
Stripping length	8 mm

## Standards and Regulations

Connection in acc. with standard	CUL

## Classifications

#### eCl@ss

eCl@ss 4.0	27250315
eCl@ss 4.1	27250315
eCl@ss 5.0	27259205
eCl@ss 5.1	27242692
eCl@ss 6.0	27242692
eCl@ss 7.0	27242692
eCl@ss 8.0	27242604
eCl@ss 9.0	27242604

#### **ETIM**

ETIM 2.0	EC000313
ETIM 3.0	EC000313
ETIM 4.0	EC002584
ETIM 5.0	EC002584

#### **UNSPSC**

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311

## Approvals

#### Approvals



# Replacement electronics module - IB STME 24 DO32/2 - 2754370

## Approvals

Approvals
UL Recognized / cUL Recognized / EAC / cULus Recognized
Ex Approvals
Approvals submitted
Approval details
UL Recognized <b>\$1</b>
cUL Recognized
EAC
cULus Recognized • Sus

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 2754370