




- 1 FINISH OVER INDICATED AREA: .000100-.000200 BRIGHT TIN LEAD OVER .000050 NICKEL.
- 2 FINISH OVER INDICATED AREA: .000015 GOLD OVER .000050 NICKEL.
- 3 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 4 RECESSED DATE CODE AND CSA LOGO.
- 5 OBSOLETE PART NUMBER.
- 6 FINISH OVER INDICATED AREA: .000100-.000200 MATTE TIN OVER .000050 NICKEL.
- 7 PRELIMINARY PART.
- 8 ROHS 2002/95/EC COMPLIANT
- 9 HEADER: GLASS-FILLED, FLAME RETARDANT THERMOPLASTIC COLOR: BLACK POST: COPPER ALLOY
- 10 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. HAYMAKER 30MAR00	TE Connectivity			
DIMENSIONS: mm		CHK J. GESFORD 30MAR00				
		APVD J. GESFORD 30MAR00	NAME HEADER ASSEMBLY, MOD II, .100 X .100CL			
		PRODUCT SPEC				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC				
MATERIAL 9		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=102567	RESTRICTED TO -
FINISH SEE NOTES		CUSTOMER DRAWING	SCALE 4:1	SHEET 1 of 2	REV N5	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		—	SEE SHEET 1	—	—	—

D

D

C

C

B

B

A

A

5 10 OBSOLETE	5 8 7-102567-9	1.870	1.980	1.900	1.500	15	32	7-102567-9
	5 8 7-102567-8	9.270	9.380	9.300	8.900	89	180	7-102567-8
	5 8 7-102567-7	7.670	7.780	7.700	7.300	73	148	7-102567-7
	5 8 7-102567-6	6.670	6.780	6.700	6.300	63	128	7-102567-6
	5 8 7-102567-5	4.970	5.080	5.000	4.600	46	94	7-102567-5
	5 8 7-102567-4	2.470	2.580	2.500	2.100	21	44	7-102567-4
	5 8 7-102567-3	.970	1.080	1.000	.600	6	14	7-102567-3
	5 8 7-102567-2	8.270	8.380	8.300	7.900	79	160	7-102567-2
	5 8 7-102567-1	10.270	10.380	10.300	9.900	99	200	7-102567-1
	5 8 7-102567-0	7.270	7.380	7.300	6.900	69	140	7-102567-0
5 10 OBSOLETE	5 8 6-102567-9	6.770	6.880	6.800	6.400	64	130	6-102567-9
	5 8 6-102567-8	1.070	1.180	1.100	.700	7	16	6-102567-8
	5 8 6-102567-7	4.570	4.680	4.600	4.200	42	86	6-102567-7
	5 8 6-102567-6	3.870	3.980	3.900	3.500	35	72	6-102567-6
	5 8 6-102567-5	5.770	5.880	5.800	5.400	54	110	6-102567-5
	5 8 6-102567-4	4.770	4.880	4.800	4.400	44	90	6-102567-4
	5 8 6-102567-3	1.770	1.880	1.800	1.400	14	30	6-102567-3
	5 8 6-102567-2	2.270	2.380	2.300	1.900	19	40	6-102567-2
	5 8 6-102567-1	1.270	1.380	1.300	.900	9	20	6-102567-1
	5 8 6-102567-0	3.770	3.880	3.800	3.400	34	70	6-102567-0
5 10 OBSOLETE	5 8 5-102567-9	5.270	5.380	5.300	4.900	49	100	5-102567-9
	5 8 5-102567-8	4.270	4.380	4.300	3.900	39	80	5-102567-8
	5 8 5-102567-7	6.270	6.380	6.300	5.900	59	120	5-102567-7
	5 8 5-102567-6	2.770	2.880	2.800	2.400	24	50	5-102567-6
	5 8 5-102567-5	5.070	5.180	5.100	4.700	47	96	5-102567-5
	5 8 5-102567-4	3.270	3.380	3.300	2.900	29	60	5-102567-4
	5 8 5-102567-3	2.070	2.180	2.100	1.700	17	36	5-102567-3
	5 8 5-102567-2	1.470	1.580	1.500	1.100	11	24	5-102567-2
	5 8 5-102567-1	.870	.980	.900	.500	5	12	5-102567-1
FINISH		E	D	C	B	A	NO. OF POSN	PART NUMBER

SUPERSEDED BY 5-102567-1			2 6	.870	.980	.900	.500	5	12	3-102567-0
8 7	7	OBSOLETE	2 6	1.870	1.980	1.900	1.500	15	32	2-102567-9
10	7	OBSOLETE		9.270	9.380	9.300	8.900	89	180	2-102567-8
	7	OBSOLETE		7.670	7.780	7.700	7.300	73	148	2-102567-7
	7	OBSOLETE		6.670	6.780	6.700	6.300	63	128	2-102567-6
	7	OBSOLETE		4.970	5.080	5.000	4.600	46	94	2-102567-5
	7	OBSOLETE		2.470	2.580	2.500	2.100	21	44	2-102567-4
	7			.970	1.080	1.000	.600	6	14	2-102567-3
	7	OBSOLETE		8.270	8.380	8.300	7.900	79	160	2-102567-2
	5			10.270	10.380	10.300	9.900	99	200	2-102567-1
	5	OBSOLETE		7.270	7.380	7.300	6.900	69	140	2-102567-0
	5		6.770	6.880	6.800	6.400	64	130	1-102567-9	
	5	OBSOLETE	1.070	1.180	1.100	.700	7	16	1-102567-8	
10	7	OBSOLETE	4.570	4.680	4.600	4.200	42	86	1-102567-7	
	7		3.870	3.980	3.900	3.500	35	72	1-102567-6	
	7		5.770	5.880	5.800	5.400	54	110	1-102567-5	
10	7	OBSOLETE	4.770	4.880	4.800	4.400	44	90	1-102567-4	
	7		1.770	1.880	1.800	1.400	14	30	1-102567-3	
	7		2.270	2.380	2.300	1.900	19	40	1-102567-2	
	7		1.270	1.380	1.300	.900	9	20	1-102567-1	
	7		3.770	3.880	3.800	3.400	34	70	1-102567-0	
	7		5.270	5.380	5.300	4.900	49	100	102567-9	
	7		4.270	4.380	4.300	3.900	39	80	102567-8	
10	7	OBSOLETE	6.270	6.380	6.300	5.900	59	120	102567-7	
	7		2.770	2.880	2.800	2.400	24	50	102567-6	
10	7	OBSOLETE	5.070	5.180	5.100	4.700	47	96	102567-5	
	7		3.270	3.380	3.300	2.900	29	60	102567-4	
	7		2.070	2.180	2.100	1.700	17	36	102567-3	
	7		1.470	1.580	1.500	1.100	11	24	102567-2	
	7		.870	.980	.900	.500	5	12	102567-1	
FINISH			E	D	C	B	A	NO. OF POSN	PART NUMBER	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± .005

4 PLC ± -

ANGLES ± -

FINISH

MATERIAL

-

SEE NOTES

DWN

B. HAYMAKER

30MAR00

CHK

J. GESFORD

30MAR00

APVD

J. GESFORD

30MAR00

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

HEADER ASSEMBLY, MOD II,
.100 X .100CL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

C=102567

-

SCALE

4:1

SHEET

2 of 2

REV

N5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[102567-9](#)