

AmphenolFCI

© 2016 AFCl

1

2

3

4

5

6

PART NO.	POS.	DIM"X"	DIM"Y"
20021112-0XX04XXLF	2 X 2	2.54	2.54
20021112-0XX06XXLF	2 X 3	3.81	2.54
20021112-0XX08XXLF	2 X 4	5.08	3.81
20021112-0XX10XXLF	2 X 5	6.35	5.08
20021112-0XX12XXLF	2 X 6	7.62	6.35
20021112-0XX14XXLF	2 X 7	8.89	7.62
20021112-0XX16XXLF	2 X 8	10.16	8.89
20021112-0XX18XXLF	2 X 9	11.43	10.16
20021112-0XX20XXLF	2 X 10	12.70	11.43
20021112-0XX12XXLF	2 X 11	13.97	12.70
20021112-0XX24XXLF	2 X 12	15.24	13.97
20021112-0XX26XXLF	2 X 13	16.51	15.24
20021112-0XX28XXLF	2 X 14	17.78	16.51
20021112-0XX30XXLF	2 X 15	19.05	17.78
20021112-0XX32XXLF	2 X 16	20.32	19.05
20021112-0XX34XXLF	2 X 17	21.59	20.32
20021112-0XX36XXLF	2 X 18	22.86	21.59
20021112-0XX38XXLF	2 X 19	24.13	22.86
20021112-0XX40XXLF	2 X 20	25.40	24.13
20021112-0XX42XXLF	2 X 21	26.67	25.40
20021112-0XX44XXLF	2 X 22	27.94	26.67
20021112-0XX46XXLF	2 X 23	29.21	27.94
20021112-0XX48XXLF	2 X 24	30.48	29.21
20021112-0XX50XXLF	2 X 25	31.75	30.48

PART NO.	POS.	DIM"X"	DIM"Y"
20021112-0XX52XXLF	2 X 26	33.02	31.75
20021112-0XX54XXLF	2 X 27	34.29	33.02
20021112-0XX56XXLF	2 X 28	35.56	34.29
20021112-0XX58XXLF	2 X 29	36.83	35.56
20021112-0XX60XXLF	2 X 30	38.10	36.83
20021112-0XX62XXLF	2 X 31	39.37	38.10
20021112-0XX64XXLF	2 X 32	40.64	39.37
20021112-0XX66XXLF	2 X 33	41.91	40.64
20021112-0XX68XXLF	2 X 34	43.18	41.91
20021112-0XX70XXLF	2 X 35	44.45	43.18
20021112-0XX72XXLF	2 X 36	45.72	44.45
20021112-0XX74XXLF	2 X 37	46.99	45.72
20021112-0XX76XXLF	2 X 38	48.26	46.99
20021112-0XX78XXLF	2 X 39	49.53	48.26
20021112-0XX80XXLF	2 X 40	50.80	49.53
20021112-0XX82XXLF	2 X 41	52.07	50.80
20021112-0XX84XXLF	2 X 42	53.34	52.07
20021112-0XX86XXLF	2 X 43	54.61	53.34
20021112-0XX88XXLF	2 X 44	55.88	54.61
20021112-0XX90XXLF	2 X 45	57.15	55.88
20021112-0XX92XXLF	2 X 46	58.42	57.15
20021112-0XX94XXLF	2 X 47	59.69	58.42
20021112-0XX96XXLF	2 X 48	60.96	59.69
20021112-0XX98XXLF	2 X 49	62.23	60.96
20021112-0XXA0XXLF	2 X 50	63.50	62.23

20021112- 0 X X XX X X LF

LEAD FREE
PLATING OPTIONAL
1: GOLD FLASH AT CONTACT, 1.27um MIN. MATTE TIN AT TAIL
2: GOLD FLASH AT CONTACT, GOLD FLASH AT TAIL
4: 0.25um Au MIN. AT CONTACT, 1.27um MIN.MATTE TIN AT TAIL
5: 0.25um Au MIN. AT CONTACT, GOLD FLASH AT TAIL
6: 0.38um GXT MIN. AT CONTACT, 1.27um MIN.MATTE TIN AT TAIL
7: 0.38um GXT MIN. AT CONTACT, GOLD FLASH AT TAIL
8: 0.76um GXT MIN. AT CONTACT, 1.27um MIN.MATTE TIN AT TAIL
9: 0.76um GXT MIN. AT CONTACT, GOLD FLASH AT TAIL
PACKING STYLE
T: TUBE
PIN NO. SEE TABLE
TAIL LENGTH(DIM"B")
0: 2.70MM (FOR 2.0MM PCB)
1: 1.60MM (FOR 1.0MM PCB)
2: 2.30MM (FOR 1.6MM PCB)
3: 1.20MM (FOR 1.0MM PCB)
MATING LENGTH(DIM"A")
0: 3.05MM
SELECTED LOADED
0: FULL LOADED,OTHER SEE SHEET 3

mat'l. code				surface			tolerance			projection		product family			
				ISO 1302			ISO 406			ISO 1101		MINITEK127®			
ltr	ecn	no	dr	date			tolerances unless otherwise specified			mm		title			
H							angles			linear		UNSHROUDED HDR RA TH			
							0°±2'			scale 1:1					
							dr			ZK HU		08/01/12		dwg no	
							engr			ZK HU		08/01/12		sheet2 of 3	
							chr			BIAN RICK		08/01/12		size	
							appd			BIAN RICK		08/01/12		A3	
sheet index		revision sheet												type Product Customer Drawing	

AmphenolFCI

STATUS:Released Printed: Nov 08, 2023

form: A3-2016-02-24

1


2

3




4

5

6



Amphenol
FCi

mat'l. code				surface ISO 1302 ✓ tolerance ISO 406 ISO 1101			projection 		product family MINITEK127®			
ltr	ecn no	dr	date	tolerances unless otherwise specified					title			
H				angles linear .0±.30			mm		UNSHROUDED HDR RA TH			
				0°±2' .000±.10			scale 1:1					
				dr	ZK HU	08/01/12			dwg no		sheet3 of 3	size
				engr	ZK HU	08/01/12			20021112		A3	
				chr	BIAN RICK	08/01/12						
				appd	BIAN RICK	08/01/12						
sheet index	revision sheet								type Product Customer Drawing			