




NOTES:

1. MATERIAL: HOUSING - HIGH TEMP NYLON, GLASS FILLED, UL 94V-0
COLOR: SEE TABLE ON SHEET 6 & 7
LATCH - HIGH TEMP NYLON, GLASS FILLED, UL 94V-0
COLOR: SEE TABLE ON SHEET 6 & 7
TERMINAL: COPPER ALLOY

2. FINISHES:
TERMINAL PLATING OPTIONS - SEE TABLE ON SHEET 6 & 7
3. PRODUCT SPECIFICATION: SEE TABLE ON SHEET 6 & 7
4. PACKAGING INFORMATION: PRODUCT SHALL BE PACKED IN TRAY
5. CARD SLOTS ACCEPTS 1.27±0.10MM MODULE THICKNESS
(MEASURED FROM PC PADS)

6. MOLEX LOGO, DATE CODE AND PART NO. INDICATED ON HOUSING
7. MODULE SEATING PLANE FROM TOP OF PCB
8. KEEP OUT ZONE RESERVED FOR LATCH

THIS DESIGN IS BASED ON DESIGN OBJECTIVES AND IS STRICTLY TENTATIVE. IT MAY CHANGE BASED ON RESULTS OF ADDITIONAL DESIGN REVIEWS & VERIFICATIONS.

FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW CHKD: CCTEH APPR: SHLENI 10	2010/04/23 2010/06/10 2010/06/13	DESCRIPTION REV	QUALITY SYMBOLS F_A=0 F_E=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
					mm	INCH	DRAWN BY YTYANG01	DATE 2007/09/24	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LCCR	
				4 PLACES	± ---	± ---	CHECKED BY	DATE		
				3 PLACES	± ---	± ---	CCTEH	2007/11/12		
				2 PLACES	± 0.2	± ---	APPROVED BY	DATE		
				1 PLACE	± ---	± ---	SHLENI	2010/06/10	 MOLEX INCORPORATED	
				ANGULAR ± 1 °		MATERIAL NO.		DOCUMENT NO.		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-78321-001		1 OF 7				
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

F

F

E

E

D

D

C


C

B



B

A

A





FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13			DESCRIPTION	QUALITY SYMBOLS F_A=0 F_C=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
						mm	INCH	DRAWN BY YTYANG01	DATE 2007/09/24	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR		
					4 PLACES	± ---	± ---	CHECKED BY CCTEH	DATE 2007/11/12			
					3 PLACES	± ---	± ---	APPROVED BY SHLENI	DATE 2010/06/10			 MOLEX INCORPORATED
2 PLACES	± 0.2	± ---			DOCUMENT NO. SD-78321-001		SHEET NO. 2 OF 7					
10		REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE							
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



NOTE:
1. KEEPOUT AREA IS THE AREA WHERE THE CONNECTOR
(INCLUDING LATCH) IS MOUNTED ON PCB

FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CTEH 2010/06/10 APPR: SHLENI 2010/06/13	DESCRIPTION REV	QUALITY SYMBOLS 	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY YTYANG01	DATE 2007/09/24	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR				
			4 PLACES	± ---	± ---	CHECKED BY CTEH	DATE 2007/11/12					
			3 PLACES	± ---	± ---	APPROVED BY SHLENI	DATE 2010/06/10					
			2 PLACES	± 0.2	± ---	MATERIAL NO. SEE TABLE						DOCUMENT NO. SD-78321-001
			1 PLACE	± ---	± ---	ANGULAR ± 1 °		MOLEX		MOLEX INCORPORATED		
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				



NOTES:
1. QTY OF CAVITY : 20 X 4 = 80 PCS

FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13	QUALITY SYMBOLS $F_A=0$ $F_C=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY YTYANG01	DATE 2007/09/24	TITLE DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR MOLEX INCORPORATED SD-78321-001	
		4 PLACES	$\pm$ ---	$\pm$ ---		CHECKED BY CCTEH	DATE 2007/11/12		
		3 PLACES	$\pm$ ---	$\pm$ ---		APPROVED BY SHLENI	DATE 2010/06/10		
10	REV	2 PLACES	$\pm$ 0.2	$\pm$ ---		MATERIAL NO.		DOCUMENT NO.	
		1 PLACE	$\pm$ ---	$\pm$ ---		SEE TABLE		SHEET NO.	
		ANGULAR $\pm 1^\circ$		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		5 OF 7	

	10	9	8	7	6	5	4	3	2	1																																																																																		
F	<table><tr><td>ASSEMBLY PART NO.</td><td>VOLTAGE KEY</td><td>DIM 'P'</td><td>FORKLOCK LENGTH</td><td>RECOMMENDED PCB THICKNESS</td><td colspan="2">PLATING OPTION</td><td>HOUSING COLOUR</td><td>LATCH COLOUR</td><td colspan="2">PRODUCT SPECIFICATION</td></tr><tr><td>78321-0051</td><td rowspan="24">CENTRE (1.5V)</td><td rowspan="4">3.18</td><td rowspan="4"></td><td rowspan="4">2.36</td><td colspan="2" rowspan="16">0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN (MATTE) ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE</td><td>BLACK</td><td rowspan="8">NATURAL (OFF-WHITE)</td><td rowspan="8">PS-78321-001</td></tr><tr><td>78321-0052</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0053</td><td>BLUE</td></tr><tr><td>78321-0055</td><td>GREEN</td></tr><tr><td>78321-0151</td><td rowspan="4">2.67</td><td rowspan="4">1.57</td><td>BLACK</td></tr><tr><td>78321-0152</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0153</td><td>BLUE</td></tr><tr><td>78321-0155</td><td>GREEN</td></tr><tr><td>78321-0061</td><td rowspan="4">3.18</td><td rowspan="4">2.36</td><td>BLACK</td><td rowspan="8">NATURAL (OFF-WHITE)</td><td rowspan="8">PS-78321-002</td></tr><tr><td>78321-0062</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0063</td><td>BLUE</td></tr><tr><td>78321-0065</td><td>GREEN</td></tr><tr><td>78321-0161</td><td rowspan="4">2.67</td><td rowspan="4">1.57</td><td>BLACK</td></tr><tr><td>78321-0162</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0163</td><td>BLUE</td></tr><tr><td>78321-0165</td><td>GREEN</td></tr><tr><td>78321-0261</td><td rowspan="4">3.18</td><td rowspan="4">2.36</td><td>BLACK</td><td rowspan="8">BLACK</td></tr><tr><td>78321-0262</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0263</td><td>BLUE</td></tr><tr><td>78321-0265</td><td>GREEN</td></tr><tr><td>78321-0361</td><td rowspan="4">2.67</td><td rowspan="4">1.57</td><td>BLACK</td></tr><tr><td>78321-0362</td><td>NATURAL (OFF-WHITE)</td></tr><tr><td>78321-0363</td><td>BLUE</td></tr><tr><td>78321-0365</td><td>GREEN</td></tr></table>											ASSEMBLY PART NO.	VOLTAGE KEY	DIM 'P'	FORKLOCK LENGTH	RECOMMENDED PCB THICKNESS	PLATING OPTION		HOUSING COLOUR	LATCH COLOUR	PRODUCT SPECIFICATION		78321-0051	CENTRE (1.5V)	3.18		2.36	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN (MATTE) ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE		BLACK	NATURAL (OFF-WHITE)	PS-78321-001	78321-0052	NATURAL (OFF-WHITE)	78321-0053	BLUE	78321-0055	GREEN	78321-0151	2.67	1.57	BLACK	78321-0152	NATURAL (OFF-WHITE)	78321-0153	BLUE	78321-0155	GREEN	78321-0061	3.18	2.36	BLACK	NATURAL (OFF-WHITE)	PS-78321-002	78321-0062	NATURAL (OFF-WHITE)	78321-0063	BLUE	78321-0065	GREEN	78321-0161	2.67	1.57	BLACK	78321-0162	NATURAL (OFF-WHITE)	78321-0163	BLUE	78321-0165	GREEN	78321-0261	3.18	2.36	BLACK	BLACK	78321-0262	NATURAL (OFF-WHITE)	78321-0263	BLUE	78321-0265	GREEN	78321-0361	2.67	1.57	BLACK	78321-0362	NATURAL (OFF-WHITE)	78321-0363	BLUE	78321-0365	GREEN	F
ASSEMBLY PART NO.	VOLTAGE KEY	DIM 'P'	FORKLOCK LENGTH	RECOMMENDED PCB THICKNESS	PLATING OPTION		HOUSING COLOUR	LATCH COLOUR	PRODUCT SPECIFICATION																																																																																			
78321-0051	CENTRE (1.5V)	3.18		2.36	0.76 MICROMETER/ 30 MICROINCH MIN. GOLD ON CONTACT 2.54 MICROMETER/ 100 MICROINCH MIN. PURE TIN (MATTE) ON SOLDERTAILS 1.27 MICROMETER/ 50 MICROINCH MIN. NICKEL UNDERPLATE		BLACK	NATURAL (OFF-WHITE)	PS-78321-001																																																																																			
78321-0052							NATURAL (OFF-WHITE)																																																																																					
78321-0053							BLUE																																																																																					
78321-0055							GREEN																																																																																					
78321-0151		2.67	1.57	BLACK																																																																																								
78321-0152				NATURAL (OFF-WHITE)																																																																																								
78321-0153				BLUE																																																																																								
78321-0155				GREEN																																																																																								
78321-0061		3.18	2.36	BLACK			NATURAL (OFF-WHITE)	PS-78321-002																																																																																				
78321-0062				NATURAL (OFF-WHITE)																																																																																								
78321-0063				BLUE																																																																																								
78321-0065				GREEN																																																																																								
78321-0161		2.67	1.57	BLACK																																																																																								
78321-0162				NATURAL (OFF-WHITE)																																																																																								
78321-0163				BLUE																																																																																								
78321-0165				GREEN																																																																																								
78321-0261		3.18	2.36	BLACK	BLACK																																																																																							
78321-0262				NATURAL (OFF-WHITE)																																																																																								
78321-0263				BLUE																																																																																								
78321-0265				GREEN																																																																																								
78321-0361		2.67	1.57	BLACK																																																																																								
78321-0362				NATURAL (OFF-WHITE)																																																																																								
78321-0363				BLUE																																																																																								
78321-0365				GREEN																																																																																								
E												E																																																																																
D												D																																																																																
C												C																																																																																
B												B																																																																																
A	<table><tr><td rowspan="10">FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 REV 10</td><td rowspan="10">QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$ </td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">4 PLACES 3 PLACES 2 PLACES 1 PLACE</td><td rowspan="4">mm INCH</td><td>DRAWN BY YTYANG01</td><td>DATE 2007/09/24</td><td colspan="4" rowspan="4">DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR MOLEX INCORPORATED SD-78321-001</td></tr><tr><td>CHECKED BY CCTEH</td><td>DATE 2007/11/12</td></tr><tr><td>APPROVED BY SHLENI</td><td>DATE 2010/06/10</td></tr><tr><td colspan="2">MATERIAL NO.</td><td>DOCUMENT NO.</td><td>SHEET NO. 7 OF 7</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">ANGULAR $\pm 1^\circ$</td><td colspan="2">SEE TABLE</td><td colspan="4"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 REV 10	QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		4 PLACES 3 PLACES 2 PLACES 1 PLACE	mm INCH	DRAWN BY YTYANG01	DATE 2007/09/24	DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR MOLEX INCORPORATED SD-78321-001				CHECKED BY CCTEH	DATE 2007/11/12	APPROVED BY SHLENI	DATE 2010/06/10	MATERIAL NO.		DOCUMENT NO.	SHEET NO. 7 OF 7	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR $\pm 1^\circ$		SEE TABLE										SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				A																																		
FORKLOCK UPDATED EC NO: S2010-0888 DRWN: JAKEEWEW 2010/04/23 CHKD: CCTEH 2010/06/10 APPR: SHLENI 2010/06/13 REV 10	QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																				
		4 PLACES 3 PLACES 2 PLACES 1 PLACE	mm INCH	DRAWN BY YTYANG01	DATE 2007/09/24	DDR3 DIMM, 1.00MM PITCH 240 CKTS, VERTICAL, T/H LOW LLCR MOLEX INCORPORATED SD-78321-001																																																																																						
				CHECKED BY CCTEH	DATE 2007/11/12																																																																																							
				APPROVED BY SHLENI	DATE 2010/06/10																																																																																							
				MATERIAL NO.						DOCUMENT NO.	SHEET NO. 7 OF 7																																																																																	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR $\pm 1^\circ$		SEE TABLE																																																																																						
						SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																				
			10	9	8	7	6	5	4	3	2			1																																																																														

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[78321-0053](#)