







LOC		DIST		REVISIONS					
FX		00		P	LYR	DESCRIPTION	DATE	DWN	APVD
				S10		REVISED PER ECO-09-009758	23APR2009	DLD	DCM
				S11		REVISED PER ECO-09-028550	29DEC2009	DLD	DCM



SCALE 1:1




- △ MATERIAL:
- HARNESS - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: HARNESS - 30% GLASS FILLED sPS, BLACK
 - SPACER - 40% GLASS FILLED PPS+PA66, RED
 - ALT MAT'L: 30% GLASS FILLED sPS, RED
 - ALT MAT'L: 35% GLASS FILLED PA66, RED
 - COVER - 35% GLASS FILLED PA66, BLACK
 - ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
 - CAM LEVER - 35% GLASS FILLED NYLON, GRAY
 - GROMMET - SILICONE, BROWN
 - PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.
- △ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.
- △ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS. BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

SEE PINOUT CHARTS		PART NUMBER	
R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
D. STRAUSSER 01AUG2003		NAME 46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
D. STRAUSSER 01AUG2003		SIZE 00779	
PRODUCT SPEC		DRAWING NO C=1438082	
APPLICATION SPEC		RESTRICTED TO	
WEIGHT		SCALE 4:1	
CUSTOMER DRAWING		SHEET 1 OF 5	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

44									35		32							22							12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
44									35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37					29					20		18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083														
45	43								38		36						25	24						18	17	16		14	12				7	6		2	1	5-1438735-0	2LIT-14A464-SD-082													
45	43								38		36						25	24							16		14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081													
45	43								38		36			32	31			25	24		21	19	18	17	16		14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080														
45	43								39	38	37	36			31			25	24					18	17	16		14	13	12			9	7	6			2	1	4-1438735-7	2LIT-14A464-SD-079											
				42															20	18					13	11	10									2	1	3-1438735-8	2LIT-14A464-SD-078													
				42															20	18					13	11	10										1	3-1438735-7	2LIT-14A464-SD-077													
45	43								39	38	37	36			31			25	24		21	20	19	18	17		14	13	12			9					2	1	3-1438735-6	2LIT-14A464-SD-076												
45	43									38		36			31			25	24		21	20	19	18	17		14	12									2	1	3-1438735-5	2LIT-14A464-SD-075												
			43	42		40	39		37					29						20		18			15	14		11	10	9	8	7				4	3	2	1	3-1438735-3	2LIT-14A464-SD-074											
45	43								39	38	37	36			31			25	24			20	19	18	17		14	13	12			9						2	1	3-1438735-2	2LIT-14A464-SD-073											
45	43									38		36			31			25	24		21	20	19	18	17	16		14	12				7					2	1	3-1438735-1	2LIT-14A464-SD-072											
45	43								39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12			9	7					2	1	3-1438735-0	2LIT-14A464-SD-071										
45	43									38		36			31			25	24		21	20	19			16		14	12				7					2	1	2-1438735-9	2LIT-14A464-SD-070											
45	43								39	38	37	36			31			25	24		21	20	19			16		14	13	12			9	7					2	1	2-1438735-8	2LIT-14A464-SD-069										
45	43									38		36			31			25	24			20	19	18	17		14	12										2	1	2-1438735-6	2LIT-14A464-SD-068											
											33															13														6	5			2-1438735-5	2LIT-14A464-SD-067							
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8											2		2-1438735-4	2LIT-14A464-SD-066								
			43									31		29							18								8												2		2-1438735-1	2LIT-14A464-SD-065								
45	43								38		36	35			31			25	24		21					16		14	12				7	6							2	1	2-1438735-0	2LIT-14A464-SD-064								
45	43								39	38	37	36	35		31			25	24						18	17	16		14	13	12			9	7	6						2	1	1-1438735-9	2LIT-14A464-SD-063							
45	43									38		36	35		32	31			25	24		21	19	18	17	16		14	12				7	6							1	1-1438735-8	2LIT-14A464-SD-062									
45	43									38		36	35		31			25	24							16		14	12				7	6							2	1	1-1438735-7	2LIT-14A464-SD-061								
45	43									38		36	35		31			25	24		21	19			16		14	12				7	6							2	1	1-1438735-6	2LIT-14A464-SD-060									
45	43									38		36	35		31			25	24					18	17	16		14	12				7	6						2	1	1-1438735-5	2LIT-14A464-SD-059									
45	43								39	38	37	36	35		31			25	24		21	19	18	17	16		14	13	12			9	7	6						2	1	1-1438735-4	2LIT-14A464-SD-058									
45	43									38		36	35		31			25	24		21	19	18	17	16		14	12				7	6							2	1	1-1438735-3	2LIT-14A464-SD-057									
				42							37								20	18				15	14		11	10	9	8	7					4	3	2	1	1-1438735-2	2LIT-14A464-SD-056											
45	43										36	35		31				24		21	19			16		14	12					7	6							1	1-1438735-1	2LIT-14A464-SD-055										
										35							27																									3			1-1438735-0	2LIT-14A464-SD-054						
			43								31		29									18							9	8												2			1438735-9	2LIT-14A464-SD-053						
										35							27																	7											1438735-8	2LIT-14A464-SD-052						
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A" 																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
APPLICATION SPEC		WEIGHT		A 00779 C=1438082	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH

-

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[3-1438082-0](#)