






LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	DWN
		G		REVISED PER EC 0512-0273-05	19SEP05	JDP
						DD




RECOMMENDED PC BOARD LAYOUT
(VIEWED FROM CONNECTOR SIDE)

- 1 HOUSING: LCP, BLACK.
CONTACT & GROUND PLANE: PHOS BRONZE.
- 2 CONTACT PLATING: SELECT GOLD FLASH.
- 3 FOR STANDARD APPLICATIONS, ORIENTATION HOLE TO BE ø1.02 [ø.0400].



SECTION A-A



DIFFERENTIAL PAIR LOADING
(BOTTOM VIEW)
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	B.CARBO	27MAY03	tyco Electronics		Tyco Electronics Corporation	
		CHK	D.DIXON	27MAY03			Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	D.DIXON	27MAY03	NAME	
		0 PLC ± -		PRODUCT SPEC		HEADER ASSEMBLY, 25.0MM [.984] VERTICAL, 0.80MM CL, MICTOR SB		
		1 PLC ± 0.3[.01]		—				
		2 PLC ± 0.15[.005]		APPLICATION SPEC				
		3 PLC ± 0.05[.0020]		—				
		4 PLC ± -						
MATERIAL		FINISH		WEIGHT		—		
				A2		00779		
				G		1658050		
				CUSTOMER DRAWING		SCALE 3:1		
						SHEET 1 of 2		
						REV G		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1658050-2](#)