

## Engraving material - GPE 45X14 WH/R - 0815282

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Engraving material, Sheet, white, unlabeled, can be labeled with: Engraving, Plotter, Mounting type: Adhesive, Lettering field: 45 x 14 mm



The figure shows the version GPE 20x8 WH

### Product Features

- Can be engraved using the P1 ENGRAVING UNIT
- Can be labeled easily using the CMS-P1-PLOTTER
- Two-layer material
- Labeling service: Phoenix Contact can custom-label all GPE ... markers according to your requirements
- The adhesive foil used ensures good adhesive properties, even on uneven surfaces
- The label sheet consists of prefabricated, individual self-adhesive labels



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 19.52 g  |
| Custom tariff number                 | 39203000 |
| Country of origin                    | Germany  |

### Technical data

#### Dimensions

|            |       |
|------------|-------|
| Length (b) | 45 mm |
| Width (a)  | 14 mm |

#### Ambient conditions

|                                 |                                                                               |
|---------------------------------|-------------------------------------------------------------------------------|
| Ambient temperature (operation) | -20 °C ... 85 °C                                                              |
| Recommended storage conditions  | 20°C/50% relative humidity. Storage in the original packaging is recommended. |

#### General

## Engraving material - GPE 45X14 WH/R - 0815282

### Technical data

#### General

|                                     |                                |
|-------------------------------------|--------------------------------|
| Note                                | Can be labeled with CMS        |
| Color                               | white                          |
| Components                          | free from silicone and halogen |
| Material                            | TRANSPLY-ABS                   |
| Wipe resistance                     | DIN EN 61010-1 (VDE 0411-1)    |
| Number of individual labels         | 26                             |
| Number of individual labels per row | 2                              |
| Adhesive                            | Acrylic                        |
| Printability                        | Engraving                      |
|                                     | Plotter                        |
| Device                              | 5144615 CMS-P1-PLOTTER         |
|                                     | 5145546 P1 ENGRAVING UNIT      |
| Adhesive strength                   | 50 µm                          |
| Marking mounting type               | Adhesive                       |

#### Standards and Regulations

|                 |                             |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |
| eCl@ss 8.0 | 27149129 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC001288 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |

## Engraving material - GPE 45X14 WH/R - 0815282

### Classifications

#### UNSPSC

|              |          |
|--------------|----------|
| UNSPSC 12.01 | 39121410 |
| UNSPSC 13.2  | 39121410 |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact:

0815282