






LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	B	REVISED PER ECR-16-003314		18JUL2016	BW	GJ	



POS.	DIM.A	DIM.B
2*6	39.70	37.30
2*5	33.70	31.30
2*4	27.70	25.30
2*3	21.70	19.30



NOTE

1. MATERIAL:

LEVEL A: PA6 GLASS FILLED, COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30 (GWT), UL 94V-0

LEVEL B: PBT GLASS FILLED, HOT WIRE IGNITION (HWI) VERSION ARE MOLDED IN A RESIN THAT COMPLIES WITH TE HOT WIRE IGNITION TEST 109-32026 AND ARE RECOMMENDED FOR USE WITH HWI HOUSINGS THAT ALSO COMPLY, UL 94V-0

2. MATERIAL MARK:

LEVEL A:GWT,LEVEL B:HWT

3. APPLICABLE CONTACT P/N

TAB CONTACT:1971238/1971780/82/84/86/88-*,2238067-*


4. MATING CONN, P/N

PLUG HSG:*-2232266-*


TPA (LOCK PLATE):*-1971778-*

5. This product has not completed validation testing.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TOMMY WU		26MAR2013		 TE Connectivity	
		CHK	HAPYE WU		26MAR2013			
DIMENSIONS:		APVD	YUHONG MAO		26MAR2013		NAME	
mm		PRODUCT SPEC						
		108-106118					CAP HOUSING, FREE HANGING, DOUBLE ROW POWER TRIPLE LOCK -	
		APPLICATION SPEC						
		114-106118						
		FINISH						
MATERIAL		WEIGHT					SIZE	
-		-					CAGE CODE	
							DRAWING NO	
							RESTRICTED TO	
		Customer Drawing					A1 00779 ©= 2232359	
							SCALE	
							SHEET	
							1 OF 2	
							REV B	







2*5 POSITIONS




2*4 POSITIONS



2*3 POSITIONS



2*6 POSITIONS



2*4	LEVEL A	DARK GREY	KEY A	5-2232359-4	2*6	LEVEL A	DARK GREY	KEY A	5-2232359-6
		BROWN	KEY B	6-2232359-4			BROWN	KEY B	6-2232359-6
		GREEN	KEY C	7-2232359-4			GREEN	KEY C	7-2232359-6
		ORANGE	KEY D	8-2232359-4			ORANGE	KEY D	8-2232359-6
2*3	LEVEL A	DARK GREY	KEY A	5-2232359-3	2*5	LEVEL A	DARK GREY	KEY A	5-2232359-5
		BROWN	KEY B	6-2232359-3			BROWN	KEY B	6-2232359-5
		GREEN	KEY C	7-2232359-3			GREEN	KEY C	7-2232359-5
		ORANGE	KEY D	8-2232359-3			ORANGE	KEY D	8-2232359-5
POS.	MATERIAL	COLOR	KEY	P/N	POS.	MATERIAL	COLOR	KEY	P/N
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN: TOMMY WU 26MAR2013	TE Connectivity CAP HOUSING, FREE HANGING, DOUBLE ROW POWER TRIPLE LOCK				
DIMENSIONS:				CHK: HAPYE WU 26MAR2013					
mm				APVD: YUZHONG MAO 26MAR2013					
				PRODUCT SPEC					
0 PLC ±- 1 PLC ±0.35 2 PLC ±0.25 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH ±-				APPLICATION SPEC					
MATERIAL				WEIGHT					
-				-					
Customer Drawing							SIZE: A1	CAGE CODE: 00779	DRAWING NO: C=2232359
							RESTRICTED TO	SHEET 2 OF 2	
							REV	B	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[8-2232359-5](#)