





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	V	REDRAWN /REVISED PER ECO-17-001745	22NOV2017	KS	JO

D

C

B

A




- △ CONTACT AREAS PLATED WITH 0.76µm GOLD, SOLDER TAILS PLATED WITH 3.81µm TIN-LEAD, ALL OVER 1.27µm NICKEL
2. NOTE DELETED.
- △ CIRCUI T IDENTIFICATION FEATURE OMITTED ON 4, 5, 6, & 7 POSITION HEADER ASSEMBLIES
- △ DIMENSION APPLIES AT BASE OF SHROUD
- △ THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING
- △ CONTACT AREAS PLATED WITH 0.76µm GOLD, SOLDER TAILS PLATED WITH 3.81µm TIN, ALL OVER 1.27µm NICKEL.
- △ MATERIAL: HOUSING-LCP, COLOR-BLACK
CONTACT-COPPER ALLOY
- △ FINISH: 0.03µm MIN GOLD ON GOLD PLATED AREA, 3.81µm MATTE TIN-LEAD ON TIN PLATED AREA. UNDER PLATING TO BE 1.27µm NICKEL ON ENTIRE CONTACT
- △ FINISH: 0.03µm MIN GOLD ON GOLD PLATED AREA, 3.81µm MATTE TIN ON TIN PLATED AREA. UNDER PLATING TO BE 1.27µm NICKEL ON ENTIRE CONTACT.
10. NOTE DELETED.
11. NOTE DELETED.
12. NOTE DELETED.
13. NOTE DELETED.

D

C

B

A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. SHRISHAIL CHK J. OLSON APVD J. OLSON	22NOV2017 22NOV2017 22NOV2017	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±0.5°		PRODUCT SPEC 108-1093 APPLICATION SPEC	
MATERIAL		SEE TABLE		SIZE A1	
7		CUSTOMER DRAWING		CAGE CODE -	
				DRAWING NO 114-25031	
				RESTRICTED TO -	
				SCALE 4:1	
				SHEET 1 OF 2	
				REV V	

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT copyr ight .dbfr-

ALL RIGHTS RESERVED.

REVISIONS

P	LYR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

9

15.87

1.27

31.75

34.29

27

38.86

28

9-104074-0

29.84

1.27

59.69

62.23

49

66.80

50

8-104074-9

26.67

1.27

53.34

55.88

44

60.45

45

8-104074-8

23.49

1.27

46.99

49.53

39

54.10

40

8-104074-7

20.95

1.27

41.91

44.45

35

49.02

36

8-104074-6

15.24

1.27

30.48

33.02

26

37.59

27

8-104074-5

-

1.27

24.13

26.67

21

31.24

22

8-104074-4

-

1.27

17.78

20.32

16

24.89

17

8-104074-3

-

1.27

12.70

15.24

12

19.81

13

8-104074-2

-

1.27

11.43

13.97

11

18.54

12

8-104074-1

-

4.44

-

8.89

7

13.46

8

8-104074-0

-

3.81

-

7.62

6

12.19

7

7-104074-9

-

3.17

-

6.35

5

10.92

6

7-104074-8

-

1.90

-

3.81

3

8.38

4

7-104074-7

17.14

1.27

34.29

36.83

29

41.40

30

7-104074-6

-

1.27

27.94

30.48

24

35.05

25

7-104074-5

-

1.27

21.59

24.13

19

28.70

20

7-104074-4

-

1.27

15.24

17.78

14

22.35

15

7-104074-3

-

2.54

-

5.08

4

9.65

5

7-104074-2

-

1.27

8.89

11.43

9

16.00

10

7-104074-1

6

15.87

1.27

31.75

34.29

27

38.86

28

7-104074-0

29.84

1.27

59.69

62.23

49

66.80

50

6-104074-9

26.67

1.27

53.34

55.88

44

60.45

45

6-104074-8

23.49

1.27

46.99

49.53

39

54.10

40

6-104074-7

20.95

1.27

41.91

44.45

35

49.02

36

6-104074-6

15.24

1.27

30.48

33.02

26

37.59

27

6-104074-5

-

1.27

24.13

26.67

21

31.24

22

6-104074-4

-

1.27

17.78

20.32

16

24.89

17

6-104074-3

-

1.27

12.70

15.24

12

19.81

13

6-104074-2

-

1.27

11.43

13.97

11

18.54

12

6-104074-1

-

4.44

-

8.89

7

13.46

8

6-104074-0

-

3.81

-

7.62

6

12.19

7

5-104074-9

-

3.17

-

6.35

5

10.92

6

5-104074-8

-

1.90

-

3.81

3

8.38

4

5-104074-7

17.14

1.27

34.29

36.83

29

41.40

30

5-104074-6

-

1.27

27.94

30.48

24

35.05

25

5-104074-5

-

1.27

21.59

24.13

19

28.70

20

5-104074-4

-

1.27

15.24

17.78

14

22.35

15

5-104074-3

-

2.54

-

5.08

4

9.65

5

5-104074-2

-

1.27

8.89

11.43

9

16.00

10

5-104074-1

FINSH

DIM_F

DIM_E

DIM_D

DIM_C

B
SPACES

DIM_A

NO
OF
POSN

PART
NUMBER

8

15.87

1.27

31.75

34.29

27

38.86

28

4-104074-0

29.84

1.27

59.69

62.23

49

66.80

50

3-104074-9

26.67

1.27

53.34

55.88

44

60.45

45

3-104074-8

23.49

1.27

46.99

49.53

39

54.10

40

3-104074-7

20.95

1.27

41.91

44.45

35

49.02

36

3-104074-6

15.24

1.27

30.48

33.02

26

37.59

27

3-104074-5

-

1.27

24.13

26.67

21

31.24

22

3-104074-4

-

1.27

17.78

20.32

16

24.89

17

3-104074-3

-

1.27

12.70

15.24

12

19.81

13

3-104074-2

-

1.27

11.43

13.97

11

18.54

12

3-104074-1

-

4.44

-

8.89

7

13.46

8

3-104074-0

-

3.81

-

7.62

6

12.19

7

2-104074-9

-

3.17

-

6.35

5

10.92

6

2-104074-8

-

1.90

-

3.81

3

8.38

4

2-104074-7

17.14

1.27

34.29

36.83

29

41.40

30

2-104074-6

-

1.27

27.94

30.48

24

35.05

25

2-104074-5

-

1.27

21.59

24.13

19

28.70

20

2-104074-4

-

1.27

15.24

17.78

14

22.35

15

2-104074-3

-

2.54

-

5.08

4

9.65

5

2-104074-2

-

1.27

8.89

11.43

9

16.00

10

2-104074-1

1

15.87

1.27

31.75

34.29

27

38.86

28

7-104074-0

29.84

1.27

59.69

62.23

49

66.8

50

1-104074-9

26.67

1.27

53.34

55.88

44

60.45

45

1-104074-8

23.49

1.27

46.99

49.53

39

54.10

40

1-104074-7

20.95

1.27

41.91

44.45

35

49.02

36

1-104074-6

15.24

1.27

30.48

33.02

26

37.59

27

1-104074-5

-

1.27

24.13

26.67

21

31.24

22

1-104074-4

-

1.27

17.78

20.32

16

24.89

17

1-104074-3

-

1.27

12.70

15.24

12

19.81

13

1-104074-2

-

1.27

11.43

13.97

11

18.54

12

1-104074-1

-

4.44

-

8.89

7

13.46

8

1-104074-0

-

3.81

-

7.62

6

12.19

7

104074-9

-

3.17

-

6.35

5

10.92

6

104074-8

-

1.90

-

3.81

3

8.38

4

104074-7

17.14

1.27

34.29

36.83

29

41.40

30

104074-6

-

1.27

27.94

30.48

24

35.05

25

104074-5

-

1.27

21.59

24.13

19

28.70

20

104074-4

-

1.27

15.24

17.78

14

22.35

15

104074-3

-

2.54

-

5.08

4

9.65

5

104074-2

-

1.27

8.89

11.43

9

16.00

10

104074-1

FINSH

DIM_F

DIM_E

DIM_D

DIM_C

B
SPACES

DIM_A

NO
OF
POSN

PART
NUMBER

4805 (3/13)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.3

1 PLC ±0.3

2 PLC ±0.13

3 PLC ±.

4 PLC ±.

ANGLES ±0.5°

FINISH

SEE TABLE

MATERIAL

DWN R. SHRISHAIL 22NOV2017

CHK J. OLSON 22NOV2017

APVD J. OLSON 22NOV2017

PRODUCT SPEC

108-1093

APPLICATION SPEC

114-25031

WEIGHT

CUSTOMER DRAWING

NAME

TE Connectivity

HEADER ASSEMBLY, RIGHT ANGLE, SINGLE ROW, W/SIDE & END LATCHES AMPMODU SYSTEM 50

SIZE A 1

CAGE CODE -

DRAWING NO. ©=104074

RESTRICTED TO -

SCALE 4:1

SHEET 2 OF 2

REV V

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-104074-7](#)