

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

NOV ,1998.

© COPYRIGHT 1998 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
J




DIST

REVISIONS


変更

P	LTR	DESCRIPTION	DATE	DWN	APVD
A	REVISED	ECR-08-000339	01FEB08	T.T	T.F
B	REVISED	PER ECO-17-002393	11JULY17	B.J	S.Y

AS SHOWN: TYPE-1

D-D
(SCALE 2:1)E-E
(SCALE 2:1)

4. TRAY TYPE-1 AND TYPE-2 MUST BE
PILED UP BY TURNS.
(REFER TO PACKING SPECIFICATIONS)



TYPE-2

TYPE-1

TRIANGLE MARK


TRIANGLE MARK

CLAMP



CHAMFER

CHAMFER

SEALANT	AVAILABLE	3	18	70	54.7	320	5-912069-4	6-6318151-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	5-↑-3	6-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	5-↑-2	5-↑-9
	NOT AVAILABLE	3	18	70	36.7	200	5-↑-1	5-↑-8
NON SEALANT	NOT AVAILABLE	3	18	70	54.7	320	5-↑-4	1-↑-1
	NOT AVAILABLE	↑	↑	↑	48.7	280	5-↑-3	1-↑-0
	NOT AVAILABLE	↓	↓	↓	42.7	240	5-↑-2	↑-9
	NOT AVAILABLE	3	18	70	36.7	200	5-912069-1	6318151-8
SEALANT	TOOLING STATUS	ROW	QTY	B	A	POS.	TRAY P/N	PART NO.



POS.NO.1

DETAIL C
(SCALE 1:1)

17.2

5.45

GENERAL TOLERANCE
一般公差

10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH
仕上

MATERIAL
材料

DWN HAWKING HE 13DEC04

CHK STEVEN YAO 13DEC04

APVD I.ENOMOTO 13DEC04

PRODUCT SPEC

製品規格

108-60047

APPLICATION SPEC

取付適用規格

114-5255

WEIGHT

CUSTOMER DRAWING

Tyco Electronics

Tyco Electronics Corporation
Kawasaki, JapanNAME
名称SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 4H W/G-PLATE 2ROW TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A300779

C-6318151


RESTRICTED TO

SCALE
尺度 1:2

SHEET

1 OF 6

REV
B



① MATERIAL ; ① HOUSING : HIGH TEMP THERMO PLASTIC
UL94V-0 (COLOR : NATURAL)
② CONTACT : COPPER ALLOY
③ CAP HOUSING : HIGH TEMP THERMO PLASTIC
UL94V-0 (COLOR : BLACK)

② FINISH ; UNDER PL Ni 0.0013mm MIN ALL OVER.
CONTACT AREA 0.0002 MIN Au PL.
SOLDERING AREA 0.001 MIN TIN PL.

③ ■ THIS POSITION IS GROUND CIRCUIT.

AVAILABLE	51.8	50.6	47.4	50	54.7	54.7	320	1 –	–
NOT AVAILABLE	45.8	44.6	41.4	44	48.7	48.7	280	1 –	–
NOT AVAILABLE	39.8	38.6	35.4	38	42.7	42.7	240		–
NOT AVAILABLE	33.8	32.6	29.4	32	36.7	36.7	200	1318153–8	
TOOLING STATUS	F	E	D	C	B	A	POS	CAP	P/N

CUSTOMER DRAWING

RESTRICTED TO

REV	
-----	--

MATERIAL

FINISH

10 $\geq$: ± 0.2
30 $\geq$ >10: ± 0.25
100 $\geq$ >30: ± 0.3
ANGLES: $\pm 3^\circ$

4

3

2

1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
J			—	SEE SHEET 1	—	—



REFERENCE P.C.BOARD LAYOUT

GENERAL TOLERANCE 一般公差	
10≥	±0.2
30≥	>10:±0.25
100≥	>30:±0.3
ANGLES:±3°	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位： 耗
mm

1

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± —

1 PLC ± —

2 PLC ± —

3 PLC ± —

4 PLC ± —

ANGLES ± —

FINISH
仕上

2

MATERIAL
材料

1

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

Tyco Electronics Corporation
Kawasaki, Japan

NAME
名称

SOFT TRAY ASSY
FH 0.6BTB CONNECTOR
PLUG 4H W/G-PLATE 2ROW TYPE

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO

CUSTOMER DRAWING

SCALE
尺度 4:1

SHEET
3 OF 6

REV
B





4

3

2

1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
J			—	SEE SHEET 1	—	—



GENERAL TOLERANCE
一般公差

10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: 単位: 耗 mm		CHK		NAME 名称	
		APVD		PRODUCT SPEC 製品規格	
		APPLICATION SPEC 取付適用規格			
MATERIAL 材料		WEIGHT		SIZE CAGE CODE DRAWING NO A3 00779 C-6318151	
FINISH 仕上		CUSTOMER DRAWING		RESTRICTED TO	
		SCALE 尺度 3:1		SHEET 4 OF 6 REV B	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[6-6318151-1](#)