

## Cable marker carrier - GKM 1 GY - 1750498

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable marker carrier, gray, unlabeled, Mounting type: clip on, Cable diameter: 0-2.5 mm, Lettering field: 20 mm x 8 mm

### Product Features

- SS-ZB ..., UC-TM ... or ZB ... can be used for labeling purposes
- The conductor marker is attached directly to a conductor



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 028299
Weight per Piece (excluding packing)	2.22 g
Custom tariff number	39269097
Country of origin	Germany

### Technical data

#### Dimensions

Width (a)	20 mm
Cable diameter	0 mm ... 2.5 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

#### General

Color	gray
Components	free from silicone and halogen
Flammability rating according to UL 94	V2
Material	PA/ABS

## Cable marker carrier - GKM 1 GY - 1750498

### Technical data

#### General

Marking mounting type	clip on
-----------------------	---------

#### Standards and Regulations

Flammability rating according to UL 94	V2
----------------------------------------	----

### Classifications

#### eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27149103
eCl@ss 5.1	27400401
eCl@ss 6.0	27400401
eCl@ss 7.0	27400401
eCl@ss 8.0	27400401
eCl@ss 9.0	27400401

#### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001530

#### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

### Accessories

#### Accessories

#### Device marking

## Cable marker carrier - GKM 1 GY - 1750498

### Accessories

Contactor marker – zack marker strip - SS-ZB WH - 5031171



Contactor marker – zack marker strip, Strip, white, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

---

Contactor marker – zack marker strip - SS-ZB YE - 5031650



Contactor marker – zack marker strip, Strip, yellow, unlabeled, can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

---

Snap-in markers - UC-EM (20X9) - 0825503



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

---

Snap-in markers - UC-EM (20X9) YE - 0827637



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

---

Snap-in markers - UCT-EM (20X9) - 0801471



Snap-in markers, Sheet, white, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

## Cable marker carrier - GKM 1 GY - 1750498

### Accessories

Snap-in markers - UCT-EM (20X9) YE - 0801472



Snap-in markers, Sheet, yellow, unlabeled, can be labeled with: THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, TOPMARK LASER, Mounting type: snapped into marker carrier, Lettering field: 20 x 9 mm

---

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1750498](#)