



Sep.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




Sep.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.





PANEL CUTOUT FOR REFERENCE (2:1)
 (THE DIMENSION IS SPECIFIED BASED ON THE CENTER OF THE CONNECTOR INTERFACE.)

DH-LNA (CL244-0045-0-00) IS USED.




DH-LNA-W4 (CL244-0046-2-00)
 DH-LNA-W8 (CL244-0004-2-00) IS USED.



PATTERN PROHIBITION AREA

TERMINAL No. CHART




| | | |
|------------|-------------|-----------------|
| HRS | DRAWING NO. | EDC3-126583-00 |
| | PART NO. | DH60-17P |
| | CODE NO. | CL244-0006-8-00 |

Sep.1.2020 Copyright 2020 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


DRAWING FOR PACKING(1:2)

△ CHANGE TRAY SHAPE

TRAY KEY TYPE
(A TYPE)



TRAY KEY TYPE
(B TYPE)



※TRAYS, A TYPE AND B TYPE, ARE PILED UP ALTERNATELY.

| | | |
|------------|-------------|-----------------|
| HR5 | DRAWING NO. | EDC3-126583-00 |
| | PART NO. | DH60-17P |
| | CODE NO. | CL244-0006-8-00 |
| | | △ 3/3 |