



4

3


2

1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
-	-			SEE SHEET 1		APVD



NORMAL FORCE CURVE FOR REFERENCE



SCALE 5:1
3D VIEW FOR REFERENCE

RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE:±0.05


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	18SEP2012		 TE Connectivity						
DIMENSIONS: mm		CHK	18SEP2012								
		APVD	18SEP2012								
		ZHANG WEI		NAME RIGHT ANGLE, 4 POS MID-MOUNT BATTERY CONNECTOR							
		XU XIANG									
		STEVE YAO									
		PRODUCT SPEC									
		108-115054		SIZE CAGE CODE DRAWING NO RESTRICTED TO							
		APPLICATION SPEC									
		-									
		WEIGHT									
0 PL ± 0.3		0.294g		A3		00779		C- 2199206		-	
1 PL ± 0.2											
2 PL ± 0.2											
3 PL ± 0.2											
4 PL ± 0.1											
ANGLES ± 3											
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE		SHEET		REV	
						5:1		2 OF 3		A4	

4

3

2

1



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2199206-1](#)