




mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		FCI	
ltr	ecn no	dr	date								
D	N05-0130	ZC	5/20/05	linear	.XX \pm .01/.X \pm .3			projection		www.fciconnect.com	
E	N07-0151	WG	08/01/07		.XXX \pm .005/.XX \pm .13					title	
				angles	.XXX \pm .0020/.XXX \pm .051					HEADER, QUICKIE	
				dr	J. SHREINER 1/16/90					SEA, HORSE, RIGHT ANGLE	
				enr	M. SMYK 1/16/90					product family QUICKIE	
				chr	M. SMYK 1/16/90					size dwg no	
				appd	M. SMYK 1/16/90					A 67916	
sheet index	revision sheet	E	E	E	E	E	E	E	E	E	E
		1	2	3	4	5	6	7	8	9	10
										11	12
										13	14
										15	16
										17	18
										19	20






RECOMMENDED HOLE PATTERN
SCALE 10:1




VIEW F-F




SECTION G-G
ROTATED 90° CW


mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY		FCI 		www.fciconnect.com					
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE							
E					.XXX±.005/.XX±.13											
					.XXX±.0020/.XXX±.051											
				angles	0°±2°			INCH/MM 	product family QUICKIE					code —		
		dr	J. SHREINER	1/16/90												
		engr	M. SMYK	1/16/90												
		chr	M. SMYK	1/16/90												
				appd	M. SMYK	1/16/90	scale 5:1	A		67916					sheet 2 of 20	
sheet index		revision sheet														




HEADER WITH LATCHES



2x5
STYLE B



2x7
STYLE C



2x8 THRU 2x30
(2x10 SHOWN)
STYLE D

NOTES:

- ① RECOMMENDED MOUNTING SCREW SIZE: #2-56 FILLISTER HD MACH SCREW.
- ② MOLDING MATERIAL: 30% GLASS FILLED POLYESTER, FLAME RETARDANT PER UL-94V-0, COLOR-BLUE
- ③ PIN MAT'L: 3/4 HARD PHOS BRONZE ALLOY UNS C-51000.
4. 1° MAX DRAFT PERMISSIBLE ON ALL SURFACES UNLESS OTHERWISE SPECIFIED.
- ⑤ LOGO AND TRIANGLE LOCATION TO BE OPTIONAL.
- ⑥ **DIM B** SHALL BE LOCATED SYMMETRICAL TO DATUM -Y-.
7. PLATING ON LEAD-IN PORTION OF PINS IS MANUFACTURING OPTION.
- ⑧ THESE SLOTS DO NOT EXIST ON 2 X 5 AND 2 X 7 SIZES.
- ⑨ THE LATCHES THAT ARE INSTALLED IN SOME HEADERS MUST WITHSTAND A PUSHOUT FORCE OF 2.0 LBS MIN WHILE IN THE INSTALLATION POSITION.
- 10 .040±.003/ 1.02±.08 DIA. HOLE TYP FOR SQ PINS. .035±.003/.89±.08 DIA HOLE TYP FOR ROUND PINS.
- 11 RETENTION FEATURE AVAILABLE ON ROUND PIN P/N'S ONLY. RETENTION PIN INCLUDE THE LETTER "R" AFTER THE EXISTING P/N.
EXAMPLE: 67916-XXX FOR EXISTING P/N
67916-XXXR FOR RETENTION P/N
15 LBS/6.8 KG MAX INSERTION AND .25 LB/ .1 KG MIN RETENTION FORCE WHEN USED IN .035±.003/.89±.08 DIA HOLES AND .062/1.57 THICK PC BOARD.
RETENTION FEATURE LOCATION IS MANUFACTURERS OPTION.
- 10 .040±.003/ 1.02±.08 DIA. HOLE TYP FOR SQ PINS. .035±.003/.89±.08 DIA HOLE TYP FOR ROUND PINS.
12. THE HOUSING OF XXXXX-XYLF WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER PROCESS.
13. PLATING OPTION: MAYBE EITHER GLOD OR GXT PLATING AT MANUFACTURER'S OPTION

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date				
E				linear	.XX±.01/.X±.3 .XXX±.005/.XX±.13 .XXX±.0020/.XX±.051	projection	title
				angles	0°±2°	INCH/MM	SEA, HORSE, RIGHT ANGLE
				dr	J. SHREINER 7/16/90	scale 5:1	product family QUICKIE
				enr	M. SMYK 7/16/90		
				chr	M. SMYK 7/16/90		
				appd	M. SMYK 7/16/90		
sheet index	revision sheet						code
							sheet 3 of 20






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-001(LF)							UNASSIGNED			
-002(LF)							UNASSIGNED			
-003(LF)							UNASSIGNED			
-004(LF)							UNASSIGNED			
-005(LF)							UNASSIGNED			
-006(LF)							UNASSIGNED			
-007(LF)	2x7	NO	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u Au OVER 50U"/1.27u Ni	C
-008(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-009(LF)			RND				.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-010(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-011(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-012(LF)	2x7		SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	150u"/3.81u Sn	C
-013(LF)	2x8		RND	1.56/39.62	.700/17.78	1.020/25.91	.105/2.67	1.16/29.46	30u"/.76u Au OVER 50U"/1.27u Ni	D
-014(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-015(LF)			RND				.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-016(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-017(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-018(LF)	2x8		SQ	1.56/39.62	.700/17.78	1.020/25.91	.675/17.15	1.16/29.46	150u"/3.81u Sn	
-019(LF)	2x10		RND	1.76/44.70	.900/22.86	1.220/30.99	.105/2.67	1.36/34.54	30u"/.76u Au OVER 50U"/1.27u Ni	
-020(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-021(LF)			RND				.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-022(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-023(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-024(LF)	2x10		SQ	1.76/44.70	.900/22.86	1.220/30.99	.675/17.15	1.36/34.54	150u"/3.81u Sn	
-025(LF)	2x13		RND	2.06/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.16	30u"/.76u Au OVER 50U"/1.27u Ni	
-026(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-027(LF)			RND				.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-028(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-029(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-030(LF)	2x13		SQ	2.06/52.32	1.200/30.48	1.520/38.61	.675/17.15	1.66/42.16	150u"/3.81u Sn	
-031(LF)	2x17		RND	2.46/62.48	1.600/40.64	1.920/48.77	.105/2.67	2.06/52.32	30u"/.76u Au OVER 50U"/1.27u Ni	
-032(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-033(LF)			RND				.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-034(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-035(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
67916-036(LF)	2x17	NO	SQ	2.46/62.48	1.600/40.64	1.920/48.77	.675/17.15	2.06/52.32	150u"/3.81u Sn	D

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		www.fciconnect.com		
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13							
					.XXX±.0020/.XXX±.051							
					0°±2°							
				dr	J. SHREINER	7/16/90	INCH/MM 	scale 5:1	product family QUICKIE		code —	
				enr	M. SMYK	7/16/90						
				chr	M. SMYK	7/16/90						
				appd	M. SMYK	7/16/90						
sheet index		revision sheet										






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-037 (LF)	2x20	NO	RND	2.76/70.10	1.900/48.26	2.220/56.39	.105/2.67	2.36/59.94	30u"/.76u Au OVER 50U"/1.27u Ni	D
↑ -038 (LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	↑
-039 (LF)	↑	↑	RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-040 (LF)	↑	↑	SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	↑
-041 (LF)	↑	↑	SQ	↑	↑	↑	.675/17.15	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-042 (LF)	2x20		SQ	2.76/70.10	1.900/48.26	2.220/56.39	.675/17.15	2.36/59.94	150u"/3.81u Sn	
-043 (LF)	2x25		RND	3.26/82.80	2.400/60.96	2.720/69.09	.105/2.67	2.86/72.64	30u"/.76u Au OVER 50U"/1.27u Ni	
-044 (LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	
-045 (LF)	↑	↑	RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	
-046 (LF)	↑	↑	SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	
-047 (LF)	↑	↑	SQ	↑	↑	↑	.675/17.15	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↓
-048 (LF)	2x25	NO	SQ	3.26/82.80	2.400/60.96	2.720/69.09	.675/17.15	2.86/72.64	150u"/3.81u Sn	D
-049 (LF)							UNAVAILABLE			
-050 (LF)							UNAVAILABLE			
-051 (LF)							UNAVAILABLE			
-052 (LF)							UNAVAILABLE			
-053 (LF)							UNAVAILABLE			
-054 (LF)							UNAVAILABLE			
-055 (LF)	2x7	STD	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u Au OVER 50U"/1.27u Ni	C
-056 (LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	↑
-057 (LF)	↑	↑	RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-058 (LF)	↑	↑	SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	↑
-059 (LF)	↑	↑	SQ	↑	↑	↑	.675/17.15	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↓
-060 (LF)	2x7		SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	150u"/3.81u Sn	C
-061 (LF)	2x8		RND	1.56/39.62	.700/17.78	1.020/25.91	.105/2.67	1.16/29.46	30u"/.76u Au OVER 50U"/1.27u Ni	D
-062 (LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	↑
-063 (LF)	↑	↑	RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-064 (LF)	↑	↑	SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	↑
-065 (LF)	↑	↑	SQ	↑	↑	↑	.675/17.15	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-066 (LF)	2x8		SQ	1.56/39.62	.700/17.78	1.020/25.91	.675/17.15	1.16/29.46	150u"/3.81u Sn	
-067 (LF)	2x10		RND	1.76/44.70	.900/22.86	1.220/30.99	.105/2.67	1.36/34.54	30u"/.76u Au OVER 50U"/1.27u Ni	
-068 (LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	
-069 (LF)	↑	↑	RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	
-070 (LF)	↑	↑	SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	
-071 (LF)	↑	↑	SQ	↑	↑	↑	.675/17.15	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↓
67916-072 (LF)	2x10	STD	SQ	1.76/44.70	.900/22.86	1.220/30.99	.675/17.15	1.36/34.54	150u"/3.81u Sn	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com				
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE				
E					.XXX±.005/.XX±.13						
					.XXX±.0020/.XXX±.051						
				angles	0°±2°		product family QUICKIE				
				dr	J. SHREINER				7/16/90	code —	
				engr	M. SMYK				7/16/90		sheet 5 of 20
				chr	M. SMYK				7/16/90		
				appd	M. SMYK	7/16/90					
sheet		revision				scale 5:1	A 67916				
index		sheet									



PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-073(LF)	2x13	STD	RND	2.06/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.16	30u"/.76u Au OVER 50u"/1.27u Ni	D
-074(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-075(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-076(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-077(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-078(LF)	2x13		SQ	2.06/52.32	1.200/30.48	1.520/38.61	.675/17.15	1.66/42.16	150u"/3.81u Sn	
-079(LF)	2x17		RND	2.46/62.48	1.600/40.64	1.920/48.77	.105/2.67	2.06/52.32	30u"/.76u Au OVER 50u"/1.27u Ni	
-080(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-081(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-082(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-083(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-084(LF)	2x17		SQ	2.46/62.48	1.600/40.64	1.920/48.77	.675/17.15	2.06/52.32	150u"/3.81u Sn	
-085(LF)	2x20		RND	2.76/70.10	1.900/48.26	2.220/56.39	.105/2.67	2.36/59.94	30u"/.76u Au OVER 50u"/1.27u Ni	
-086(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-087(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-088(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-089(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-090(LF)	2x20		SQ	2.76/70.10	1.900/48.26	2.220/56.39	.675/17.15	2.36/59.94	150u"/3.81u Sn	
-091(LF)	2x25		RND	3.26/82.80	2.400/60.96	2.720/69.09	.105/2.67	2.86/72.64	30u"/.76u Au OVER 50u"/1.27u Ni	
-092(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-093(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-094(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-095(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-096(LF)	2x25	STD	SQ	3.26/82.80	2.400/60.96	2.720/69.09	.675/17.15	2.86/72.64	150u"/3.81u Sn	
-097(LF)	2x30	NO	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u Au OVER 50u"/1.27u Ni	
-098(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-099(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-100(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-101(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-102(LF)		NO	SQ				.675/17.15		150u"/3.81u Sn	
-103(LF)		STD	RND				.105/2.67		30u"/.76u Au OVER 50u"/1.27u Ni	
-104(LF)			SQ				.105/2.67		150u"/3.81u Sn	
-105(LF)			RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-106(LF)			SQ				.150/3.81		150u"/3.81u Sn	
-107(LF)			SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
67916-108(LF)	2x30	STD	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	150u"/3.81u Sn	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com				
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE				
E					.XXX±.005/.XX±.13						
					.XXX±.0020/.XXX±.051						
				angles	0°±2°		product family QUICKIE				
				dr	J. SHREINER				7/16/90	code —	
				enrg	M. SMYK				7/16/90		sheet 6 of 20
				chr	M. SMYK				7/16/90		
				appd	M. SMYK	7/16/90	scale 5:1				
sheet index	revision sheet										



PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-109						UNASSIGNED			30u"/.76u Au OVER 50U"/1.27u Ni	
-110	2x7	NO	SQ	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92		C
-111	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-112	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-113	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-114	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-115	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-116	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-117	2x30	NO	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u Au OVER 50U"/1.27u Ni	D
-118						UNASSIGNED				
-119	2x7	STD	SQ	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u Au OVER 50U"/1.27u Ni	C
-120	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-121	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-122	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-123	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-124	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-125	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-126	2x30	STD	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u Au OVER 50U"/1.27u Ni	D
-127						UNASSIGNED				
-128	2x7	NO	RND	1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-129	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-130	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-131	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-132	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-133	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-134	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-135	2x30	NO	RND	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
-136						UNASSIGNED				
-137	2x7	STD	RND	1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-138	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-139	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-140	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-141	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-142	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-143	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
67916-144	2x30	STD	RND	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		www.fciconnect.com		
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13							
					.XXX±.0020/.XXX±.051							
					angles 0°±2°							
				dr	J. SHREINER	7/16/90	INCH/MM 	scale 5:1	product family		QUICKIE	code
				enr	M. SMYK	7/16/90			size/ dwg no			
				chr	M. SMYK	7/16/90						
				appd	M. SMYK	7/16/90						
sheet index	revision sheet											






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-145(LF)				UNAVAILABLE						
-146(LF)				UNAVAILABLE						
-147(LF)				UNAVAILABLE						
-148(LF)				UNAVAILABLE						
-149(LF)				UNAVAILABLE						
-150(LF)				UNAVAILABLE						
-151(LF)	2x7	LP	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u Au OVER 50U"/1.27u Ni	C
-152(LF)	↑	↑	SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	↑
-153(LF)	↑		RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-154(LF)	↑		SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	↑
-155(LF)	↓		SQ	↓	↓	↓	.675/17.15	↓	30u"/.76u Au OVER 50U"/1.27u Ni	↓
-156(LF)	2x7		SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	150u"/3.81u Sn	C
-157(LF)	2x8		RND	1.56/39.62	.700/17.78	1.020/25.91	.105/2.67	1.16/29.46	30u"/.76u Au OVER 50U"/1.27u Ni	D
-158(LF)	↑		SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	↑
-159(LF)	↑		RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	↑
-160(LF)	↓		SQ	↓	↓	↓	.150/3.81	↓	150u"/3.81u Sn	↓
-161(LF)	↓		SQ	↓	↓	↓	.675/17.15	↓	30u"/.76u Au OVER 50U"/1.27u Ni	↓
-162(LF)	2x8		SQ	1.56/39.62	.700/17.78	1.020/25.91	.675/17.15	1.16/29.46	150u"/3.81u Sn	
-163(LF)	2x10		RND	1.76/44.70	.900/22.86	1.220/30.99	.105/2.67	1.36/34.54	30u"/.76u Au OVER 50U"/1.27u Ni	
-164(LF)	↑		SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	
-165(LF)	↑		RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	
-166(LF)	↑		SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	
-167(LF)	↓		SQ	↓	↓	↓	.675/17.15	↓	30u"/.76u Au OVER 50U"/1.27u Ni	
-168(LF)	2x10		SQ	1.76/44.70	.900/22.86	1.220/30.99	.675/17.15	1.36/34.54	150u"/3.81u Sn	
-169(LF)	2x13		RND	2.06/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.16	30u"/.76u Au OVER 50U"/1.27u Ni	
-170(LF)	↑		SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	
-171(LF)	↑		RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	
-172(LF)	↑		SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	
-173(LF)	↓		SQ	↓	↓	↓	.675/17.15	↓	30u"/.76u Au OVER 50U"/1.27u Ni	
-174(LF)	2x13		SQ	2.06/52.32	1.200/30.48	1.520/38.61	.675/17.15	1.66/42.16	150u"/3.81u Sn	
-175(LF)	2x17		RND	2.46/62.48	1.600/40.64	1.920/48.77	.105/2.67	2.06/52.32	30u"/.76u Au OVER 50U"/1.27u Ni	
-176(LF)	↑		SQ	↑	↑	↑	.105/2.67	↑	150u"/3.81u Sn	
-177(LF)	↑		RND	↑	↑	↑	.150/3.81	↑	30u"/.76u Au OVER 50U"/1.27u Ni	
-178(LF)	↑		SQ	↑	↑	↑	.150/3.81	↑	150u"/3.81u Sn	
-179(LF)	↓		SQ	↓	↓	↓	.675/17.15	↓	30u"/.76u Au OVER 50U"/1.27u Ni	
67916-180(LF)	2x17	LP	SQ	2.46/62.48	1.600/40.64	1.920/48.77	.675/17.15	2.06/52.32	150u"/3.81u Sn	D

mat'l. code				tolerances unless otherwise specified				INSPECTION COPY		www.fciconnect.com					
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection		title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE					
E					.XXX±.005/.XX±.13										
					.XXX±.0020/.XXX±.051										
					0°±2°										
				dr	J. SHREINER	7/16/90	INCH/MM		scale 5:1	product family QUICKIE		code -			
				enr	M. SMYK	7/16/90									
				chr	M. SMYK	7/16/90									
				appd	M. SMYK	7/16/90									
sheet index		revision sheet								A		67916		sheet 8 of 20	






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	MADE FROM	STYLE
67916-181(LF)	2x20	66177-001	N/A	2.76/70.10	1.900/48.26	2.220/56.39	.105/2.67	2.36/59.94	30u"/.76u Au OVER 50U"/1.27u Ni	D
-182(LF)							.105/2.67		150u"/3.81u Sn	
-183(LF)							.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-184(LF)							.150/3.81		150u"/3.81u Sn	
-185(LF)							.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-186(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39	.675/17.15	2.36/59.94	150u"/3.81u Sn	
-187(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09	.105/2.67	2.86/72.64	30u"/.76u Au OVER 50U"/1.27u Ni	
-188(LF)							.105/2.67		150u"/3.81u Sn	
-189(LF)							.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-190(LF)							.150/3.81		150u"/3.81u Sn	
-191(LF)							.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-192(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09	.675/17.15	2.86/72.64	150u"/3.81u Sn	
-193(LF)	2x30			3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u Au OVER 50U"/1.27u Ni	
-194(LF)							.105/2.67		150u"/3.81u Sn	
-195(LF)							.150/3.81		30u"/.76u Au OVER 50U"/1.27u Ni	
-196(LF)							.150/3.81		150u"/3.81u Sn	
-197(LF)							.675/17.15		30u"/.76u Au OVER 50U"/1.27u Ni	
-198(LF)	2x30	66177-001	N/A	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	150u"/3.81u Sn	D
-199(LF)						UNAVAILABLE				
-200(LF)	2x7	66177-001	N/A	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u Au OVER 50U"/1.27u Ni	C
-201(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-202(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-203(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-204(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-205(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-206(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-207(LF)	2x30	66177-001	N/A	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u Au OVER 50U"/1.27u Ni	D
-208(LF)						UNAVAILABLE				
-209(LF)	2x7	66177-001	N/A	1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-210(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-211(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-212(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-213(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-214(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-215(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
67916-216(LF)	2x30	66177-001	N/A	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°	INCH/MM 	product family QUICKIE		code	
				dr	J. SHREINER		7/16/90	size/ dwg no		
				engr	M. SMYK		7/16/90			
				chr	M. SMYK		7/16/90			
				appd	M. SMYK	7/16/90	scale			
sheet		revision								
index		sheet								





PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING	STYLE
67916-217(LF)						UNAVAILABLE				
-218(LF)	2x7	NO	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-219(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-220(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-221(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-222(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-223(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-224(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-225(LF)	2x30	NO	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
-226(LF)						UNAVAILABLE				
-227(LF)	2x7	NO	SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-228(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-229(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-230(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-231(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-232(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-233(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-234(LF)	2x30	NO	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
-235(LF)						UNAVAILABLE				
-236(LF)	2x7	STD	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-237(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-238(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-239(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-240(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-241(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-242(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-243(LF)	2x30	STD	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
-244(LF)						UNAVAILABLE				
-245(LF)	2x7	STD	SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
-246(LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-247(LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-248(LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-249(LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-250(LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-251(LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
67916-252(LF)	2x30	STD	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE				
E					.XXX±.005/.XX±.13								
					.XXX±.0020/.XXX±.051								
					0°±2°								
				angles				INCH/MM 	product family QUICKIE				
				dr	J. SHREINER	7/16/90	scale 5:1					A 67916	
				engr	M. SMYK	7/16/90							
				chr	M. SMYK	7/16/90							
				appd	M. SMYK	7/16/90		sheet 10 of 20					
sheet index	revision sheet												






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING	STYLE
67916-253(LF)									UNAVAILABLE	
↑ -254 (LF)	2x7	LP	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
↑ -255 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
↑ -256 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		↑
↑ -257 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		↑
↑ -258 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		↑
↑ -259 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		↑
↑ -260 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		↓
↑ -261 (LF)	2x30	LP	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
↑ -262 (LF)									UNAVAILABLE	
↑ -263 (LF)	2x7	LP	SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	30u"/.76u GXT/GOLD FLASH	C
↑ -264 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
↑ -265 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		↑
↑ -266 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		↑
↑ -267 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		↑
↑ -268 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		↑
↑ -269 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		↓
↑ -270 (LF)	2x30	LP	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	30u"/.76u GXT/GOLD FLASH	D
↑ -271 (LF)									UNAVAILABLE	
↑ -272 (LF)	2x7	NO	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	15u"/.38u Au OVER 50U"/1.27u Ni	C
↑ -273 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
↑ -274 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		↑
↑ -275 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		↑
↑ -276 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		↑
↑ -277 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		↑
↑ -278 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		↓
↑ -279 (LF)	2x30	NO	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	15u"/.38u Au OVER 50U"/1.27u Ni	D
↑ -280 (LF)									UNAVAILABLE	
↑ -281 (LF)	2x7	NO	RND	1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92	15u"/.38u Au OVER 50U"/1.27u Ni	C
↑ -282 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
↑ -283 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		↑
↑ -284 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		↑
↑ -285 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		↑
↑ -286 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		↑
↑ -287 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		↓
67916-288(LF)	2x30	NO	RND	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	15u"/.38u Au OVER 50U"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE		
E					.XXX±.005/.XX±.13						
					.XXX±.0020/.XXX±.051						
					0°±2°						
				dr	J. SHREINER	7/16/90	INCH/MM ↔	product family QUICKIE		code —	
				engr	M. SMYK	7/16/90					
				chr	M. SMYK	7/16/90					
				appd	M. SMYK	7/16/90					
sheet index		revision sheet						scale 5:1	A	67916	sheet 11 of 20






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING	STYLE
67916-289 (LF)									UNAVAILABLE	
-290 (LF)	2x7	NO	SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-291 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-292 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-293 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-294 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-295 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-296 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-297 (LF)	2x30	NO	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D
-298 (LF)									UNAVAILABLE	
-299 (LF)	2x7	STD	RND	1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-300 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-301 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-302 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-303 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-304 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-305 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-306 (LF)	2x30	STD	RND	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D
-307 (LF)									UNAVAILABLE	
-308 (LF)	2x7	STD	RND	1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-309 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-310 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-311 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-312 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-313 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-314 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
-315 (LF)	2x30	STD	RND	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D
-316 (LF)									UNAVAILABLE	
-317 (LF)	2x7	STD	SQ	1.46/37.08	.600/15.24	.920/23.37	.675/17.15	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-318 (LF)	2x8			1.56/39.62	.700/17.78	1.020/25.91		1.16/29.46		D
-319 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99		1.36/34.54		
-320 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61		1.66/42.16		
-321 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77		2.06/52.32		
-322 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39		2.36/59.94		
-323 (LF)	2x25			3.26/82.80	2.400/60.96	2.720/69.09		2.86/72.64		
67916-324 (LF)	2x30	STD	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.675/17.15	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°	INCH/MM 	product family QUICKIE		code	
				dr	J. SHREINER		7/16/90	size/ dwg no		
				engr	M. SMYK		7/16/90			
				chr	M. SMYK		7/16/90			
				appd	M. SMYK	7/16/90	scale			
sheet		revision								
index		sheet								






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-325(LF)									UNAVAILABLE	
↑ -326 (LF)	2x7	LP	RND	1.46/37.08	.600/15.24	.920/23.37	1.06/26.92	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-327 (LF)	2x8	↑	↑	1.56/39.62	.700/17.78	1.020/25.91	1.16/29.46	1.16/29.46		D
-328 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99	1.36/34.54	1.36/34.54		↑
-329 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61	1.66/42.16	1.66/42.16		↑
-330 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77	2.06/52.32	2.06/52.32		↑
-331 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39	2.36/59.94	2.36/59.94		↑
-332 (LF)	2x25	↓	↓	3.26/82.80	2.400/60.96	2.720/69.09	2.86/72.64	2.86/72.64		↓
-333 (LF)	2x30	LP	RND	3.76/95.50	2.900/73.66	3.220/81.79	3.36/85.34	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D
-334 (LF)									UNAVAILABLE	
-335 (LF)	2x7	LP	RND	1.46/37.08	.600/15.24	.920/23.37	1.06/26.92	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-336 (LF)	2x8	↑	↑	1.56/39.62	.700/17.78	1.020/25.91	1.16/29.46	1.16/29.46		D
-337 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99	1.36/34.54	1.36/34.54		↑
-338 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61	1.66/42.16	1.66/42.16		↑
-339 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77	2.06/52.32	2.06/52.32		↑
-340 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39	2.36/59.94	2.36/59.94		↑
-341 (LF)	2x25	↓	↓	3.26/82.80	2.400/60.96	2.720/69.09	2.86/72.64	2.86/72.64		↓
-342 (LF)	2x30	LP	RND	3.76/95.50	2.900/73.66	3.220/81.79	3.36/85.34	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	D
-343 (LF)									UNAVAILABLE	
-344 (LF)	2x7	LP	SQ	1.46/37.08	.600/15.24	.920/23.37	1.06/26.92	1.06/26.92	15u"/.38u Au OVER 50u"/1.27u Ni	C
-345 (LF)	2x8	↑	↑	1.56/39.62	.700/17.78	1.020/25.91	1.16/29.46	1.16/29.46		D
-346 (LF)	2x10			1.76/44.70	.900/22.86	1.220/30.99	1.36/34.54	1.36/34.54		↑
-347 (LF)	2x13			2.06/52.32	1.200/30.48	1.520/38.61	1.66/42.16	1.66/42.16		↑
-348 (LF)	2x17			2.46/62.48	1.600/40.64	1.920/48.77	2.06/52.32	2.06/52.32		↑
-349 (LF)	2x20			2.76/70.10	1.900/48.26	2.220/56.39	2.36/59.94	2.36/59.94		↑
-350 (LF)	2x25	↓	↓	3.26/82.80	2.400/60.96	2.720/69.09	2.86/72.64	2.86/72.64		↓
-351 (LF)	2x30	LP	SQ	3.76/95.50	2.900/73.66	3.220/81.79	3.36/85.34	3.36/85.34	15u"/.38u Au OVER 50u"/1.27u Ni	↓
-352 (LF)									UNAVAILABLE	
-353 (LF)										
-354 (LF)										
-355 (LF)										
-356 (LF)										
-357 (LF)										
-358 (LF)										
-359 (LF)										
67916-360(LF)									UNAVAILABLE	

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°	INCH/MM 	product family QUICKIE		code	
				dr	J. SHREINER		7/16/90	size/ dwg no		—
				enr	M. SMYK		7/16/90	A		sheet
				chr	M. SMYK		7/16/90	67916		13 of 20
				appd	M. SMYK	7/16/90	scale	5:1		
sheet	revision									
index	sheet									






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-361(LF)									UNAVAILABLE	
↑ -362 (LF)	2x5	NO	RND	1.26/32.0	.400/10.16	.720/18.29	.105/2.67	.86/21.84	30u"/.76u Au OVER 50u"/1.27u Ni	B
-363 (LF)		NO	RND						15u"/.38u Au OVER 50u"/1.27u Ni	↑
-364 (LF)		NO	RND						30u"/.76u GXT/GOLD FLASH	
-365 (LF)		NO	SQ						150u"/3.81u Sn	
-366 (LF)		STD	RND						30u"/.76u Au OVER 50u"/1.27u Ni	
-367 (LF)		STD	RND						15u"/.38u Au OVER 50u"/1.27u Ni	
-368 (LF)		STD	RND						30u"/.76u GXT/GOLD FLASH	
-369 (LF)		STD	SQ						150u"/3.81u Sn	
-370 (LF)		LP	RND						30u"/.76u Au OVER 50u"/1.27u Ni	
-371 (LF)		LP	RND						15u"/.38u Au OVER 50u"/1.27u Ni	
-372 (LF)		LP	RND						30u"/.76u GXT/GOLD FLASH	
-373 (LF)		LP	SQ				.105/2.67		150u"/3.81u Sn	
-374 (LF)		NO	RND				.150/3.81		30u"/.76u Au OVER 50u"/1.27u Ni	
-375 (LF)		NO	RND						15u"/.38u Au OVER 50u"/1.27u Ni	
-376 (LF)		NO	RND						30u"/.76u GXT/GOLD FLASH	
-377 (LF)		NO	SQ						150u"/3.81u Sn	
-378 (LF)		STD	RND						30u"/.76u Au OVER 50u"/1.27u Ni	
-379 (LF)		STD	RND						15u"/.38u Au OVER 50u"/1.27u Ni	
-380 (LF)		STD	RND						30u"/.76u GXT/GOLD FLASH	
-381 (LF)		STD	SQ						150u"/3.81u Sn	
-382 (LF)		LP	RND						30u"/.76u Au OVER 50u"/1.27u Ni	
-383 (LF)		LP	RND						15u"/.38u Au OVER 50u"/1.27u Ni	
-384 (LF)		LP	RND						30u"/.76u GXT/GOLD FLASH	
-385 (LF)		LP	SQ				.150/3.81		150u"/3.81u Sn	
-386 (LF)		NO	SQ				.675/17.15		30u"/.76u Au OVER 50u"/1.27u Ni	
-387 (LF)		NO							15u"/.38u Au OVER 50u"/1.27u Ni	
-388 (LF)		NO							30u"/.76u GXT/GOLD FLASH	
-389 (LF)		NO							150u"/3.81u Sn	
-390 (LF)		STD							30u"/.76u Au OVER 50u"/1.27u Ni	
-391 (LF)		STD							15u"/.38u Au OVER 50u"/1.27u Ni	
-392 (LF)		STD							30u"/.76u GXT/GOLD FLASH	
-393 (LF)		STD							150u"/3.81u Sn	
-394 (LF)		LP							30u"/.76u Au OVER 50u"/1.27u Ni	
↓ -395 (LF)		LP							15u"/.38u Au OVER 50u"/1.27u Ni	↓
67916-396(LF)	2x5	LP	SQ	1.26/32.0	.400/10.16	.720/18.29	.675/17.15	.86/21.84	30u"/.76u GXT/GOLD FLASH	B

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XX±.051					
				angles	0°±2°	INCH/MM 	product family QUICKIE		code	
				dr	J. SHREINER		7/16/90	size/ dwg no		—
				enrg	M. SMYK		7/16/90			
				chr	M. SMYK		7/16/90			
				appd	M. SMYK	7/16/90	scale			
							5:1			
sheet	revision									
index	sheet									






PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-397(LF)	2x5	LP	SQ	1.26/32.00	.400/10.16	.720/18.29	.675/17.15	.86/21.84	150u"/3.81u Sn	B
-398(LF)	2x10	LP	RND	1.76/44.70	.900/22.86	1.220/30.99	.105/2.67	1.36/34.54	30u"/.76u Au OVER 50u"/1.27u Ni	D
-399(LF)										
-400(LF)										
-401(LF)										
-402(LF)										
-403(LF)										
-404(LF)										
-405(LF)	2x5	NO	SQ	1.26/32.00	.400/10.16	.720/18.29	.105/2.67	.86/21.84	30u"/.76u Au OVER 50u"/1.27u Ni	B
-406(LF)		STD					.105/2.67			
-407(LF)		LP					.105/2.67			
-408(LF)		NO					.150/3.81			
-409(LF)		STD					.150/3.81			
-410(LF)	2x5	LP		1.26/32.00	.400/10.16	.720/18.29	.150/3.81	.86/21.84		B
-411(LF)	2x7	NO		1.46/37.08	.600/15.24	.920/23.37	.105/2.67	1.06/26.92		C
-412(LF)		STD					.105/2.67			
-413(LF)		LP					.105/2.67			
-414(LF)		NO					.150/3.81			
-415(LF)		STD					.150/3.81			
-416(LF)	2x7	LP		1.46/37.08	.600/15.24	.920/23.37	.150/3.81	1.06/26.92		C
-417(LF)	2x8	NO		1.56/39.62	.700/17.78	1.020/25.91	.105/2.67	1.16/29.46		D
-418(LF)		STD					.105/2.67			
-419(LF)		LP					.105/2.67			
-420(LF)		NO					.150/3.81			
-421(LF)		STD					.150/3.81			
-422(LF)	2x8	LP		1.56/39.62	.700/17.78	1.020/25.91	.150/3.81	1.16/29.46		
-423(LF)	2x10	NO		1.76/44.70	.900/22.86	1.220/30.99	.105/2.67	1.36/34.54		
-424(LF)		STD					.105/2.67			
-425(LF)		LP					.105/2.67			
-426(LF)		NO					.150/3.81			
-427(LF)		STD					.150/3.81			
-428(LF)	2x10	LP		1.76/44.70	.900/22.86	1.220/30.99	.150/3.81	1.36/34.54		
-429(LF)	2x13	NO		2.06/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.16		
-430(LF)		STD					.105/2.67			
-431(LF)		LP					.105/2.67			
67916-432(LF)	2x13	NO	SQ	2.06/52.32	1.200/30.48	1.520/38.61	.150/3.81	1.66/42.16	30u"/.76u Au OVER 50u"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE				
E					.XXX±.005/.XX±.13								
					.XXX±.0020/.XXX±.051								
				angles	0°±2°			INCH/MM 	product family QUICKIE				
				dr	J. SHREINER	7/16/90	scale 5:1					A 67916	
				engr	M. SMYK	7/16/90							
				chr	M. SMYK	7/16/90							
				appd	M. SMYK	7/16/90		sheet 15 of 20					
sheet index	revision sheet												



PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-433 (LF)	2x13	STD	SQ	2.06/52.32	1.200/30.48	1.520/38.61	.150/3.81	1.66/42.16	15u"/.38 Au OVER 50u"/1.27u Ni	D
↑ -434 (LF)	2x13	LP	↑	2.06/52.32	1.200/30.48	1.520/38.61	.150/3.81	1.66/42.16	↑	↑
↑ -435 (LF)	2x17	NO	↑	2.46/62.48	1.600/40.64	1.920/48.77	.105/2.67	2.06/52.32	↑	↑
↑ -436 (LF)	↑	STD	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -437 (LF)	↑	LP	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -438 (LF)	↑	NO	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -439 (LF)	↑	STD	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -440 (LF)	2x17	LP	↑	2.46/62.48	1.600/40.64	1.920/48.77	.150/3.81	2.06/52.32	↑	↑
↑ -441 (LF)	2x20	NO	↑	2.76/70.10	1.900/48.26	2.220/56.39	.105/2.67	2.36/59.94	↑	↑
↑ -442 (LF)	↑	STD	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -443 (LF)	↑	LP	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -444 (LF)	↑	NO	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -445 (LF)	↑	STD	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -446 (LF)	2x20	LP	↑	2.76/70.10	1.900/48.26	2.220/56.39	.150/3.81	2.36/59.94	↑	↑
↑ -447 (LF)	2x25	NO	↑	3.26/82.80	2.400/60.96	2.720/69.09	.105/2.67	2.86/72.64	↑	↑
↑ -448 (LF)	↑	STD	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -449 (LF)	↑	LP	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -450 (LF)	↑	NO	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -451 (LF)	↑	STD	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -452 (LF)	2x25	LP	↑	3.26/82.80	2.400/60.96	2.720/69.09	.150/3.81	2.86/72.64	↑	↑
↑ -453 (LF)	2x30	NO	↑	3.76/95.50	2.900/73.66	3.220/81.79	.105/2.67	3.36/85.34	↑	↑
↑ -454 (LF)	↑	STD	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -455 (LF)	↑	LP	↑	↑	↑	↑	.105/2.67	↑	↑	↑
↑ -456 (LF)	↑	NO	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -457 (LF)	↑	STD	↑	↑	↑	↑	.150/3.81	↑	↑	↑
↑ -458 (LF)	2x30	LP	SQ	3.76/95.50	2.900/73.66	3.220/81.79	.150/3.81	3.36/85.34	↑	↑
↑ -459 (LF)	2x12	NO	RND	1.96/49.78	1.100/27.94	1.420/36.07	.105/2.67	1.56/39.62	↑	↑
↑ -460 (LF)	↑	STD	↑	↑	↑	↑	↑	↑	↑	↑
↑ -461 (LF)	↑	LP	↑	↑	↑	↑	↑	↑	15u"/.38 Au OVER 50u"/1.27u Ni	↑
↑ -462 (LF)	↑	NO	↑	↑	↑	↑	↑	↑	30u"/.76 Au OVER 50u"/1.27u Ni	↑
↑ -463 (LF)	↑	STD	↑	↑	↑	↑	↑	↑	30u"/.76 Au OVER 50u"/1.27u Ni	↑
↑ -464 (LF)	↑	LP	↑	↑	↑	↑	↑	↑	30u"/.76 Au OVER 50u"/1.27u Ni	↑
↑ -465 (LF)	↑	NO	↑	↑	↑	↑	↑	↑	30u"/.76 GXT/GOLD FLASH	↑
↑ -466 (LF)	↑	STD	↑	↑	↑	↑	↑	↑	30u"/.76 GXT/GOLD FLASH	↑
↑ -467 (LF)	↑	LP	RND	↑	↑	↑	↑	↑	30u"/.76 GXT/GOLD FLASH	↑
67916-468 (LF)	2x12	NO	SQ	1.96/49.78	1.100/27.94	1.420/36.07	.105/2.67	1.56/39.62	150u"/3.81u TIN	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°	INCH/MM 	product family QUICKIE		code	
				dr	J. SHREINER		7/16/90	size/ dwg no		—
				enrg	M. SMYK		7/16/90	A 67916		sheet
				chr	M. SMYK		7/16/90			16 of 20
				appd	M. SMYK	7/16/90	scale			
sheet	revision									
index	sheet									






1 | 2

3

4

PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-469(LF)	2x12	STD	SQ	1.96/49.78	1.100/27.94	1.420/36.07	.105/2.67	1.56/39.62	150u"/3.81u TIN	D
-470(LF)		LP	SQ				.105/2.67		150u"/3.81u TIN	
-471(LF)		NO	RND				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-472(LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-473(LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
-474(LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni	
-475(LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni	
-476(LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni	
-477(LF)		NO							30u"/.76u GXT /GOLD FLASH	
-478(LF)		STD							30u"/.76u GXT /GOLD FLASH	
-479(LF)		LP	RND						30u"/.76u GXT /GOLD FLASH	
-480(LF)		NO	SQ						150u"/3.81u TIN	
-481(LF)		STD							150u"/3.81u TIN	
-482(LF)		LP					.150/3.81		150u"/3.81u TIN	
-483(LF)		NO					.105/2.67		15u"/.38u Au OVER 50U"/1.27u Ni	
-484(LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-485(LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
-486(LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni	
-487(LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni	
-488(LF)		LP					.105/2.67		30u"/.76u Au OVER 50U"/1.27u Ni	
-489(LF)		NO					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-490(LF)		STD					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-491(LF)		LP					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-492(LF)		NO					.675/17.15		15u"/.38u Au OVER 50U"/1.27u Ni	
-493(LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-494(LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
-495(LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni	
-496(LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni	
-497(LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni	
-498(LF)		NO							30u"/.76u GXT /GOLD FLASH	
-499(LF)		STD							30u"/.76u GXT /GOLD FLASH	
-500(LF)		LP							30u"/.76u GXT /GOLD FLASH	
-501(LF)		NO							150u"/3.81u TIN	
-502(LF)		STD							150u"/3.81u TIN	
-503(LF)	2x12	LP	SQ	1.96/49.78	1.100/27.94	1.420/36.07	.675/17.15	1.56/39.62	150u"/3.81u TIN	
67916-504(LF)	2x15	NO	RND	2.26/57.40	1.400/35.56	1.720/43.69	.105/2.67	1.86/47.24	15u"/.38u Au OVER 50U"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com				
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE				
E					.XXX±.005/.XX±.13						
					.XXX±.0020/.XXX±.051						
				angles	0°±2°		product family QUICKIE				
				dr	J. SHREINER				7/16/90	code —	
				enr	M. SMYK				7/16/90		sheet 17 of 20
				chr	M. SMYK				7/16/90		
				appd	M. SMYK	7/16/90	scale 5:1	A	67916		
sheet index	revision sheet										

1

2

PDM: Rev:E

3

STATUSReleased

Printed: Apr 12, 2011

4






1

2

3

4

PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-505 (LF)	2x15	STD	RND	2.26/57.40	1.400/35.56	1.720/43.69	.105/2.67	1.86/47.24	15u"/.38u Au OVER 50U"/1.27u Ni	D
↑ -506 (LF)		LP	↑						15u"/.38u Au OVER 50U"/1.27u Ni	
-507 (LF)		NO	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-508 (LF)		STD	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-509 (LF)		LP	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-510 (LF)		NO	↑						30u"/.76u GXT /GOLD FLASH	
-511 (LF)		STD	↑						30u"/.76u GXT /GOLD FLASH	
-512 (LF)		LP	RND						30u"/.76u GXT /GOLD FLASH	
-513 (LF)		NO	SQ						150u"/3.81u TIN	
-514 (LF)		STD	SQ						150u"/3.81u TIN	
-515 (LF)		LP	SQ				.105/2.67		150u"/3.81u TIN	
-516 (LF)		NO	RND				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-517 (LF)		STD	↑				↑		15u"/.38u Au OVER 50U"/1.27u Ni	
-518 (LF)		LP	↑						15u"/.38u Au OVER 50U"/1.27u Ni	
-519 (LF)		NO	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-520 (LF)		STD	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-521 (LF)		LP	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-522 (LF)		NO	↑						30u"/.76u GXT /GOLD FLASH	
-523 (LF)		STD	↓						30u"/.76u GXT /GOLD FLASH	
-524 (LF)		LP	RND						30u"/.76u GXT /GOLD FLASH	
-525 (LF)		NO	SQ						150u"/3.81u TIN	
-526 (LF)		STD	↑						150u"/3.81u TIN	
-527 (LF)		LP	↑				.150/3.81		150u"/3.81u TIN	
-528 (LF)		NO	↑				.105/2.67		15u"/.38u Au OVER 50U"/1.27u Ni	
-529 (LF)		STD	↑				↑		15u"/.38u Au OVER 50U"/1.27u Ni	
-530 (LF)		LP	↑						15u"/.38u Au OVER 50U"/1.27u Ni	
-531 (LF)		NO	↑						30u"/.76u Au OVER 50U"/1.27u Ni	
-532 (LF)		STD	↑				↑		30u"/.76u Au OVER 50U"/1.27u Ni	
-533 (LF)		LP	↑				.105/2.67		30u"/.76u Au OVER 50U"/1.27u Ni	
-534 (LF)		NO	↑				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-535 (LF)		STD	↑				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-536 (LF)		LP	↑				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-537 (LF)		NO	↑				.675/17.15		15u"/.38u Au OVER 50U"/1.27u Ni	
-538 (LF)		STD	↑				↑		15u"/.38u Au OVER 50U"/1.27u Ni	
↓ -539 (LF)		LP	↓				↓		15u"/.38u Au OVER 50U"/1.27u Ni	
67916-540 (LF)	2x15	NO	SQ	2.26/57.40	1.400/35.56	1.720/43.69	.675/17.15	1.86/47.24	30u"/.76u Au OVER 50U"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY				www.fciconnect.com								
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE										
E					.XXX±.005/.XX±.13														
					.XXX±.0020/.XXX±.051														
				angles	0°±2°				product family QUICKIE					code —					
		dr	J. SHREINER	7/16/90															
		enrg	M. SMYK	7/16/90															
		chr	M. SMYK	7/16/90	scale 5:1			A		size dwg no 67916					sheet 18 of 20				
		appd	M. SMYK	7/16/90															
sheet index		revision sheet																	

1

2

3

4





1

2

3

4

PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE
67916-541(LF)	2x15	STD	SQ	2.26/57.40	1.400/35.56	1.720/43.69	.675/17.15	1.86/47.24	30u"/.76u Au OVER 50U"/1.27u Ni	D
-542 (LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni	
-543 (LF)		NO							30u"/.76u GXT /GOLD FLASH	
-544 (LF)		STD							30u"/.76u GXT /GOLD FLASH	
-545 (LF)		LP							30u"/.76u GXT /GOLD FLASH	
-546 (LF)		NO							150u"/3.81u TIN	
-547 (LF)		STD							150u"/3.81u TIN	
-548 (LF)	2x15	LP	SQ	2.26/57.40	1.400/35.56	1.720/43.69	.675/17.15	1.86/47.24	150u"/3.81u TIN	
-549 (LF)	2x22	NO	RND	2.96/75.18	2.100/53.34	2.420/61.47	.105/2.67	2.56/65.02	15u"/.38u Au OVER 50U"/1.27u Ni	
-550 (LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-551 (LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
-552 (LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni	
-553 (LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni	
-554 (LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni	
-555 (LF)		NO							30u"/.76u GXT /GOLD FLASH	
-556 (LF)		STD							30u"/.76u GXT /GOLD FLASH	
-557 (LF)		LP	RND						30u"/.76u GXT /GOLD FLASH	
-558 (LF)		NO	SQ						150u"/3.81u TIN	
-559 (LF)		STD	SQ						150u"/3.81u TIN	
-560 (LF)		LP	SQ				.105/2.67		150u"/3.81u TIN	
-561 (LF)		NO	RND				.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni	
-562 (LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-563 (LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
-564 (LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni	
-565 (LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni	
-566 (LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni	
-567 (LF)		NO							30u"/.76u GXT /GOLD FLASH	
-568 (LF)		STD							30u"/.76u GXT /GOLD FLASH	
-569 (LF)		LP	RND						30u"/.76u GXT /GOLD FLASH	
-570 (LF)		NO	SQ						150u"/3.81u TIN	
-571 (LF)		STD							150u"/3.81u TIN	
-572 (LF)		LP					.150/3.81		150u"/3.81u TIN	
-573 (LF)		NO					.105/2.67		15u"/.38u Au OVER 50U"/1.27u Ni	
-574 (LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni	
-575 (LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni	
67916-576(LF)	2x22	NO	SQ	2.96/75.18	2.100/53.34	2.420/61.47	.105/2.67	2.56/65.02	30u"/.76u Au OVER 50U"/1.27u Ni	D

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	<div>FCI</div> <div>www.fciconnect.com</div>		
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3					
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°		<div>projection</div> <div></div>	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE		
				dr	J. SHREINER	7/16/90				
				engr	M. SMYK	7/16/90	<div>INCH/MM</div> <div></div>	product family QUICKIE		code
				chr	M. SMYK	7/16/90		size dwg no		—
				appd	M. SMYK	7/16/90	scale	A	67916	sheet 19 of 20
sheet index	revision sheet									

1




2

3

4



1		2								3		4	
PRODUCT NO.	SIZE	LATCHES NOTE 9	PIN SHAPE	DIM A	DIM B	DIM C	DIM D	DIM E	TERMINAL PLATING NOTE 13	STYLE			
67916-577(LF)	2x22	STD	SQ	2.960/75.18	2.100/53.34	2.420/61.47	.105/2.67	2.56/65.02	30u"/.76u Au OVER 50U"/1.27u Ni	D			
-578(LF)		LP					.105/2.67		30u"/.76u Au OVER 50U"/1.27u Ni				
-579(LF)		NO					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni				
-580(LF)		STD					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni				
-581(LF)		LP					.150/3.81		15u"/.38u Au OVER 50U"/1.27u Ni				
-582(LF)		NO					.675/17.15		15u"/.38u Au OVER 50U"/1.27u Ni				
-583(LF)		STD							15u"/.38u Au OVER 50U"/1.27u Ni				
-584(LF)		LP							15u"/.38u Au OVER 50U"/1.27u Ni				
-585(LF)		NO							30u"/.76u Au OVER 50U"/1.27u Ni				
-586(LF)		STD							30u"/.76u Au OVER 50U"/1.27u Ni				
-587(LF)		LP							30u"/.76u Au OVER 50U"/1.27u Ni				
-588(LF)		NO							30u"/.76u GXT /GOLD FLASH				
-589(LF)		STD							30u"/.76u GXT /GOLD FLASH				
-590(LF)		LP							30u"/.76u GXT /GOLD FLASH				
-591(LF)		NO							150u"/3.81u TIN				
-592(LF)		STD							150u"/3.81u TIN				
-593(LF)	2x22	LP	SQ	2.960/75.18	2.100/53.34	2.420/61.47	.675/17.15	2.56/65.02	150u"/3.81u TIN	D			
-594(LF)	U N A V A I L A B L E												
-595(LF)	2x13	STD	RND	2.060/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.2	50u"/1.27u Au OVER 50U"/1.27u Ni	D			
-596(LF)	2x17	STD		2.460/62.48	1.600/40.64	1.920/48.77	.150/3.81	2.06/53.3		D			
-597(LF)	2x7	LP		1.460/37.08	.600/15.24	.920/23.67	.105/2.67	1.06/26.9		C			
-598(LF)	2x13	LP		2.060/52.32	1.200/30.48	1.520/38.61	.150/3.81	1.66/42.2		D			
-599(LF)	2x13	NO		2.060/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.2		D			
-600(LF)	2x17	NO		2.460/62.48	1.600/40.64	1.920/48.77	.150/3.81	2.06/53.3		D			
-601(LF)	2x7	NO		1.460/37.08	.600/15.24	.920/23.67	.105/2.67	1.06/26.9		C			
-602(LF)	2x13	NO	RND	2.060/52.32	1.200/30.48	1.520/38.61	.150/3.81	1.66/42.2	50u"/1.27u Au OVER 50U"/1.27u Ni	D			
-603(LF)	2x13	STD	SQ	2.060/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.2	30u"/.76u GXT /GOLD FLASH	D			
-604(LF)	2x13	NO	SQ	2.060/52.32	1.200/30.48	1.520/38.61	.105/2.67	1.66/42.2	30u"/.76u GXT /GOLD FLASH	D			
-605(LF)	2x25	STD	SQ	3.260/82.80	2.400/60.69	2.720/69.09	.105/2.67	2.86/72.6	30u"/.76u GXT /GOLD FLASH	D			
-606(LF)	2x25	NO	SQ	3.260/82.80	2.400/60.69	2.720/69.09	.105/2.67	2.86/72.6	30u"/.76u GXT /GOLD FLASH	D			
-607(LF)	U N A V A I L A B L E												
67916-608(LF)	U N A V A I L A B L E												

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	 www.fciconnect.com			
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3	projection 	title HEADER, QUICKIE SEA, HORSE, RIGHT ANGLE			
E					.XXX±.005/.XX±.13					
					.XXX±.0020/.XXX±.051					
				angles	0°±2°		product family QUICKIE			
				dr	J. SHREINER				7/16/90	code —
				engr	M. SMYK				7/16/90	
				chr	M. SMYK	7/16/90	sheet 20 of 20			
				appd	M. SMYK	7/16/90		A	67916	
sheet	revision									scale 5:1
index	sheet									

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[67916-187](#) [67916-079LF](#) [67916-181LF](#) [67916-187LF](#) [67916-241LF](#) [67916-091LF](#)