







AMP-O-LECTRIC™ TERM GUARD

MACHINE GUARD (REF)
G TERMINATOR GUARD



POST FEED 1 5/8 STROKE	PRE FEED 1 1/8 STROKE	PRE FEED 1 5/8 STROKE
ROTATED 180° B	ROTATED 180° B	ROTATED 180° B
LEADMAKER	K TERMINATOR	G TERMINATOR



LEADMAKER & BENCH MACHINE

SEE SHEET 1
REVISION RECORD
APP DATE

QTY. REQD PER ASSY	REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)	PARTS LIST	ITEM NO
DIMENSIONS IN INCHES. DO NOT SCALE PRINT.	MATL -	HT TR -	FIN -
TOLERANCES UNLESS OTHERWISE SPECIFIED:	DR 20DEC06 APP 21DEC06	T.BENCHOFF	
2 PLC DEC ±	CHK 21DEC06	REL -	
3 PLC DEC ±	T.ELBIN		
4 PLC DEC ±			
ANGLES ±			
SURF TEXTURE: ✓			
REMOVE BURRS, BREAK SHARP EDGES R.015 MAX			
SCALE -	DWG NO 1385507	SHEET 2 OF 2	REV B1

CAGE CODE 00779 CUSTOMER AND ASSEMBLY DRAWING

RESTRICTED TO -

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1385507-1](#)