

## Cable housing - KGS-MSTB 2,5/14 - 1783834

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable housing, Pitch: 0 mm, Number of positions: 14, Dimension a: 70 mm, Color: green

### Product Features

- Straight cable outlet for sequencing several cable housings
- Easier plug-in and disconnection processes
- For MSTB, IC, and GMSTB plugs with and without flange, and pitch of 5.0 and 5.08 mm
- Strain relief for the cables provided by cable binder or a clamp
- Full latching of both half shells of the cable housing
- Suitable for cables with a diameter of 4 to 13.5 mm



### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 10 pc   |
| GTIN                                 | <br>4 017918 042011 |
| Weight per Piece (excluding packing) | 22.43 g   |
| Custom tariff number                 | 85472000  |
| Country of origin                    | Poland  |

### Technical data

#### Dimensions

|             |         |
|-------------|---------|
| Pitch       | 0.00 mm |
| Dimension a | 70 mm   |

#### General

|                   |              |
|-------------------|--------------|
| Range of articles | KGS-MSTB 2,5 |
|-------------------|--------------|

# Cable housing - KGS-MSTB 2,5/14 - 1783834

## Technical data

### General

|  |     |
|--|-----|
| Insulating material group              | I   |
| Insulating material                    | ABS |
| Flammability rating according to UL 94 | HB  |
| Number of positions                    | 14  |

### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | HB |
|--|----|

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260704 |
| eCl@ss 7.0 | 27440402 |
| eCl@ss 8.0 | 27440202 |
| eCl@ss 9.0 | 27440202 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211810 |
| UNSPSC 7.0901 | 39121409 |
| UNSPSC 11     | 39121409 |
| UNSPSC 12.01  | 39121409 |
| UNSPSC 13.2   | 39121409 |

## Approvals

### Approvals

---

Approvals

EAC

## Cable housing - KGS-MSTB 2,5/14 - 1783834

### Approvals

---

Ex Approvals

---

Approvals submitted

---

### Approval details

|     |
|-----|
| EAC |
|-----|

### Accessories

Accessories

Terminal marking


Marker for terminal blocks - SBS 2,5/7,5 - 1007604



Marker for terminal blocks, Card, white, unlabeled, can be labeled with: Plotter, Perforated, Mounting type: Snap into tall marker groove, Snap into flat marker groove, Lettering field: 15 x 7.5 mm

---

Cable housing - KGS-MSTB 2,5/ DST - 1784914



Transparent label carrier, can be marked with marker strips SBS 2.5/7.5

---

Accessories - KD-KGS-MSTB - 1804658




Molded cable strain relief, suitable for KGS-... cable housings, prevents the cable from being bent

---

### Drawings

## Cable housing - KGS-MSTB 2,5/14 - 1783834

Dimensional drawing



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1783834](#)