







FIGURE M







FIGURE N

1. MATERIAL: NICKEL-SILVER PER ASTM B 122.
2. SHELL ASSEMBLY TO BE USED WITH THE SURFACE MOUNT RECEPTACLE CONNECTOR PART NUMBER REFERENCED IN TABLE
3. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER

M	1761987-2	3.5	36	17.8	16	18.05	36	1-1888862-6
M	1761987-2	2.8	36	17.8	16	18.05	36	1-1888862-2
N	1761987-2	-	36	17.8	16	18.05	36	1888862-8
M	1761987-2	2	36	17.8	16	18.05	36	1888862-4
FIGURE	CONNECTOR PART NUMBER	G	F	E	D	A	POSN	PART NUMBER

TYPICAL DIMENSIONS FOR CONNECTOR SHELLS AND RECEPTACLE CONNECTORS		DAN B. MCMASTER 21FEB07		Tyco Electronics	
DIMENSIONS: mm		C.D. D. GORENC 21FEB07		Harrisburg, PA 17105-3608	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		D. GORENC 21FEB07		NAME	
0 PLC ±		PRODUCT SPEC		EVERCLEAR Mini-SAS INTERNAL SHELL, RIGHT ANGLE RECEPTACLE, UNKEYED	
2 PLC ±0.1		100-2234		SIZE CAGE CODE DRAWING NO	
3 PLC ±		APPLICATION SPEC		A1007791888862	
4 PLC ±		WEIGHT		RESTRICTED TO	
MATERIAL		FINISH		CUSTOMER DRAWING	
SCALE 1:1		SHEET 1 OF 2		REV A1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1888862-2](#)