


## Protect It! 230V Surge Protector with 8 French/Belgian Outlets, French Plug, 2280 Joules

MODEL NUMBER: TLP82F



### Highlights

- 8 safety outlets
- 2 m power cord with French plug
- 2280 joule rating

### Package Includes

- TLP82F surge suppressor
- Instruction manual and warranty information

### Description

Tripp Lite's Protect It!™ TLP82F offers economical AC surge suppression for full protection of 220-250V home computers, printers, scanners, and desk lamps. The TLP825F offers 8 "French" Type E outlets and a 2 meter AC line cord. Internal safety covers protect against accidental contact with unused outlets.

### Features

- Protect It!™ TLP82F offers economical AC surge suppression
- 2280 joules AC surge suppression shields equipment from surges and line noise
- 8 "French" Type E outlets protect computers and peripherals
- 2 m Cord with French plug
- Protected/Grounded LED's
- Internal safety covers protect against accidental contact with unused outlets

## Specifications

OVERVIEW	
UPC Code	037332145420
OUTPUT	
Frequency Compatibility	50 / 60 Hz
Output Receptacles	(8) French/Belgian
Circuit Breaker (amps)	10



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Transformer Accommodation	(5) Yes
<b>INPUT</b>	
Nominal Input Voltage(s) Supported	230V AC
Recommended Electrical Service	230V (220-250V)
Voltage Compatibility (VAC)	220-250
Input Plug Type	French
Input Cord Length (ft.)	6
Right-Angle Plug	Yes
Input Cord Length (m)	1.83
Integrated Cord Clip	No
<b>USER INTERFACE, ALERTS &amp; CONTROLS</b>	
Diagnostic LED(s)	Yes
Diagnostic LED Details	Grounded/Protected
<b>SURGE / NOISE SUPPRESSION</b>	
AC Suppression Joule Rating	2280
Automatic Shut-Off	No
<b>DATALINE SURGE SUPPRESSION</b>	
Telephone/DSL Protection	No
Cable (Coax) Protection	No
Network (Ethernet) Protection	No
<b>PHYSICAL</b>	
Anti-Microbial Protective Coating	No
Color	Black
Color (AC Line Cord)	Black
Housing Color	Black
Integrated Keyhole Mounting Slots	No
Receptacle Color	Black
Shipping Dimensions (hwd / cm)	36.58 x 16.51 x 5.51
Shipping Dimensions (hwd / in.)	14.40 x 6.50 x 2.17
Shipping Weight (kg)	0.70
Shipping Weight (lbs.)	1.55
Unit Dimensions (hwd / cm)	30.66 x 11.71 x 4.90



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Unit Dimensions (hwd / in.)	12.07 x 4.61 x 1.93
Unit Weight (kg)	0.68
Unit Weight (lbs.)	1.50
<b>SPECIAL FEATURES</b>	
Rotatable Outlets	No
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	Lifetime limited warranty

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>