








SCALE 1 : 1

KEYING OPTION "B"
1438082-2 




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics Corporation IT IS SUBJECT TO A CHANGE AND THE CUSTOMER'S ASSEMBLING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN R. VESTAL 01AUG2003 CHN D. STRAUSSER 01AUG2003 APVD D. STRAUSSER 01AUG2003		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±°		46 Way PCM CONNECTOR HARNESS ASSEMBLY	
MATERIAL SEE TABLE		FINISH SEE TABLE		SIZE CAGE CODE DRAWING NO RESTRICTED TO A 010779 C=1438082 -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 1 OF 5 REV \$1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
		44							35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
								35																												6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39		37				29					20	18			15	14			11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083															
45		43					38		36			31				25	24					18	17	16		14	12				7	6			2	1	5-1438735-0	2LIT-14A464-SD-082														
45		43					38		36			31				25	24							16		14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081														
45		43					38		36		32	31				25	24		21	19	18	17	16		14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080																
45		43					39	38	37	36			31				25	24					18	17	16		14	13	12			9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079													
				42															20	18					13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078														
				42															20	18					13	11	10								1	3-1438735-7	2LIT-14A464-SD-077															
45		43					39	38	37	36			31				25	24		21	20	19	18	17		14	13	12			9				2	1	3-1438735-6	2LIT-14A464-SD-076														
45		43					38		36			31				25	24		21	20	19	18	17		14	12									2	1	3-1438735-5	2LIT-14A464-SD-075														
			43	42		40	39		37				29						20	18			15	14			11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074													
45		43					39	38	37	36			31				25	24			20	19	18	17		14	13	12			9				2	1	3-1438735-2	2LIT-14A464-SD-073														
45		43					38		36			31				25	24		21	20	19	18	17	16		14	12				7				2	1	3-1438735-1	2LIT-14A464-SD-072														
45		43					39	38	37	36			31				25	24		21	20	19	18	17	16		14	13	12			9	7			2	1	3-1438735-0	2LIT-14A464-SD-071													
45		43					38		36			31				25	24		21	20	19			16		14	12				7				2	1	2-1438735-9	2LIT-14A464-SD-070														
45		43					39	38	37	36			31				25	24		21	20	19			16		14	13	12			9	7			2	1	2-1438735-8	2LIT-14A464-SD-069													
45		43					38		36			31				25	24			20	19	18	17		14	12									2	1	2-1438735-6	2LIT-14A464-SD-068														
										33																13												2	1	2-1438735-5	2LIT-14A464-SD-067											
45	44	43	42			40		38	37	36		33	31				24	22	21	20		18	17	16	15				9	8						2	1	2-1438735-4	2LIT-14A464-SD-066													
		43										31		29								18								8							2	1	2-1438735-1	2LIT-14A464-SD-065												
45		43					38		36	35			31				25	24		21					16		14	12				7	6			2	1	2-1438735-0	2LIT-14A464-SD-064													
45		43					39	38	37	36	35			31				25	24					18	17	16		14	13	12			9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063											
45		43					38		36	35		32	31				25	24		21	19	18	17	16		14	12				7	6					1	1-1438735-8	2LIT-14A464-SD-062													
45		43					38		36	35			31				25	24							16		14	12				7	6			2	1	1-1438735-7	2LIT-14A464-SD-061													
45		43					38		36	35			31				25	24		21	19			16		14	12				7	6			2	1	1-1438735-6	2LIT-14A464-SD-060														
45		43					38		36	35			31				25	24					18	17	16		14	12				7	6			2	1	1-1438735-5	2LIT-14A464-SD-059													
45		43					39	38	37	36	35			31				25	24		21	19	18	17	16		14	13	12			9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058												
45		43					38		36	35			31				25	24		21	19	18	17	16		14	12				7	6			2	1	1-1438735-3	2LIT-14A464-SD-057														
				42					37										20	18					15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056												
45		43								36	35			31				24		21	19			16		14	12					7	6			1	1-1438735-1	2LIT-14A464-SD-055														
									35						27																					3			1-1438735-0	2LIT-14A464-SD-054												
				43									31		29									18						9	8						2			1438735-9	2LIT-14A464-SD-053											
									35						27																7										1438735-8	2LIT-14A464-SD-052										
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
APPLICATION SPEC		WEIGHT		A 00779 C=1438082	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	

DIMENSIONS: mm

MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3
1 PLC ±0.10
5 PLC ±.
4 PLC ±.
ANGLES ±°
FINISH -

-

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1438735-2](#)