


DIMENSIONING AND TOLERANCING PER ASME Y14.5M (ISO STANDARDS)

NOTES

1. All dimensions are in inches
[millimeters]2. Dimensions appearing in table
are as follows:

- a - As Supplied
- b - After Unrestricted Recovery

REVISIONS		
LTR	DESCRIPTION	DATE
A	INITIAL RELEASE PER ECO-12-016788	09/18/2012



ORDERING INFORMATION

202D2XX -12 -92 -0

Base part number

Material dash number
(See Compatability Chart)

Modification number

Color Designator

TABLE OF DIMENSIONS

PART NUMBER	H		J		P ±10% b	JO ±10% b	R Ref b	S Ref b	T Ref b	U ±10% b	HW ±20% b	JW ±20% b
	Min a	Max b	Min a	Max b								
202D211-12-92	.88 [22.4]	.45 [11.4]	.88 [22.4]	.25 [6.4]	4.17 [105.9]	3.40 [86.4]	.46 [11.7]	.12 [3.0]	.04 [1.0]	.56 [14.2]	.06 [1.52]	.045 [1.14]
202D221-12-92	1.01 [25.7]	.59 [15.0]	1.01 [25.7]	.29 [7.4]	4.77 [121.2]	3.88 [98.8]	.48 [12.2]	.12 [3.0]	.04 [1.0]	.59 [15.0]	.06 [1.52]	.045 [1.14]
202D232-12-92	1.16 [29.5]	.74 [18.8]	1.16 [29.5]	.33 [8.4]	5.46 [138.7]	4.44 [112.8]	.48 [12.2]	.12 [3.0]	.04 [1.0]	.61 [15.5]	.07 [1.78]	.045 [1.14]
202D242-12-92	1.34 [34.0]	.90 [22.9]	1.34 [34.0]	.36 [9.7]	6.28 [159.5]	5.15 [130.8]	.48 [12.2]	.12 [3.0]	.04 [1.0]	.62 [15.7]	.07 [1.78]	.045 [1.14]
202D253-12-92	1.47 [37.3]	1.16 [29.5]	1.47 [37.3]	.41 [10.4]	7.00 [177.8]	5.60 [142.2]	.55 [14.0]	.12 [3.0]	.065 [1.65]	.71 [18.0]	.08 [2.0]	.045 [1.14]
202D263-12-92	1.72 [43.7]	1.34 [34.0]	1.72 [43.7]	.48 [12.2]	8.00 [203.2]	6.42 [163.1]	.60 [15.2]	.12 [3.0]	.065 [1.65]	.78 [19.8]	.08 [2.0]	.045 [1.14]

Raychem Molded Parts
CUSTOMER DRAWING

THIS DRAWING AND THE INFORMATION SET FORTH HEREON ARE THE PROPERTY OF TYCO ELECTRONICS CORPORATION, AND ARE TO BE HELD IN TRUST AND CONFIDENCE. PUBLICATION, DUPLICATION, DISCLOSURE OR USE FOR ANY PURPOSE NOT EXPRESSLY AUTHORIZED IN WRITING BY TYCO ELECTRONICS CORPORATION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE METRIC AND
INCHES ARE IN BRACKETS.DRAWN
M Mazarriegos
9/07/12APPROVED
S.Gravano
9/07/12

TE Connectivity

DECIMAL TOLERANCES

XXX ± 0.13 (.005)
XX ± 0.25 (.01)

X ± 0.50 (.10)

ANGLE TOLERANCE

.X ± 1 DEG.

RPN

CAD FILE:

202D2XX-12-92_CD

TITLE

Boot, Straight With Lip

TYCO ELECTRONICS RESERVES THE RIGHT TO
AMEND THIS DRAWING AT ANY TIME. USERS
SHOULD EVALUATE THE SUITABILITY OF THE
PRODUCT FOR THEIR APPLICATION.THIRD ANGLE
PROJECTION

SIZE

CODE IDENT. NO.

DWG. NO.

B

06090

202D2XX-12-92

DO NOT SCALE THIS DRAWING

SHEET 1 OF 1

COMPATABILITY CHART

MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-12	*VITON, Flexible	RT-1312			

If this document is printed it becomes uncontrolled. Check for the latest revision

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[202D263-12-92-0](#)