


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
BD	0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		AC1		REVISED PER ECO-11-005027	11MAR11	RK	HMR



- 1 ZINC.
- 2 STAINLESS STEEL.
- 3 TO ASSEMBLE JACKSCREW REFER TO INSTRUCTION SHEET #1189.
- 4 HOLE CENTRALLY LOCATED WITHIN ±0.07[.003] OF THE 5.54[.218] DIA AND THE 2.77/2.84[.109/.112] DIA CENTER LINES.
- 5 CHROMATE CONVERSION CLEAR.
- 6 NON-HEXAVALENT CHROMATE COATING ON JACKSCREW BODY.

6	1-200871-0
6	200871-1
NOTES	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	K.FOLTZ	05/23/94	 TE Connectivity JACKSCREW KIT, UNASSEMBLED, MALE, M SERIES							
DIMENSIONS:		CHK	R.STONE	06/16/94								
mm		APVD	-	-								
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	-	-								
0 PLC	± -	APPLICATION SPEC	-	-	SIZE	A2	CAGE CODE	00779	DRAWING NO	C=200871	RESTRICTED TO	-
1 PLC	± -	WEIGHT	-	-	SCALE	4:1	SHEET	1	OF 1	REV	AC1	
2 PLC	± 0.13 [.005]	CUSTOMER DRAWING										
3 PLC	± -											
4 PLC	± -											
ANGLES	± -											
MATERIAL	JACKSCREW BODY: 1											
	JACKSCREW TIP: 2											
	JACKSCREW PIN: 3											
FINISH	JACKSCREW BODY: 4											
	JACKSCREW PIN: PASSIVATED											