


354 Series OMNI-BLOK® Molded Base Fuse Block for 3AB/3AG Fuses









Agency Approval

Agency	Agency File Number		
c FL °us	E14721		
⊕	7316		

Product & Mounting Dimensions





Product Characteristics

Compatible Fuses Size	3AB/AG			
Description	A low profile fuse block featuring individual barriers which reinforce the fuse clips while providing greater protection against clip damage and electrical shock. The unique design permits self-alignment of clips to fuse cap. This, plus a one-piece clip/terminal assures low contact resistance. Higher currect ratings have been attained using spring brass clips. With the exception of the two-pole unit, multiple pole units may be broken apart to obtain desired number of poles			
Dielectric Strength	1500V., Minimum			
Clip/Terminals	Tin plated phosphorus bronze except for 354900 series which is tin plated spring brass.			
Base	Glass reinforced Thermoplastic. UL 94V0 flammability rating. The standard base color is Gray except for 345 x21 items (single pole products which include anti-rotation boss option) where the standard base color is Black. Refer to the Ordering Information table on the following page for more information.			
Ambient Temperature	-40°Cto +85°C			

Electrical Information

Series or Catalog Number	Terminals	Rating	
354 000	Solder	30A, 600 VDC/VAC*	
354 600	3/16" Q.C.	20A, 600 VDC/VAC	
354 700	1/4" Q.C032" Clip	30A, 600 VDC/VAC	
354 800	1/4" Q.C.	20A, 600 VDC/VAC	
354 900	354 900 1/4" Q.C.		
354 101-GY	P.C. Board	15A, 600 VDC/VAC	

^{*30} amp capability is based on temperature rise with #10 AWG wire properly soldered.

Clip Detail











Note: Two different style clips can be supplied for circuit identity or polarization. Contact Littelfuse.

Additional Information







Resources

Samples



Ordering Information

SolderTerminals	NEMA Style 3/16" Quick Clip Terminals	1/4" Quick Clip Terminals	NEMA Style 1/4" Quick Clip .032" Terminals	NEMA Style 1/4" Quick Clip Terminals	Number of Poles	Reference Dimension "A"
Ordering No.		Ordering No.			[mm]	
03540101ZXGY	-	-	-	-	1	.50" [12.7]
03540021ZXBL*	03540621ZXBL*	03540821ZXBL*	_	03540921ZXBL*	1	.50" [12.7]
03540001ZXGY	03540601ZXGY	03540801ZXGY	03540701ZXGY	03540901ZXGY	1	.50" [12.7]
03540002ZXGY	03540602ZXGY	03540802ZXGY	_	03540902ZXGY	2	1.12" [28.5]
03540003ZXGY	03540603ZXGY	03540803ZXGY	_	03540903ZXGY	3	1.75" [44.5]
03540004ZXGY	03540604ZXGY	03540804ZXGY	_	03540904ZXGY	4	2.38" [60.5]
03540005ZXGY	03540605ZXGY	03540805ZXGY	_	03540905ZXGY	5	3.00" [76.2]
03540006ZXGY	03540606ZXGY	03540806ZXGY	_	03540906ZXGY	6	3.63" [92.2]
03540007ZXGY	03540607ZXGY	03540807ZXGY	_	03540907ZXGY	7	4.25" [108.0]
03540008ZXGY	03540608ZXGY	03540808ZXGY	_	03540908ZXGY	8	4.88" [124.0]
03540009ZXGY	03540609ZXGY	03540809ZXGY	_	03540909ZXGY	9	5.50" [139.7]
03540010ZXGY	03540610ZXGY	03540810ZXGY	_	03540910ZXGY	10	6.13" [155.7]
03540011ZXGY	03540611ZXGY	03540811ZXGY	_	03540911ZXGY	11	6.75" [171.5]
03540012ZXGY	03540612ZXGY	03540812ZXGY	_	03540912ZXGY	12	7.38" [187.5]

^{*} With Anti-Rotation Boss

Disclaimer Notice - Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability of and test each product selected for their own applications. Littlefuse products are not designed for, and may not be used in, all applications. Read complete Disclaimer Notice at: www.littlefuse.com/disclaimer-electronics.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Littelfuse:

```
        03540012ZXGY
        03540812ZXGY
        03540909ZXGY
        03540610ZXGY
        03540009ZXGY
        03540806ZXGY

        03540807ZXGY
        03540801ZXGY
        03540901ZXGY
        03540904ZXGY
        03540902ZXGY
        03540802ZXGY

        03540609ZXGY
        03540006ZXGY
        03540612ZXGY
        03540810ZXGY
        03540906ZXGY
        03540912ZXGY

        03540601ZXGY
        03540903ZXGY
        03540907ZXGY
        03540903ZXGY
        03540602ZXGY
        03540601ZXGY

        03540908ZXGY
        03540805ZXGY
        03540608ZXGY
        03540803ZXGY
        03540621ZXBL
        03540809ZXGY

        03540605ZXGY
        03540604ZXGY
        03540803ZXGY
        03540007ZXGY
        03540010ZXGY

        03540811ZXGY
        03540910ZXGY
        03540808ZXGY
        03540008ZXGY
        03540804ZXGY
        03540011ZXGY

        03540001ZXGY
        03540603ZXGY
        03540008ZXGY
        03540804ZXGY
        03540001ZXGY
        03540011ZXGY
```