




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		REVISED PER ECO-15-015252	16NOV15	BJ	FY

D


C

B

A




SECTION T-T




- 1 HOUSING MATERIAL: THERMOPLASTIC.
- 2 CONTACT MATERIAL: COPPER ALLOY
- 3 FINISH:
MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-9063; BASED ON TELCORDIA DR-1217-CORE APPLICATIONS IN UNCONTROLLED ENVIRONMENTS.
TIN PLATED SOLDER POSTS.
- 4 SOLDER TAILS MUST FIT HOLE PATTERN AS SHOWN ON THE RECOMMENDED P.C. BOARD LAYOUT
- 5 SEE SHEET 2 FOR LOADING PATTERN AND P.C. BOARD LAYOUT

137.16 [5.400]	54	140.31 [5.524]	151.13 [5.950]	158.75 [6.250]	107	5532834-1
E	D	C	B	A	POSITION	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. POLIGNONE 10JUN05	TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK A. SHARPE 10JUN05	NAME			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD A. SHARPE 10JUN05	PRODUCT SPEC			
0 PLC ± -		APPLICATION SPEC		SIZE		
1 PLC ± -		APPLICATION SPEC		CAGE CODE		
2 PLC ± 0.13[.005]		APPLICATION SPEC		DRAWING NO		
3 PLC ± -		APPLICATION SPEC		5532834		
4 PLC ± -		APPLICATION SPEC		100779		
ANGLES ± -		APPLICATION SPEC		5532834		
FINISH		APPLICATION SPEC		5532834		
MATERIAL		APPLICATION SPEC		5532834		
1/2		APPLICATION SPEC		5532834		
3		APPLICATION SPEC		5532834		
CUSTOMER DRAWING		SCALE		4:1		
SHEET		1		OF 2		
REV		A		A		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C. BOARD LAYOUT
CONNECTOR SIDE DOWN
P/N 5532834-1



CONTACT LOADING PATTERN
107 CONTACTS
P/N 5532834-1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5532834-1](#)