


D



C

B



A



NOTCH DESIGNATES
ROW A



UNGUIDED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.

2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.

3 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.

LOC	DIST	REVISIONS				
		REV	LYR	DESCRIPTION	DATE	OWN
AD	00	C		REVISED PER ECO-11-025276	06JAN2012	KH

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	J. K. SHOBER	11JAN2011	 TE Connectivity				
DIMENSIONS:			CHK	J. EABY	11JAN2011					
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J. EABY	11JAN2011	NAME	IMPACT, 3 PAIR, 8 COLUMN, HEADER UNGUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH			
			PRODUCT SPEC							
	ANGLES	9 PLC ± 25 PLC ± 25 PLC ± 13 PLC ± 13 PLC ±	APPLICATION SPEC			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
			WEIGHT							
MATERIAL	FINISH	SEE TABLE	CUSTOMER DRAWING			SCALE	6:1	SHEET	1 OF 2	REV C
			A100779C=2057764							

LOC	DIST	REVISIONS					
AD	00	REV	LYR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

	5.5	2057764-6
	4.9	2057764-5
	4.5	2057764-4
	5.5	2057764-3
	4.9	2057764-2
	4.5	2057764-1
FINISH	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 11 JAN 2011	TE Connectivity	
DIMENSIONS:		CHK J. EABY 11 JAN 2011		
mm		APVD J. EABY 11 JAN 2011	NAME	
		PRODUCT SPEC	IMPACT, 3 PAIR, 8 COLUMN, HEADER UNGUIDED, OPEN END WALL SIGNAL MODULE, 0.39 PTH	
		APPLICATION SPEC		
		WEIGHT		
		CUSTOMER DRAWING		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE		RESTRICTED TO
9 PLC ±		A100779		-
1 PLC ±0.25		C=2057764		
2 PLC ±0.13		SCALE		5:1
3 PLC ±		SHEET		2 OF 2
4 PLC ±		REV		C
ANGLES ±				
FINISH				
SEE TABLE				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2057764-3](#)