

Antenna cable - FL LCX PIG-EF142-N-N - 2700677

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Antenna cable, N (male) - N (male), impedance: 50 ohm, length: 0.5 m



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	100.0 g
Custom tariff number	85442000
Country of origin	Germany

Technical data

Cable type

Cable type	EF 142
------------	--------

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C
Ambient temperature (storage/transport)	-40 °C ... 105 °C

External sheath

Outer sheath, material	RADOX®(LSFH)
External sheath, color	black
External diameter	5 mm

Mechanical properties

Bending radius, long-term	30 mm
Cable, attenuation	0.3 dB
	0.5 dB
	0.8 dB

General

Antenna cable - FL LCX PIG-EF142-N-N - 2700677

Technical data

General

Conductor length	0.5 m
Impedance	50 Ω
Connection method	N (male)
	N (male)

Classifications

eCl@ss

eCl@ss 4.0	27260700
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	19070490
eCl@ss 7.0	19070490
eCl@ss 8.0	27379201
eCl@ss 9.0	27379201

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002498

UNSPSC

UNSPSC 6.01	20142601
UNSPSC 7.0901	20142601
UNSPSC 11	20142601
UNSPSC 12.01	20142601
UNSPSC 13.2	20142601

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[2700677](#)