

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011404200

Status:

Active

Overview:

Application Tooling

Description:

Conductor Punch

Documents:

RoHS Certificate of Compliance (PDF)

| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Series                         | 207126                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Comments                       | See Tooling Specification (PDF) Above                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Function                       | Cutter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Level of Automation            | Semi-Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Product Name                   | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Tool Type                      | Applicator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| UPC                            | 800754208888                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified. |

Material Info

Engineering Number

832410

Reference - Drawing Numbers

Application Tooling Documents

ATS-STANDARD-PARTS-0



Series image - Reference only

|                                                               |              |
|---------------------------------------------------------------|--------------|
| EU ELV                                                        |              |
| Not Reviewed                                                  |              |
| EU RoHS                                                       | China RoHS   |
| Not Reviewed                                                  |              |
| REACH SVHC                                                    |              |
| Not Reviewed                                                  |              |
| Halogen-Free                                                  |              |
| Status                                                        |              |
| Not Reviewed                                                  |              |
| For more information, please visit <a href="#">Contact US</a> |              |
| China ROHS                                                    | Not Reviewed |
| ELV                                                           | Not Reviewed |
| RoHS Phthalates                                               | Not Reviewed |

Search Parts in this Series

207126 Series

Use With

11402043 , 11403043

| Application Tooling Description                                                                                                        | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag              | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag | 2061132       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series                                                                  | 2062103       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065148</a><br>Standard .062" Pin |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

and Socket Crimp  
Terminal, Series  
1855, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 24-30 AWG,  
Bag  
1.57mm Diameter, [2066102](#)  
Standard .062"  
Pin and Socket  
Crimp Terminal,  
Series 1560, Male,  
with .76µm Selective  
Gold (Au) Plated  
Brass Contact, 18-24  
AWG, Bag Packaged  
1.57mm Diameter, [2066103](#)  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1560, Male, with  
Gold (Au) Plated  
Brass Contact, 18-24  
AWG, Bag  
1.57mm Diameter, [2066104](#)  
Standard .062"  
Pin and Socket  
Crimp Terminal,  
Series 1560, Male,  
with Selective  
1.27µm Select Gold  
(Au) Plated Brass  
Contact, 18-24 AWG,  
Bag Packaged  
1.57mm Diameter, [2066119](#)  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1560, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, Tin/Lead  
Plated Crimp Area,  
18-24 AWG, Bag  
1.57mm Diameter, [2066122](#)  
Standard .062"  
Pin and Socket  
PC Tail Terminal,  
Series 1778, Male,  
with Selective Gold  
(Au) Plated Brass  
Contact, Bag  
.062 Male Term PC [2066125](#)  
Tail 30 au  
1.57mm Diameter, [2066135](#)  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1854, Male, with  
Gold (Au) Plated  
Brass Contact, 24-30  
AWG, Bag  
1.57mm Diameter, [2066139](#)  
Standard .062" Pin  
and Socket Crimp

Terminal, Series  
1854, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 24-30 AWG,  
Bag  
1.57mm Diameter, [2066144](#)  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1854, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, Tin (Sn)  
Plated Crimp Area,  
24-30 AWG, Bag  
1.57mm Diameter, [2067103](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1779, Female,  
with 2.54µm Tin  
(Sn) Plated Brass  
Contact, Bag  
Packaged  
1.57mm Diameter, [2067104](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1779, Female,  
with .76µm Selective  
Gold (Au) Plated  
Brass Contact, Bag  
Packaged  
1.57mm Diameter, [2068103](#)  
Standard .062" Pin  
and Socket PC Tail  
Terminal, Series  
1778, Male, with Tin  
(Sn) Plated Brass  
Contact, Bag  
062 Male Term Tin [2068104](#)  
PCTail Chn  
MLX Crimp Terminal [2081002](#)  
42024, 14-20 AWG,  
Bag Tin (Sn)  
MLX Crimp Terminal [2081004](#)  
42024, 14-20 AWG,  
Bag Tin (Sn)  
Claspcon Crimp [2081102](#)  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Bag  
Claspcon Crimp [2081103](#)  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel  
Claspcon Crimp [2081104](#)  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 24-30 AWG,  
Bag

|                       |                |
|-----------------------|----------------|
| .084" UNPLATED        | <u>2081211</u> |
| TERMINAL 8980V01      |                |
| .084" PC TAIL TERM    | <u>2081212</u> |
| - 999 8980R11         |                |
| .084" PC TAIL TERM    | <u>2081214</u> |
| - 999 8980R13         |                |
| 2.096MM DIA           | <u>2081266</u> |
| TERMINAL              |                |
| 2.096MM DIA           | <u>2081268</u> |
| TERMINAL              |                |
| 2.13mm DIA PC         | <u>2081309</u> |
| TAIL TERM PhBr        |                |
| 2.54SnLF              |                |
| 2.096MM DIA           | <u>2081363</u> |
| TERMINAL PhBr         |                |
| 2.54SnLF              |                |
| 2.096MM DIA           | <u>2081365</u> |
| TERMINAL PhBr         |                |
| 2.54SnLF              |                |
| MLX Crimp Terminal    | <u>2082004</u> |
| 42023, 14-20 AWG,     |                |
| Bag Tin (Sn)          |                |
| MLX Crimp Terminal    | <u>2082006</u> |
| 42023, 14-20 AWG,     |                |
| Bag Tin (Sn)          |                |
| MLX Crimp Terminal    | <u>2082008</u> |
| 42023, 14-20 AWG,     |                |
| Bag Selective Gold    |                |
| (Au)                  |                |
| 42023-2A0,Ter Male    | <u>2082011</u> |
| 2.13 Chn Unplate      |                |
| Claspcn Crimp         | <u>2085101</u> |
| Terminal Socket, Tin  |                |
| (Sn) Plated Brass     |                |
| Contact, 16-24 AWG,   |                |
| Reel                  |                |
| 2.36mm Diameter,      | <u>2091104</u> |
| Standard .093" Pin    |                |
| and Socket Crimp      |                |
| Terminal, Series      |                |
| 1189, Female, with    |                |
| Tin (Sn) Plated Brass |                |
| Contact, 14-20 AWG,   |                |
| Bag                   |                |
| 2.36mm Diameter       | <u>2091118</u> |
| Standard .093"        |                |
| Crimp Terminal,       |                |
| Dimpled Female,       |                |
| 18-22 AWG, Bag        |                |
| 2.36mm Diameter,      | <u>2091119</u> |
| Standard .093" Pin    |                |
| and Socket Crimp      |                |
| Terminal, Series      |                |
| 1381, Female, with    |                |
| Tin (Sn) Plated Brass |                |
| Contact, 18-22 AWG,   |                |
| Bag                   |                |
| 2.36mm Diameter,      | <u>2091123</u> |
| Standard .093" Pin    |                |
| and Socket Crimp      |                |
| Terminal, Series      |                |
| 2273, Female, with    |                |
| Tin (Sn) Plated       |                |
| Contact, Low          |                |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Engagement Force,<br>18-22 AWG, Bag<br>2.36mm Diameter, <a href="#">2091134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Tin (Sn) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2091155</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>41483, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-18 AWG<br>with Large Insulation<br>Diameter, Chain<br>2.36mm Diameter, <a href="#">2091206</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092118</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2092133</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin/<br>Lead (Sn/Pb) Plated<br>Contact, With Detent,<br>Bag Packaged<br>2.36mm Diameter, <a href="#">2092134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1376, Male, with Tin<br>(Sn) Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2092167</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag Packaged<br>2.36mm Diameter, <a href="#">2092171</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Bag  
2.36mm Diameter, 2095101  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Chain  
2.36mm Diameter, 2095106  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, 2095111  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 2095132  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1377, Female, with  
Gold (Au) Plated  
Contact, Bag  
2.36mm Diameter, 2095133  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, 2095142  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, 2095170  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4550, Female, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, 2096102  
Standard .093" Pin  
and Socket Crimp

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2096106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096110</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2096126</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096132</a><br>Standard .093"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1376, Male,<br>with Gold (Au)<br>Plated Contact,<br>Without Detent, Bag<br>Packaged<br>2.36mm Diameter, <a href="#">2098104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2098109</a><br>Standard .093" Pin<br>and Socket Crimp<br>Grounding Terminal,<br>Series 1973, Male,<br>with Tin (Sn) Plated<br>Brass Contact, 14-18<br>AWG, Bag |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                |                |
|--|--------------------------------------------------------------------------------|----------------|
|  | Mini-Fit Jr.                                                                   | <u>3044052</u> |
|  | Receptacle Housing,<br>Single Row, 5<br>Circuits, UL 94V-2,<br>Natural         |                |
|  | 1.57mm Diameter                                                                | <u>3061011</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>1 Circuits, Natural                                     |                |
|  | 1.57mm Diameter                                                                | <u>3061022</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural |                |
|  | 1.57mm Diameter                                                                | <u>3061023</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061031</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears           |                |
|  | 1.57mm Diameter                                                                | <u>3061032</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061038</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural |                |
|  | 1.57mm Diameter                                                                | <u>3061041</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears           |                |
|  | 1.57mm Diameter                                                                | <u>3061042</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061044</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA                  |                |

Polyamide Nylon 6/6,  
UL 94V-2, 4 Circuits,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061062</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
6 Circuits, without  
Mounting Ears,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061092</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
9 Circuits, without  
Mounting Ears,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061121</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
12 Circuits, with  
Standard Mounting  
Ears, Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061122</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
12 Circuits, without  
Mounting Ears,  
Natural

1.57mm Diameter      3062011  
Standard .062" Pin

and Socket Plug  
Housing, 1 Circuits,  
Natural

1.57mm Diameter      3062023  
Standard .062" Pin

and Socket Plug  
Housing, 2 Circuits,  
without Mounting  
Ears, Natural

1.57mm Diameter      3062024  
Standard .062"

Pin and Socket  
Plug Housing, 2  
Circuits, with Pre-  
bent Mounting Ears,  
Natural

1.57mm Diameter      3062031  
Standard .062" Pin

and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural

1.57mm Diameter      3062032  
Standard .062" Pin

Standard 1002 - 1 in.  
and Socket Plug  
Housing, 3 Circuits,  
without Mounting  
Ears, Natural

1.57mm Diameter      3062033  
Standard .062"

### Standard .002 Pin and Socket

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears<br>1.57mm Diameter <u>3062042</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062044</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural<br>1.57mm Diameter <u>3062061</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062092</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062121</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062122</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3066023</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3066062</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3067023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3067044</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter <u>3067061</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter <u>3091011</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural<br>2.36mm Diameter <u>3091022</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural<br>2.36mm Diameter <u>3091027</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural<br>2.36mm Diameter <u>3091030</u><br>Standard Receptacle<br>Housing, 3 Circuit,<br>Natural<br>2.36mm Diameter <u>3091031</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091032</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091033</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural<br>2.36mm Diameter <u>3091041</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing, |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                               |                |
|---------------------------------------------------------------------------------------------------------------|----------------|
| 4 Circuits, Single Row, Natural                                                                               |                |
| 2.36mm Diameter                                                                                               | <u>3091049</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural                       |                |
| 2.36mm Diameter                                                                                               | <u>3091062</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural                                              |                |
| 2.36mm Diameter                                                                                               | <u>3091063</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp |                |
| 2.36mm Diameter                                                                                               | <u>3091064</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural                                              |                |
| 2.36mm Diameter                                                                                               | <u>3091081</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural                                            |                |
| 2.36mm Diameter                                                                                               | <u>3091091</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural                                               |                |
| 2.36mm Diameter                                                                                               | <u>3091093</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp   |                |
| 2.36mm Diameter                                                                                               | <u>3091094</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural                                               |                |
| 2.36mm Diameter                                                                                               | <u>3091121</u> |
| Standard .093"                                                                                                |                |
| Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps        |                |

|                                                                                                                                                             |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091125</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091126</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps | <u>3091151</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps       | <u>3091152</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps    | <u>3091153</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps          | <u>3091157</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits                         | <u>3091161</u> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural                                                   | <u>3092011</u> |
| 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural                              | <u>3092021</u> |
| 2.36mm Diameter<br>Standard .093" Pin                                                                                                                       | <u>3092022</u> |

|                                                                                                                        |                |
|------------------------------------------------------------------------------------------------------------------------|----------------|
| and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug | <u>3092031</u> |
| Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug                            | <u>3092032</u> |
| Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug                            | <u>3092041</u> |
| Housing, 4 Circuits, Single Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                     | <u>3092042</u> |
| Housing, 4 Circuits, Single Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                     | <u>3092049</u> |
| Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug       | <u>3092061</u> |
| Housing, 6 Circuits, Dual Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                       | <u>3092062</u> |
| Housing, 6 Circuits, Dual Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                       | <u>3092092</u> |
| Housings, 9 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | <u>3092121</u> |
| Housing, 12 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | <u>3092122</u> |
| Housing, 12 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | <u>3092151</u> |
| Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows                              |                |

|  |                                                                                                                                                                          |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows | <u>3092159</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            | <u>3092161</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          | <u>3096021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      | <u>3097022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        | <u>3097024</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                                    | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2                  | <u>3121036</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single                                                                                              | <u>3121046</u> |

Row, 4 Circuits,  
Natural (Translucent)  
3.18mm Diameter, [3122022](#)  
HCS125, Pin  
and Socket Plug  
Housing, 2 Circuits,  
Single Row, with and  
without Panel Mount  
Ears  
3.18mm Diameter, [3122025](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, with Panel  
Mount Ears, 2  
Circuits, Natural  
(Translucent)  
3.18mm Diameter, [3122026](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, without Panel  
Mount Ears, 2  
Circuits, Natural  
(Translucent)  
3.18mm Diameter, [3122035](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, with Panel  
Mount Ears, 3  
Circuits, Natural,  
Nylon 94V-2  
3.18mm Diameter, [3122036](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, without Panel  
Mount Ears, 3  
Circuits, Natural,  
Nylon 94V-2  
3.18mm Diameter, [3122045](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, with Panel  
Mount Ears, 4  
Circuits, Natural  
(Translucent)  
3.18mm Diameter, [3122046](#)  
HCS125, Pin  
and Socket Plug  
Housing, Single  
Row, without Panel  
Mount Ears, 4  
Circuits, Natural  
(Translucent)  
Flat Blade Appliance [6021103](#)  
Motor Switch Crimp  
Housing, 10 Circuits  
Flat Blade Appliance [6022030](#)  
Water Valve Crimp  
Housing, 3 Circuit,  
Natural

Flat Blade Appliance 6023042  
Defrost Timer Crimp  
Housing, 4 Circuit, 4  
Circuits

Flat Blade Appliance 6023103  
Motor Switch Crimp  
Housing, 10 Circuit,  
10 Circuits

Flat Blade Appliance 6023104  
Dryer Motor Crimp  
Housing, 10 Circuit

KK Crimp Terminal, 8300109  
Series 1799, Female,  
with Tin (Sn) Plated  
Brass Contact, 18-24  
AWG, Chain on Reel

KK 396 Crimp 8500008  
Terminal 8818, 18-22  
AWG, Reel, Brass  
Tin (Sn)

KK 254 Cat Ear 8500032  
Crimp Terminal  
4809, 22-30 AWG,  
Hot Tin Dip, Bag

KK 396 Crimp 8500106  
Terminal 2478, 18-24  
AWG, Bag, Brass Tin  
(Sn)

KK 396 Crimp 8500108  
Terminal 2578, 22-26  
AWG, Bag, Brass,  
2.540µm Tin (Sn)

KK Crimp Terminal, 8500110  
Series 2477,  
Humpback, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Loose

KK 156 TERMINAL 8500112  
CRIMP 22-26 AWG  
TIN

KK 254 Crimp 8500114  
Terminal, 22-30  
AWG, Bag, Hot Tin  
(Sn) Dip Plating

KK 396 Crimp 8500120  
Terminal 2478, 18-24  
AWG, Bag, Brass,  
3.8µm Tin (Sn)

KK 396 Crimp 8500134  
Terminal 2578,  
22-26 AWG, Bag,  
Phosphor Bronze,  
2.540µm Tin(Sn)

KK 254 Crimp 8500136  
Terminal 4809, 22-30  
AWG, Tin, Bag

KK 254 Crimp 8500160  
Terminal, 22-30  
AWG, Bag, Tin (Sn)  
Plating, Nickel (Ni)  
Under Plating

KK 396 Crimp 8520072  
Terminal 2478,  
18-24 AWG, Bag,

|                                                                                                           |                |
|-----------------------------------------------------------------------------------------------------------|----------------|
| Phosphor Bronze,<br>Tin (Sn)<br>KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                              | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                          | <u>8520123</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated | <u>8520127</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                         | <u>8520131</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                          | <u>8520132</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)                   | <u>8520812</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG                                                                        | <u>8530811</u> |
| KK CRIMP TERM<br>UNPLT LSE<br>PB2478999L                                                                  | <u>8530812</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating         | <u>8550102</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold (Au)                 | <u>8550104</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold(Au)                  | <u>8550106</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                  | <u>8550111</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                              | <u>8550112</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Bag Selective Gold<br>(Au)                      | <u>8550129</u> |

|                        |                |
|------------------------|----------------|
| KK 254 Crimp           | <u>8550131</u> |
| Terminal, 22-30        |                |
| AWG, Bag, Selective    |                |
| Gold (Au), Nickel (Ni) |                |
| Under Plating          |                |
| KK 396 Crimp           | <u>8550137</u> |
| Terminal 2578, 22-26   |                |
| AWG, Left Payoff       |                |
| Reel, Brass, 0.76µm    |                |
| Select Gold (Au)       |                |
| over Gold Flash        |                |
| KK 396 Crimp           | <u>8560106</u> |
| Terminal 2478, 18-24   |                |
| AWG, Bag, Brass,       |                |
| 0.51µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8560108</u> |
| Terminal 2578, 22-26   |                |
| AWG, Bag, Brass,       |                |
| 0.51µm Select Gold     |                |
| (Au) over Gold Flash   |                |
| KK Crimp Terminal,     | <u>8560114</u> |
| Series 2477,           |                |
| Humpback, with         |                |
| Overall Gold (Au)      |                |
| Plated Brass           |                |
| Contact, 18-24 AWG,    |                |
| Loose                  |                |
| KK 156 TERMINAL        | <u>8580104</u> |
| CRIMP 18-24 AWG        |                |
| GOLD                   |                |
| KK 396 Crimp           | <u>8580115</u> |
| Terminal 2478,         |                |
| 18-24 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| 0.76µm Gold (Au)       |                |
| KK 396 Crimp           | <u>8580122</u> |
| Terminal 2478,         |                |
| 18-24 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| 0.51µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8580126</u> |
| Terminal 2578,         |                |
| 22-26 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| 0.51µm Selective       |                |
| Gold (Au)              |                |
| KK 396 Crimp           | <u>8580135</u> |
| Terminal 8818,         |                |
| 18-22 AWG, Reel,       |                |
| Phosphor Bronze        |                |
| Selective Gold (Au)    |                |
| KK 396 Crimp           | <u>8580136</u> |
| Terminal 8818,         |                |
| 18-22 AWG, Bag,        |                |
| Phosphor Bronze        |                |
| Selective Gold (Au)    |                |
| KK 396 Crimp           | <u>8600004</u> |
| Terminal 2578,         |                |
| 22-26 AWG, Bag,        |                |
| Phosphor Bronze,       |                |
| 3.810µm Tin (Sn)       |                |
| KK 396 Crimp           | <u>8650115</u> |
| Terminal 2478,         |                |

|                                                                                                                                |                |
|--------------------------------------------------------------------------------------------------------------------------------|----------------|
| 18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)                                                           |                |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)                         | <u>8650117</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <u>8650119</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650128</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650129</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650801</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Bag Tin (Sn)                                                                        | <u>8650805</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650812</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650817</u> |
| KK Cat Ear Crimp<br>Terminal 5159,<br>22-28 AWG, Bag,<br>Phosphor Bronze,<br>Tin (Sn) Plating                                  | <u>8700049</u> |
| KK Cat Ear Crimp<br>Terminal 5159, 22-28<br>AWG, Bag, Brass,<br>Tin (Sn) over Copper<br>Plating                                | <u>8700069</u> |
| 2.50mm Pitch<br>Mini-Latch Crimp<br>Terminal, Male,<br>Brass, Bag                                                              | <u>8700103</u> |
| SPOX Crimp<br>Terminal, 18-24<br>AWG, Brass, Bag                                                                               | <u>8701030</u> |
| 2.50mm Pitch<br>Mini-SPOX Crimp<br>Terminal, 22-28<br>AWG, Bag                                                                 | <u>8701040</u> |

|                        |                |
|------------------------|----------------|
| 3.96mm Pitch KK        | <u>9011036</u> |
| Crimp Housing, Edge    |                |
| Card Connector,        |                |
| Single-Sided,          |                |
| Polarized, Positive    |                |
| Lock, with Probe       |                |
| Hole, 3 Circuits       |                |
| .156 IDT ASSEMBLY      | <u>9072031</u> |
| 724103L                |                |
| KK 396 PC Board        | <u>9481024</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9481034</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9481044</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 4 Circuits   |                |
| KK 396 PC Board        | <u>9481054</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 5 Circuits   |                |
| KK 396 PC Board        | <u>9481064</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 6 Circuits   |                |
| KK 396 PC Board        | <u>9481074</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 7 Circuits   |                |
| KK 396 PC Board        | <u>9481084</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 8 Circuits   |                |
| KK 396 PC Board        | <u>9481094</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 9 Circuits   |                |
| KK 396 PC Board        | <u>9481104</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9481105</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9481114</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 11 Circuits  |                |

|                       |                |
|-----------------------|----------------|
| KK 396 PC Board       | <u>9481124</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 12 Circuits |                |
| KK 396 PC Board       | <u>9481134</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 13 Circuits |                |
| KK 396 PC Board       | <u>9481144</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 14 Circuits |                |
| KK 396 PC Board       | <u>9481154</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 15 Circuits |                |
| KK 396 PC Board       | <u>9483024</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483025</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483026</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483034</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483035</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483036</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483044</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |
| KK 396 PC Board       | <u>9483045</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |
| KK 396 PC Board       | <u>9483046</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |

|                       |                |
|-----------------------|----------------|
| KK 396 PC Board       | <u>9483054</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483055</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483056</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483064</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483065</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483066</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483074</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483075</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483076</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483084</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483085</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483086</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483094</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 9 Circuits |                |

|                                   |                |
|-----------------------------------|----------------|
| KK 396 PC Board                   | <u>9483095</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 9 Circuits             |                |
| KK 396 PC Board                   | <u>9483096</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 9 Circuits             |                |
| KK 396 PC Board                   | <u>9483104</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483105</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483106</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483114</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483115</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483116</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483124</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483125</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483126</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483134</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |
| KK 396 PC Board                   | <u>9483135</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |

|                                   |                |
|-----------------------------------|----------------|
| KK 396 PC Board                   | <u>9483136</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |
| KK 396 PC Board                   | <u>9483144</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483145</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483146</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483154</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9483155</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9483156</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9484028</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 2 Circuits              |                |
| KK 396 PC Board                   | <u>9484029</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 2 Circuits              |                |
| KK 396 PC Board                   | <u>9484038</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 3 Circuits              |                |
| KK 396 PC Board                   | <u>9484039</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 3 Circuits              |                |
| KK 396 PC Board                   | <u>9484048</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 4 Circuits              |                |
| KK 396 PC Board                   | <u>9484049</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 4 Circuits              |                |

|  |                       |                |
|--|-----------------------|----------------|
|  | KK 396 PC Board       | <u>9484058</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484059</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484068</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484069</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484078</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484079</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484088</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484089</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484098</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484099</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484108</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |
|  | KK 396 PC Board       | <u>9484109</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |
|  | KK 396 PC Board       | <u>9484119</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 11 Circuits |                |

|                       |                |
|-----------------------|----------------|
| KK 396 PC Board       | <u>9484128</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 12 Circuits |                |
| KK 396 PC Board       | <u>9484129</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 12 Circuits |                |
| KK 396 PC Board       | <u>9484138</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 13 Circuits |                |
| KK 396 PC Board       | <u>9484139</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 13 Circuits |                |
| KK 396 PC Board       | <u>9484148</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 14 Circuits |                |
| KK 396 PC Board       | <u>9484149</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 14 Circuits |                |
| KK 396 PC Board       | <u>9484158</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 15 Circuits |                |
| KK 396 PC Board       | <u>9484159</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 15 Circuits |                |
| KK 156 PC Board       | <u>9485088</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Tin (Sn),  |                |
| 8 Circuits            |                |
| 3.96mm Pitch SPOX     | <u>9501021</u> |
| Crimp Housing,        |                |
| Female, with Friction |                |
| Ramp, 2 Circuits,     |                |
| Natural               |                |
| 3.96mm Pitch SPOX     | <u>9501023</u> |
| Crimp Housing,        |                |
| Female, with Friction |                |
| Ramp and Void, 2      |                |
| Circuits, Natural     |                |
| 3.96mm Pitch SPOX     | <u>9501031</u> |
| Crimp Housing,        |                |
| Female, with Friction |                |
| Ramp, 3 Circuits,     |                |
| Natural               |                |
| 3.96mm Pitch SPOX     | <u>9501033</u> |
| Crimp Housing,        |                |
| Female, with Friction |                |
| Ramp and Void, 3      |                |
| Circuits, Natural     |                |

3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural

3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural

3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural

3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural

3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural

3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural

3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural

3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural

3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural

|                       |                                |
|-----------------------|--------------------------------|
| 3.96mm Pitch SPOX     | <a href="#"><u>9501111</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 11 Circuits,    |                                |
| Natural               |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501113</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp and Void, 11     |                                |
| Circuits, Natural     |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501121</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 12 Circuits,    |                                |
| Natural               |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503021</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 2      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503031</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 3      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503041</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 4      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503051</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 5      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503061</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 6      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503071</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 7      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503081</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 8      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503091</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 9      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503101</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 10     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503111</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 11     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503121</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 12     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503131</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 13     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503141</u></a> |
| Terminal Housing,     |                                |

|                      |                |
|----------------------|----------------|
| Friction Ramp, 14    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503151</u> |
| Terminal Housing,    |                |
| Friction Ramp, 15    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503161</u> |
| Terminal Housing,    |                |
| Friction Ramp, 16    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503171</u> |
| Terminal Housing,    |                |
| Friction Ramp, 17    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503181</u> |
| Terminal Housing,    |                |
| Friction Ramp, 18    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503191</u> |
| Terminal Housing,    |                |
| Friction Ramp, 19    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503201</u> |
| Terminal Housing,    |                |
| Friction Ramp, 20    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503211</u> |
| Terminal Housing,    |                |
| Friction Ramp, 21    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503221</u> |
| Terminal Housing,    |                |
| Friction Ramp, 22    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503231</u> |
| Terminal Housing,    |                |
| Friction Ramp, 23    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503241</u> |
| Terminal Housing,    |                |
| Friction Ramp, 24    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507021</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507041</u> |
| Terminal Housing, 4  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507051</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507061</u> |
| Terminal Housing, 6  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507081</u> |
| Terminal Housing, 8  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507131</u> |
| Terminal Housing, 13 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507141</u> |
| Terminal Housing, 14 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507151</u> |
| Terminal Housing, 15 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507161</u> |
| Terminal Housing, 16 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507171</u> |
| Terminal Housing, 17 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508023</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508030</u> |
| Terminal Housing, 3  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508031</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508033</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508040</u> |
| Terminal Housing, 4  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508041</u> |
| Terminal Housing,    |                |
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |

|  |                                                                       |                |
|--|-----------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural  | <u>9508043</u> |
|  | KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural                 | <u>9508050</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural  | <u>9508051</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural  | <u>9508053</u> |
|  | KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural                 | <u>9508060</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural  | <u>9508061</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural  | <u>9508063</u> |
|  | KK 3.96mm Crimp Terminal Housing, 7 Circuits, Natural                 | <u>9508070</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural  | <u>9508071</u> |
|  | KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural                 | <u>9508080</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural  | <u>9508081</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural  | <u>9508083</u> |
|  | KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural                 | <u>9508090</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural  | <u>9508091</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural  | <u>9508093</u> |
|  | KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural                | <u>9508100</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural | <u>9508101</u> |
|  | KK 3.96mm Crimp Terminal Housing,                                     | <u>9508103</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508110</u><br>Terminal Housing, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508111</u><br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508113</u><br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508120</u><br>Terminal Housing, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508121</u><br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508123</u><br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508131</u><br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508133</u><br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508141</u><br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508143</u><br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>SPOX and KK <u>9652028</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits<br>SPOX and KK <u>9652038</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits<br>SPOX and KK <u>9652048</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits<br>SPOX and KK <u>9652058</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits<br>SPOX and KK <u>9652068</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                             |                |
|--|---------------------------------------------------------------------------------------------|----------------|
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits  | <u>9652078</u> |
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits  | <u>9652088</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable  | <u>9930200</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable  | <u>9930300</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable  | <u>9930400</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Glow-Wire<br>Capable  | <u>9930500</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Glow-Wire<br>Capable  | <u>9930600</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Glow-Wire<br>Capable  | <u>9930700</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Glow-Wire<br>Capable  | <u>9930800</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Glow-Wire<br>Capable  | <u>9930900</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Glow-Wire<br>Capable | <u>9931000</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Glow-Wire<br>Capable | <u>9931100</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Glow-Wire<br>Capable | <u>9931300</u> |

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Glow-Wire<br>Capable | <u>9931400</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Glow-Wire<br>Capable | <u>9931500</u>  |
| 15 PIN MICRO-<br>D FEMAL ASSY<br>M8351309B11                                                | <u>10008503</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                        | <u>10011024</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 3 Circuits,<br>Natural                        | <u>10011034</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 4 Circuits,<br>Natural                        | <u>10011044</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 5 Circuits,<br>Natural                        | <u>10011054</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 6 Circuits,<br>Natural                        | <u>10011064</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 7 Circuits,<br>Natural                        | <u>10011074</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 8 Circuits,<br>Natural                        | <u>10011084</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 9 Circuits,<br>Natural                        | <u>10011094</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 10 Circuits,<br>Natural                       | <u>10011104</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 11 Circuits,<br>Natural                       | <u>10011114</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 12 Circuits,<br>Natural                       | <u>10011124</u> |
| 5.08mm Pitch SPOX<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                      | <u>10013026</u> |
| 5.08mm Pitch SPOX<br>Crimp Terminal<br>Housing, 3 Circuits,<br>Natural                      | <u>10013036</u> |

|                      |                                 |
|----------------------|---------------------------------|
| 5.08mm Pitch SPOX    | <a href="#"><u>10013046</u></a> |
| Crimp Terminal       |                                 |
| Housing, 4 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013056</u></a> |
| Crimp Terminal       |                                 |
| Housing, 5 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013066</u></a> |
| Crimp Terminal       |                                 |
| Housing, 6 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013076</u></a> |
| Crimp Terminal       |                                 |
| Housing, 7 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013086</u></a> |
| Crimp Terminal       |                                 |
| Housing, 8 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013096</u></a> |
| Crimp Terminal       |                                 |
| Housing, 9 Circuits, |                                 |
| Natural              |                                 |
| KK PC Board          | <a href="#"><u>10021022</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 2   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021032</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 3   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021042</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 4   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021052</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 5   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021062</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 6   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021072</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 7   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021082</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 8   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021092</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 9   |                                 |
| Circuits             |                                 |

|                      |                 |
|----------------------|-----------------|
| KK PC Board          | <u>10021102</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 10  |                 |
| Circuits             |                 |
| KK PC Board          | <u>10021112</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 11  |                 |
| Circuits             |                 |
| KK PC Board          | <u>10021122</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 12  |                 |
| Circuits             |                 |
| 5.08mm Pitch KK      | <u>10061045</u> |
| Header, Right        |                 |
| Angle, Square Pin,   |                 |
| 4 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Right     | <u>10061055</u> |
| Angle, Square Pin,   |                 |
| 5 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Vertical, | <u>10081021</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081022</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 23.80mm              |                 |
| KK Header, Vertical, | <u>10081039</u> |
| Round Pin, 3         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081041</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081049</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081051</u> |
| Round Pin, 5         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081061</u> |
| Round Pin, 6         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081069</u> |
| Round Pin, 6         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |

KK Header, Vertical, 10081071  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081081  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081082  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081089  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, 10081091  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081101  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081102  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081111  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081112  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081121  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10085021  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085031  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085041  
with Polarizing  
Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085051  
with Polarizing

Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085061  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085071  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085081  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085101  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085111  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085121  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board 10101021  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board 10101023  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 2  
Circuits  
KK PC Board 10101031  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board 10101033  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 3  
Circuits  
KK PC Board 10101041  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 4  
Circuits  
KK PC Board 10101043  
Connector, Top  
Entry Mount Style C,  
1.00μm Tin (Sn), 4  
Circuits  
KK PC Board 10101051  
Connector, Right-  
Angle Mount Style A,  
1.00μm Tin (Sn), 5  
Circuits  
KK PC Board 10101053  
Connector, Top  
Entry Mount Style C,

|                                                                                             |                                 |
|---------------------------------------------------------------------------------------------|---------------------------------|
| 1.00µm Tin (Sn), 5<br>Circuits<br>KK PC Board                                               | <a href="#"><u>10101061</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board  | <a href="#"><u>10101063</u></a> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board     | <a href="#"><u>10101071</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board  | <a href="#"><u>10101073</u></a> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board     | <a href="#"><u>10101081</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board  | <a href="#"><u>10101091</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board  | <a href="#"><u>10101093</u></a> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board     | <a href="#"><u>10101101</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board | <a href="#"><u>10101103</u></a> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board    | <a href="#"><u>10101111</u></a> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits<br>KK PC Board | <a href="#"><u>10101113</u></a> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits                   |                                 |