











LOC		DIST		REVISIONS					
FX		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				D1		REVISED PER ECR 07-029132	07JAN2008	DLD	WTW
				E		REVISED PER ECR 07-030366	08JAN2008	DLD	WTW
				F		REVISED PER ECO 08-006962	19MAR2008	DLD	WTW



SCALE 2:1



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1



SCALE 1:1

- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TYPICAL DIMENSIONS: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS (INCHES) AND DECIMAL FRACTIONS ARE IN MILLIMETERS (INCHES). DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED.		DWN: A. HOLT 14NOV2006		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK: W. WELLINSKY 14NOV2006		NAME: 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
mm		APVD: W. WELLINSKY 14NOV2006		SIZE: 00779 C=1924170	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC:		RESTRICTED TO	
0 PLC ±.3		APPLICATION SPEC:		SCALE 3:1	
1 PLC ±0.3		WEIGHT: SEE NOTE 5		SHEET 1 OF 5	
2 PLC ±0.10		CUSTOMER DRAWING		REV F	
3 PLC ±.3					
4 PLC ±.3					
ANGLES ±.3°					
FINISH					
MATERIAL: SEE CHART ON SHEET 2					

[illegible]

(1) THIS DRAWING IS THE PROPERTY OF THE COMPANY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT THE WRITTEN PERMISSION OF THE COMPANY.		DWN A_HOLT 14NOV2006	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.3 2 PLC ±0.10 3 PLC ±0.3 4 PLC ±0.3 ANGLES ±1° FINISH - WEIGHT -	
MATERIAL SEE CHART ON SHEET 2		CUSTOMER DRAWING	
40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED		PRODUCT SPEC - APPLICATION SPEC -	
SIZE A 00779 C-1924170		CASE CODE - DRAWING NO - RESTRICTED TO -	
SCALE 3:1		SHEET 2 OF 5 REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12										21	22												35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24									35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24					29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16													27	28	29	30				35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																35	36	37	38	39	40	1-1924170-1	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30				35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-5	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	1-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																35	36	37	38	39	40	1-1924170-8	G		
							7	8	9	10	11	12																														1-1924170-9	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																	39	40	2-1924170-1	G		
							7	8	9	10	11	12	13	14	15	16																						39	40	2-1924170-2	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																					39	40	2-1924170-3	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24									35	36	37	38	39	40	2-1924170-5	G			
							7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G	
							7	8	9	10	11	12	13	14	15	16	17	18								26								35	36	37	38	39	40	2-1924170-7	G		
							7	8	9	10	11	12	13	14	15	16	17	18																			39	40	2-1924170-8	G			
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40	2-1924170-9	G	
											11	12																							37	38	39	40	3-1924170-0	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	3-1924170-1	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22												35	36	37	38	39	40	3-1924170-2	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18				21	22											35	36	37	38	39	40	3-1924170-3	G		
1	2						7	8	9	10	11	12									21	22												35	36	37	38	39	40	3-1924170-4	G		
1	2						7	8	9	10	11	12	13	14	15	16					21	22												35	36	37	38	39	40	3-1924170-5	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	3-1924170-6	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16				21	22		24										35	36	37	38	39	40	3-1924170-7	G			
1	2						7	8	9	10	11	12									21	22		24									35	36	37	38	39	40	3-1924170-8	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24									35	36	37	38	39	40	3-1924170-9	G			
											11	12							19	20					24										37	38	39	40	4-1924170-0	G			
																		19	20					24											37	38	39	40	4-1924170-1	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24									35	36	37	38	39	40	4-1924170-2	G			
1	2	3	4	5	6	7	8				11	12	13	14	15	16				19	20	21	22	23	24								35	36	37	38	39	40	4-1924170-3	G			
1	2	3	4	5	6						11	12	13	14	15	16					21	22	23	24								31	32			35	36	37	38	39	40	4-1924170-4	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17																											

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																																																																																																																																																																																																															
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																																																																																																																																																																																																															
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																																																																																																																																																																																																															
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40																																																																																																																																																																																								
				5	6	7	8	9	10	11	12	13	14	15	16									24			27	28	29	30							37	37	39	40	6-1924170-6	G																																																																																																																																																																																					
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26									35	36	37	37	39	40	6-1924170-7	G																																																																																																																																																																																					
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G																																																																																																																																																																																				
			3	4	5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	37	39	40	6-1924170-9	G																																																																																																																																																																																				
1	2			5	6	7	8	9	10	11	12	13	14	15	16						21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G																																																																																																																																																																																					
				5	6	7	8	9	10	11	12	13	14	15	16									24												35	36	37	38	39	40	7-1924170-1	G																																																																																																																																																																																				
1	2					7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	7-1924170-2	G																																																																																																																																																																																					
1	2					7	8	9	10	11	12	13	14	15	16						21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G																																																																																																																																																																																					
											11	12												24																	7-1924170-4	G																																																																																																																																																																																					
1	2										11	12	13	14	15	16							24																		7-1924170-5	G																																																																																																																																																																																					
											11	12																					32				37	38	39	40	7-1924170-6	G																																																																																																																																																																																					
											11	12												24																	7-1924170-7	G																																																																																																																																																																																					
											11	12																							33	34					7-1924170-8	G																																																																																																																																																																																					
						7	8	9	10	11	12													24																	7-1924170-9	G																																																																																																																																																																																					
						7	8	9	10	11	12																								33	34					8-1924170-0	G																																																																																																																																																																																					
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G																																																																																																																																																																																					
							9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G																																																																																																																																																																																				
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38			8-1924170-3	G																																																																																																																																																																																					
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20															37	38	39	40	8-1924170-4	G																																																																																																																																																																																						
						7	8	9	10	11	12	13	14	15	16				19	20																33	34			37	38	39	40	8-1924170-5	G																																																																																																																																																																																		
1	2					7	8	9	10	11	12		14	15		17	18				21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G																																																																																																																																																																																					
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G																																																																																																																																																																																				
1	2					7	8	9	10			13	14	15	16						21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G																																																																																																																																																																																				
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G																																																																																																																																																																																				
1	2	3	4			7	8	9	10	11	12		14	15		17	18				21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G																																																																																																																																																																																					
		3	4	5	6					11	12													24												35	36	37	38	39	40	9-1924170-2	G																																																																																																																																																																																				
						7	8	9	10	11	12													24												35	36	37	38			9-1924170-3	G																																																																																																																																																																																				
										11	12													24												35	36	37	38	39	40	9-1924170-4	G																																																																																																																																																																																				
		3	4	5	6					11	12									19	20																		39	40	9-1924170-5	G																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G																																																																																																																																																																																					
						7	8	9	10	11	12	13	14	15	16					19	20				24												37	38	39	40	9-1924170-7	G																																																																																																																																																																																					
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20				24										33	34			37	38	39	40	9-1924170-8	G																																																																																																																																																																																			
		3	4	5	6	7	8	9	10	11	12	13	14	15	16					19	20				24												37	38	39	40	9-1924170-9	G																																																																																																																																																																																					
						7	8	9	10	11	12	13	14	15	16					19	20				24												37	38	39	40	0-1924171-1	G																																																																																																																																																																																					
										11	12									19	20																				0-1924171-2	G																																																																																																																																																																																					
		3	4	5	6	7	8	9	10	11	12									19	20				24													39	40	0-1924171-3	G																																																																																																																																																																																						
						7	8	9	10	11	12																								33	34					0-1924171-4	G																																																																																																																																																																																					
										11	12																														0-1924171-5	G																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22		24											35	36	37	38	39	40	0-1924171-6	G																																																																																																																																																																																					
						7	8	9	10	11	12													24													35	36				0-1924171-7	G																																																																																																																																																																																				
										11	12	13	14	15	16									24																	0-1924171-8	G																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G																																																																																																																																																																																					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G																																																																																																																																																																																					

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																												0-1924172-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24				27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924172-9	G	
							7	8	9	10	11	12												24												35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24											35	36	37	38	39			1-1924172-5	G
			3	4	5	6					11	12												24											35	36	37	38	39			1-1924172-6	G

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
											11	12																												0-1924173-1	H			
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H		
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H	
1	2	3	4						9	10	11	12	13	14	15	16					21	22						27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H		
									9	10	11	12																											39	40	0-1924173-6	H		
							7	8	9	10	11	12												24													35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12												24																		0-1924173-8	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32					37	38	39	40	0-1924173-9	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32					37	38	39	40	1-1924173-0	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	1-1924173-2	H			
									9	10	11	12					17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	1-1924173-3	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32					37	38	39	40	1-1924173-4	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38			1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34			37	38	39	40	1-1924173-8	H			
			3	4	5	6					11	12							19	20																		39	40	1-1924173-9	H			
			3	4	5	6					11	12							19	20					24												39		2-1924173-0	H				
			3	4	5	6					11	12							19	20				24													39	40	2-1924173-1	H				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1924171-2](#)