

## Coding bolt - VC-CB-A - 1607888

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coding pins, for panel mounting base, to prevent identical connectors from being confused

### Product Features

- Positions 15, 30, 50, and 65 are available, in accordance with housing sizes VC 1 - VC 4.
- Contact types meet the requirements of IEC 60352/DIN EN 60352
- The connection data of 250 V/10 A corresponds to that of the HEAVYCON DD series
- Contact carriers have two further capacitive PE contacts
- Pin and socket contacts can be used on both the plug and device sides



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	2.8 g
Custom tariff number	73182900
Country of origin	Germany

### Technical data

Product type	Coding element
Approval	EAC

### Classifications

eCl@ss

eCl@ss 4.0	27141210
eCl@ss 4.1	27141210
eCl@ss 5.0	23110302

## Coding bolt - VC-CB-A - 1607888

### Classifications

#### eCl@ss

eCl@ss 5.1	23110302
eCl@ss 6.0	23110302
eCl@ss 7.0	23110302
eCl@ss 8.0	27440203

#### ETIM

ETIM 2.0	EC000766
ETIM 3.0	EC000766
ETIM 4.0	EC002311
ETIM 5.0	EC002311

#### UNSPSC

UNSPSC 6.01	27112301
UNSPSC 7.0901	27112301
UNSPSC 11	27112301
UNSPSC 12.01	27112301
UNSPSC 13.2	27112301

### Approvals

#### Approvals

---

#### Approvals

#### EAC

---

#### Ex Approvals

---

#### Approvals submitted

---


#### Approval details

EAC
-----

#### Drawings

## Coding bolt - VC-CB-A - 1607888

Dimensional drawing



---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Phoenix Contact:](#)

[1607888](#)