




93.00 REF

8.70

2 PLC REF
(TO CONTACT
MID PLANE)

75.60

E1

F1 X 0.6

E2

F2 X 0.6

20.45

52.65 REF
LATCH OPEN

48.00 REF
LATCH CLOSED

CL OF HOUSING

CL OF THE MODULE CARD

9.79

5.30

2 PLC

0.60 TYP
(PITCH)

1.80

2.40 REF

1.80

0.150 TYP
0.10 X Y Z
(SOLDERTAIL WIDTH)

6.29 REF
(SEATING HEIGHT OF
THE MODULE CARD)

Ø2.40 REF
3 PLC

2.46

3 PLC

6.55
REF

64	56	38.4	33.6	45.5	40.7	DDR3 (AB/BB/CB) ; STD	1.5V	3	1- -4
64	56	38.4	33.6	45.5	40.7	DDR2 (AA/BA/CA) ; STD	1.8V	3	1- -3
56	64	33.6	38.4	40.7	45.5	DDR3 (AB/BB/CB) ; RVS	1.5V	3	1- -2
56	64	33.6	38.4	40.7	45.5	DDR2 (AA/BA/CA) ; RVS	1.8V	3	1- -1
64	56	38.4	33.6	45.5	40.7	DDR3 (AB/BB/CB) ; STD	1.5V	2	-4
64	56	38.4	33.6	45.5	40.7	DDR2 (AA/BA/CA) ; STD	1.8V	2	-3
56	64	33.6	38.4	40.7	45.5	DDR3 (AB/BB/CB) ; RVS	1.5V	2	-2
56	64	33.6	38.4	40.7	45.5	DDR2 (AA/BA/CA) ; RVS	1.8V	2	-1
F2	F1	E2	E1	B2	B1	variation ; ORIENTATION MODULE	VOLTAGE MARKING	CONTACT FINISH	P/N

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED.
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING
ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm

MATERIAL

1

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.25
2 PLC ±0.13
3 PLC ±0.10
4 PLC ±
ANGLES ±1°

FINISH

SEE
P/N TABLE

DWN

WYLEE

18MAY2007

CHK

YJ SEE

APVD

SE LEONG

PRODUCT SPEC

108-51091

APPLICATION SPEC

114-51011

WEIGHT

-

CUSTOMER DRAWING

TE CONNECTIVITY

Singapore

NAME

ASSEMBLY, MINIDIMM, R/A, LF
0.60mm PITCH, 244 CKTS,
DDR2/3

SIZE

A3

CAGE CODE

00779

DRAWING NO

1735438

SCALE

1:1

SHEET

1

OF



5

REV



B5

AMP 1470-19 REV 09MAY94



LOC		DIST		REVISIONS					
DY		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-





P/N X- -1
(1.8V RVS)
SCALE 3:2



P/N X- -2
(1.5V RVS)
SCALE 3:2



P/N X- -3
(1.8V STD)
SCALE 3:2



P/N X- -4
(1.5V STD)
SCALE 3:2

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.				DWN WYLEE	18MAY2007	TE CONNECTIVITY Singapore			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK YJ SEE		NAME ASSEMBLY, MINIDIMM, R/A, LF 0.60mm PITCH, 244 CKTS, DDR2/3			
		0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ±0.10 4 PLC ± ANGLES ±1°		APVD SF LEONG		SIZE A3			
MATERIAL 		FINISH SEE P/N TABLE		PRODUCT SPEC 108-51091		CAGE CODE 00779		DRAWING NO C-1735438	
				APPLICATION SPEC 114-51011					
				WEIGHT -					
				CUSTOMER DRAWING		SCALE 3:2		SHEET 2 OF 5	
								REV B5	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

.19

© COPYRIGHT 19

BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DY

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

PIN 122 FOR P/N -3/-4 (STD)
PIN 123 FOR P/N -1/-2 (RVS)PIN 1 FOR P/N -3/-4 (STD)
PIN 244 FOR P/N -1/-2 (RVS)

1.57±0.10

Ø2.50±0.05

7.20 REF

1.50 REF

14.30
REF7.20
REFPIN 1 FOR P/N -1/-2 (RVS)
PIN 244 FOR P/N -3/-4 (STD)4.00 REF
2 PLC

SEE DETAIL A

Ø2.50±0.05
Ø0.10 G E-FPIN 122 FOR P/N -1/-2 (RVS)
PIN 123 FOR P/N -3/-4 (STD)2.60±0.05
Ø0.10 G E-F
2 PLC

0.60 TYP

0.35±0.03
Ø0.10 G E-F2.00±0.03
Ø0.10 G E-F5.00
Ø0.10 G E-F

4.59

4.59


3.35


5.35

DETAIL A
SCALE 4:1




NOTES:

21 PCB THICKNESS IS NOT PART OF THE RECOMMENDED DIMENSIONS FOR THIS PRODUCT.
THE DESIGN OF THIS CONNECTOR IS NOT DEPENDENT ON THE PCB THICKNESS.RECOMMENDED PCB LAYOUT
(AS SHOWN FOR X- -1/-2 RVS)


THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN WYLEE	18MAY2007	STE TE CONNECTIVITY Singapore	
		CHK YJ SEE			
DIMENSIONS: mm		APVD SF LEONG		NAME ASSEMBLY, MINIDIMM, R/A, LF 0.60mm PITCH, 244 CKTS, DDR2/3	
		PRODUCT SPEC 108-51091			
		APPLICATION SPEC 114-51011		SIZE A3	CAGE CODE 00779
MATERIAL		FINISH	WEIGHT -	DRAWING NO C-1735438	
			CUSTOMER DRAWING	SCALE 2:1	SHEET 3 OF 5
				REV B5	



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
DY	-		-	SEE SHEET 1	-	-	-



DETAIL A
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN WYLEE	18MAY2007		 TE CONNECTIVITY Singapore			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK YJ SEE	NAME ASSEMBLY, MINIDIMM, R/A, LF 0.60mm PITCH, 244 CKTS, DDR2/3			
		APVD SF LEONG		PRODUCT SPEC 108-51091				
		APPLICATION SPEC 114-51011		SIZE A3			CAGE CODE 00779	DRAWING NO C-1735438
		MATERIAL		WEIGHT -			SCALE 1:1	
		FINISH		CUSTOMER DRAWING				

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1735438-2](#)