




LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32						22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																	
		44							35		32														12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																	
									35																										6-1438735-2	2LIT-14A464-SD-084																
			43	42		40	39		37					29				20	18			15	14		11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083																
45		43						38	36		31					25	24					18	17	16	14	12			7	6			2	1	5-1438735-0	2LIT-14A464-SD-082																
45		43						38	36		31					25	24							16	14	12			7	6			2	1	4-1438735-9	2LIT-14A464-SD-081																
45		43						38	36		32	31				25	24		21	19	18	17	16	14	12			7	6			1	4-1438735-8	2LIT-14A464-SD-080																		
45		43						39	38	37	36			31			25	24					18	17	16	14	13	12		9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079															
				42															20	18					13	11	10						2	1	3-1438735-8	2LIT-14A464-SD-078																
				42															20	18					13	11	10							1	3-1438735-7	2LIT-14A464-SD-077																
45		43						39	38	37	36			31			25	24		21	20	19	18	17		14	13	12		9				2	1	3-1438735-6	2LIT-14A464-SD-076															
45		43									31					25	24		21	20	19	18	17		14	12							2	1	3-1438735-5	2LIT-14A464-SD-075																
			43	42		40	39		37					29					20	18			15	14		11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074														
45		43						39	38	37	36			31			25	24			20	19	18	17		14	13	12		9				2	1	3-1438735-2	2LIT-14A464-SD-073															
45		43									31					25	24		21	20	19	18	17	16	14	12			7				2	1	3-1438735-1	2LIT-14A464-SD-072																
45		43						39	38	37	36			31			25	24		21	20	19	18	17	16	14	13	12		9	7			2	1	3-1438735-0	2LIT-14A464-SD-071															
45		43									31					25	24		21	20	19			16	14	12			7				2	1	2-1438735-9	2LIT-14A464-SD-070																
45		43						39	38	37	36			31			25	24		21	20	19		16	14	13	12		9	7			2	1	2-1438735-8	2LIT-14A464-SD-069																
45		43									31					25	24			20	19	18	17		14	12							2	1	2-1438735-6	2LIT-14A464-SD-068																
											33															13							6	5			2-1438735-5	2LIT-14A464-SD-067														
45	44	43	42		40			38	37	36		33	31				24	22	21	20		18	17	16	15				9	8				2	2-1438735-4	2LIT-14A464-SD-066																
		43										31		29								18							8					2	2-1438735-1	2LIT-14A464-SD-065																
45		43								38	36	35			31			25	24		21				16	14	12			7	6			2	1	2-1438735-0	2LIT-14A464-SD-064															
45		43						39	38	37	36	35			31			25	24				18	17	16	14	13	12		9	7	6			2	1	1-1438735-9	2LIT-14A464-SD-063														
45		43								38	36	35		32	31			25	24		21	19	18	17	16	14	12			7	6				1	1-1438735-8	2LIT-14A464-SD-062															
45		43								38	36	35			31			25	24						16	14	12			7	6			2	1	1-1438735-7	2LIT-14A464-SD-061															
45		43								38	36	35			31			25	24		21	19			16	14	12			7	6			2	1	1-1438735-6	2LIT-14A464-SD-060															
45		43								38	36	35			31			25	24				18	17	16	14	12			7	6			2	1	1-1438735-5	2LIT-14A464-SD-059															
45		43						39	38	37	36	35			31			25	24		21	19	18	17	16	14	13	12		9	7	6			2	1	1-1438735-4	2LIT-14A464-SD-058														
45		43								38	36	35			31			25	24		21	19	18	17	16	14	12			7	6			2	1	1-1438735-3	2LIT-14A464-SD-057															
				42							37									20	18				15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056												
45		43										36	35		31				24		21	19		16	14	12				7	6				1	1-1438735-1	2LIT-14A464-SD-055															
											35						27																	3		1-1438735-0	2LIT-14A464-SD-054															
			43									31		29									18						9	8					2	1438735-9	2LIT-14A464-SD-053															
											35						27													7						1438735-8	2LIT-14A464-SD-052															
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. IT IS SUBJECT TO CHANGE WITHOUT NOTICE FOR TYCO ELECTRONICS CORPORATION. IT IS THE BUYER'S RESPONSIBILITY TO CONTACT THE SELLING ORGANIZATION TO OBTAIN THE LATEST EDITION.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±.

4 PLC ±.

ANGLES ±°

FINISH -

DWN R. VESTAL 01AUG2003

CHK D. STRAUSSER 01AUG2003

APVD D. STRAUSSER 01AUG2003

NAME

46 WAY PCM CONNECTOR HARNESS ASSEMBLY

SIZE A

CAGE CODE 00779

DRAWING NO. C=1438082

RESTRICTED TO -

CUSTOMER DRAWING

SCALE 4:1

SHEET 3 OF 5

REV S 11

Tyco Electronics
Harrisburg, PA 17105-3608

PIN-OUT CHART KEYING OPTION "B" AMP 4805 REV 31MAR2000

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1438735-7](#)