




LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			F	REVISED PER ECO-08-029679	23DEC2008	SK	DM



PERIPHERAL GASKET
MATL: SILICONE
RUBBER
COLOR: RED




OLIVE DRAB	SOLD SEPARATELY	B	1-1811927-5
OLIVE DRAB	SOLD SEPARATELY	A	1-1811927-4
OLIVE DRAB	SOLD SEPARATELY	N	1-1811927-3
OLIVE DRAB	PROVIDED UN-ASSEMBLED	B	1-1811927-2
OLIVE DRAB	PROVIDED UN-ASSEMBLED	A	1-1811927-1
OLIVE DRAB	PROVIDED UN-ASSEMBLED	N	1-1811927-0
NICKEL	SOLD SEPARATELY	B	1811927-9
NICKEL	SOLD SEPARATELY	A	1811927-8
NICKEL	SOLD SEPARATELY	N	1811927-7
NICKEL	PROVIDED UN-ASSEMBLED	B	1811927-3
NICKEL	PROVIDED UN-ASSEMBLED	A	1811927-2
NICKEL	PROVIDED UN-ASSEMBLED	N	1811927-1
FINISH	QUADRAX CONTACT 1445692-3 QTY=8	SHELL KEYING ARRANGEMENT	PART NUMBER


1. -1, -2, -3, -10, -11 AND -12 CONNECTOR KIT INCLUDES
TYCO ELECTRONICS QUADRAX PIN ASSEMBLY; PART NUMBER 1445692-3.
QTY = 8 PER KIT.
2. PART IS MARKED WITH TYCO ELECTRONICS PART NO. (SEE TABLE),
TYCO ELECTRONICS LOGO OR TE. AND DATE CODE.
3. OPERATING TEMPERATURE RANGE: -65°C TO +125°C (-85°F TO +257°F).
4. THE CONNECTOR QUALIFICATION WAS COMPLETED PER TYCO ELECTRONICS
108-2199. THE QUADRAX CONTACTS ARE QUALIFIED PER TYCO ELECTRONICS 108-2131.
THE REFERENCE TEST REPORTS ARE TYCO ELECTRONICS 501-660 FOR THE CONNECTOR
AND 501-574 FOR THE CONTACTS WHICH ARE SAME AS ARINC 600-13, DRAFT 2 OF
SUPPLIMENT 14 (AIR TRANSPORT AVIONICS EQUIPMENT INTERFACES).

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 05APR2005 Brent D. John		tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: IN		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK 05APR2005 L.S.OH		NAME ASSY., RECEPTACLE, SIZE 25,8Q8, M38999 STYLE	
		APVD 05APR2005 L.S.OH		PRODUCT SPEC			
		APPLICATION SPEC		SIZE			
		-		CAGE CODE			
MATERIAL		FINISH		WEIGHT		DRAWING NO	
-		-		-		A200779C-1811927	
-		-		CUSTOMER DRAWING		RESTRICTED TO	
						SCALE 2:1	
						SHEET 1 OF 2	
						REV F	


LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-



1811927-1
"N" KEY POLARIZATION



1811927-2
"A" KEY POLARIZATION



1811927-3
"B" KEY POLARIZATION

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 05APR2005 Brent D. Yohn		tyco Electronics		Tyco Electronics Horrisburg, PA 17105-3608	
DIMENSIONS: IN		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±		CHK 05APR2005 L.S.OH		NAME ASSY., RECEPTACLE, SIZE 25,8Q8, M38999 STYLE	
		PRODUCT SPEC -		APVD 05APR2005 L.S.OH		APPLICATION SPEC -	
MATERIAL -		WEIGHT -		SIZE A200779		CAGE CODE C-1811927	
FINISH -		CUSTOMER DRAWING -		DRAWING NO -		RESTRICTED TO -	
				SCALE 2:1		SHEET 2 OF 2	
						REV F	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-1811927-1](#)